DIMENHYDRINATE- dimenhydrinate tablet CVS Pharmacy, Inc.

1006-CVS

Drug Facts

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Do not use for children under 2 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to an enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

■ adults and children 12 years of age and over: 1 to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours, or as directed by a doctor

■ children 6 to under 12 years of age: 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor

■ children 2 to under 6 years of age: 1/2 tablet every 6-8 hours; not to exceed 1 1/2 tablets in 24 hours, or as directed by a doctor

Other Informations

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-231-4670

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

 \ast This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine $^{\rm I\!R}$

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/pha rmacy

CVS.com® 1-800-SHOP CVS

V-30287

CVSHealth

Compare to the active ingredient in Dramamine® Original Formula*

Motion Sickness


DIMENHYDRINATE TABLETS

Antiemetic

Original formula

- Fast acting motion sickness relief
- For children & adults

36 TABLETS (50 mg EACH)





Original Formula

R50554

690045

=

20

88

80

00

4

0

Motion Sickness

DIMENTI DRINATE TABLET

Antiemetic

Original formula

- Fast-acting motion sickness relief
- For children & adults



Compare to the active ingredient in Dramamine®Original Formula* Original Formula

Motion Sickness

DIMENHYDRINATE TABLETS

Antiemetic

Original formula

- Fast-acting motion sickness relief
- For children & adults



Actual Size

36 TABLETS (50 mg EACH)

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine®

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2021 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-30287



Keep out of reach of children. In case of overdose, get medical help or contact a Polson Control Center (1-800-222-1222) right away.

0/98-152-008-1

professional before use.

dtlead e yee .naihaat-teevad va taenava ti	
escohol, sedatives, and tranquilizers may increase ■ alcohol, sedatives, and tranquilizers may increase ■ use caution when driving a motor vehicle or operating machinery	
When using this product ■ marked drowsiness may occur avoid depolotic drops	
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchilis ■ trouble urinating due to an enlarged prostate gland	
Warmings Do not use for children under 2 years of age unless directed by a doctor.	
Use for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness	
Active ingredient (in each tablet) Purpose Dimenhydrinate 50 mg	
Sing Facts	
KEEP OUTER PACKAGE FOR COMPI	
	Active ingredient (in each tablet) Purpose bimenhydrinate 50 mg

DIMENHYDRINATE					
dimenhydrinate tablet					
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (Sour	ce)	NDC:6984	2-206
Route of Administration	ORAL				
Active Increations (Active	Malak				
Active Ingredient/Active	-				-
Ingr	edient Name		Basis of S	Strength	Strength
DIMENHYDRINATE (UNII: JB937PER	R5C) (CHLORTHEOPHYLLINE	- UNII:GE2UA340FM)	DIMENHYDRI	NATE	50 mg
Inactive Ingredients					
	Ingredient Name			S	trength
MICROCRYSTALLINE CELLULOSE	(UNII: OP1R32D61U)				
CROSCARMELLOSE SODIUM (UN	II: M28OL1HH48)				
CALCIUM PHOSPHATE, DIBASIC,	DIHYDRATE (UNII: 07TSZ	97GEP)			
MAGNESIUM STEARATE (UNII: 700	097M6I30)				
Dreduct Characteristics					
Product Characteristics					

Сс	olor		white	Score		2 pieces	
Shape			ROUND	Size		9mm	
Flavor				Imprint Code		1006;1006	
Co	ontains						
Pa	ackaging						
#	ltem Code		Package De	scription	Marketing Sta Date		eting End Date
1	NDC:69842- 206-12	1 in 1 CAF	RTON		07/03/2018		
1		12 in 1 BL Product	ISTER PACK; Type	0: Not a Combination			
2	NDC:69842- 206-36	3 in 1 CAF	RTON		07/03/2018		
2		12 in 1 BL Product	ISTER PACK; Type	0: Not a Combination			
Μ	larketing	Inforn	nation				
Marketing Category				er or Monograph tion	Marketing Sta Date		eting End Date

Labeler - CVS Pharmacy, Inc. (062312574)

Revised: 12/2024

CVS Pharmacy, Inc.