

**ANTI DIARRHEAL- loperamide hcl tablet, film coated  
Walgreen Company**

-----  
**Walgreen Co. Anti-Diarrheal Drug Facts**

**Active ingredient (in each caplet)**

Loperamide HCl 2 mg

**Purpose**

Anti-diarrheal

**Use**

controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

**Heart alert:** Taking more than directed can cause serious heart problems or death

**Do not use**

if you have bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Loperamide may interact with certain prescription drugs.

**When using this product**

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34 to 47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

**Other information**

- store at 20°-25°C (68°-77°F)
- see end panel for lot number and expiration date

**Inactive ingredients**

anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredient in Imodium® A-D

Anti-Diarrheal

LOPERAMIDE HYDROCHLORIDE TABLETS, 2 mg

ANTI-DIARRHEAL

- Controls the symptoms of diarrhea

12 CAPLETS\*

(\*capsule-shaped tablets)

ACTUAL SIZE

SEE NEW WARNINGS

W30RG1021-F  
REV-0725

22453 94 C3

NDC 0363-1010-53

**Walgreens**

Compare to the active ingredient  
in Imodium® A-D



# Anti-Diarrheal

LOPERAMIDE HYDROCHLORIDE TABLETS, 2 mg

**Drug Facts**  
**Active ingredient**  
(in each caplet)  
Loperamide HCl 2 mg.....Anti-diarrheal

**Purpose**  
Use controls symptoms of diarrhea, including Traveler's Diarrhea.

**Warnings**  
Allergy alert Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.  
Heart alert Taking more than directed can cause serious heart problems or death.  
Do not use if you have bloody or black stool.  
Ask a doctor before use if you have  
■ a fever ■ mucus in the stool  
■ a history of liver disease  
■ a history of abnormal heart rhythm

**Ask a doctor or pharmacist before use if you are taking a prescription drug.**  
Loperamide may interact with certain prescription drugs.  
When using this product tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.  
Stop use and ask a doctor if  
■ symptoms get worse  
■ diarrhea lasts for more than 2 days  
■ you get abdominal swelling or bloating.  
These may be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.

**Other information**  
■ store at 20°-25° C (68°-77° F)  
■ see end panel for lot number and expiration date

**Drug Facts** (continued)  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea  
■ find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children stool: 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours	children 9-11 years stool: 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours	children 6-8 years stool: 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours	children 2-5 years (34 to 47 lbs) ask a doctor	children under 2 years (up to 33 lbs) do not use
--	---	--	---	---

**Drug Facts** (continued)  
**Inactive ingredients** anhydrous lactose, camada wax, D & C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol pregelatinized starch

**Gluten Free**


DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEE  
walgreens.com  
©2025 Walgreen Co.

ITEM 759369 WH10106-1025-L  
  
11917701602  
3

**DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN**  
Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Imodium®.

**Walgreens**





## ANTI DIARRHEAL

loperamide hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1010
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LOPERAMIDE HYDROCHLORIDE</b> (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

### Product Characteristics

<b>Color</b>	GREEN	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L2
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1010-53	12 in 1 CARTON	09/11/2021	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-1010-62	24 in 1 CARTON	09/14/2021	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-1010-91	6 in 1 CARTON	09/14/2021	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075232	09/11/2021	

**Labeler** - Walgreen Company (008965063)

Revised: 3/2026

Walgreen Company