

ZAOL DOCTORS ORDER SCALP SCALING- niacinamide, panthenol, salicylic acid shampoo zaol

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Panthenol, Niacinamide, salicylic acid

Water, Glycerin, Butylene Glycol, etc.

Hair conditioning

Keep out of reach of the children

1. If the following symptoms occur after product use, stop using the product immediately and consult a dermatologist (continuous use can exacerbate the symptoms).

1) Occurrence of red spots, swelling, itchiness, and other skin irritation

2) If the symptoms above occur after the application area is exposed to direct sunlight

2. Do not use on open wounds, eczema, and other skin irritations

3. Precaution for Storage and Handling

1) Close the lid after use

2) Keep out of reach of infants and children

3) Do not store in a place with high/low temperature and exposed to direct sunlight

4. Use as avoiding eye areas.

* We recommend a usage depending on one's scalp type, as follows:

- Oily scalp: morning/evening shampoo (twice a day)

- Neutral scalp: shampoo once a day

- Dry scalp: shampoo once every two days.

1. Wet hair with lukewarm water to open scalp pores.

2. Pump a sufficient amount of Scalp Scaling Shampoo into hands, apply to scalp and massage gently for 2 minutes to remove sebum and dead skins.

3. In massaging like movements, scrub hair & scalp for around 3 minutes before rinsing, to allow absorption of nutrients by scalp.

- To prevent nutrients absorbed by pores from falling out, rinse with water cooler than body temperature.

- Covering scalp with shampoo foam for more than 5 minutes may cause scalp irritability.

4. Dry hair with blow-dryer using cool air.

- Healthy scalp maintains a sub-acidity state of 4.5-5.5 Ph to protect hair from harmful bacteria. The Scalp Scaling Shampoo balances scalp to a 5.5 Ph, allowing for an optimal and healthy scalp.

For external use only

ZAOL DOCTOR'S ORDER SCALP SCALING SHAMPOO

Drug Facts

Active ingredients

Panthenol
Niacinamide
Salicylic acid

Uses

Hair conditioning

Warning

1. If the following symptoms occur after product use, stop using the product immediately and consult a dermatologist (continuous use can exacerbate the symptoms).
 - 1) Occurrence of red spots, swelling, itchiness, and other skin irritation
 - 2) If the symptoms above occur after the application area is exposed to direct sunlight
2. Do not use on open wounds, eczema, and other skin irritations
3. Precaution for Storage and Handling
 - 1) Close the lid after use
 - 2) Keep out of reach of infants and children
 - 3) Do not to store in a place with high/low temperature and exposed to direct sunlight
4. Use as avoiding eye areas.

Direction

* We recommend a usage depending on one's scalp type, as follows:

- Oily scalp: morning/evening shampoo (twice a day)
- Neutral scalp: shampoo once a day
- Dry scalp: shampoo once every two days.
 1. Wet hair with lukewarm water to open scalp pores.
 2. Pump a sufficient amount of Scalp Scaling Shampoo into hands, apply to scalp and massage gently for 2 minutes to remove sebum and dead skins.
 3. In massaging like movements, scrub hair & scalp for around 3 minutes before rinsing, to allow absorption of nutrients by scalp.
- To prevent nutrients absorbed by pores from falling out, rinse with water cooler than body temperature.
- Covering scalp with shampoo foam for more than 5 minutes may cause scalp irritability.
- 4. Dry hair with blow-dryer using cool air.
- Healthy scalp maintains a sub-acidity state of 4.5-5.5 Ph to protect hair from harmful bacteria. The Scalp Scaling Shampoo balances scalp to a 5.5 Ph, allowing for an optimal and healthy scalp.

Other Information

keep in a room temperature
keep out of the direct sunlight

Inactive Ingredient

water, glycerin butylenes glycol, etc

ZAOL DOCTORS ORDER SCALP SCALING

niacinamide, panthenol, salicylic acid shampoo

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71175-0003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
------------------------	--------------------------	-----------------

NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	0.1 g in 100 mL
PANTHENOL (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	PANTHENOL	0.2 g in 100 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71175-0003-1	300 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/11/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/10/2017	

Labeler - zaol (689851635)

Registrant - zaol (689851635)

Establishment

Name	Address	ID/FEI	Business Operations
zaol		689851635	manufacture(71175-0003) , pack(71175-0003) , label(71175-0003)