

**ZAOL DOCTORS ORDER SYNERGY BOOSTER- panthenol, salicylic acid, menthol liquid  
zaol**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

Panthenol, Salicylic Acid, Menthol

Water, Glycerin, Butylene Glycol, etc.

Hair conditioning

Keep out of reach of the children

1. If the following symptoms occur after product use, stop using the product immediately and consult a dermatologist (continuous use can exacerbate the symptoms).

1) Occurrence of red spots, swelling, itchiness, and other skin irritation

2) If the symptoms above occur after the application area is exposed to direct sunlight

2. Do not use on open wounds, eczema, and other skin irritations

3. Precaution for Storage and Handling

1) Close the lid after use

2) Keep out of reach of infants and children

3) Do not to store in a place with high/low temperature and exposed to direct sunlight

4. Use as avoiding eye areas.

1. Wash hair with the Scalp Scaling Shampoo and dry thoroughly.

- Use blow-dryer's cool air function to dry hair

2. On a dry scalp, apply the Synergy Booster by tapping gently on the area (15 to 20 times).

- The Synergy Booster being sprayed directly from the container nozzles, its scalp penetrability is very high and, combined with scalp stimulation through massaging and blood circulation activation, absorption rates get higher.

3. Tap and press on the scalp using finger.

- After using Synergy Booster, make sure that all the topical solution is absorbed by gently tapping on the scalp.

For external use only

# ZAOL DOCTOR'S ORDER SYNERGY BOOSTER

## *Drug Facts*

### *Active ingredients*

~~Panthenol~~  
Menthol  
Salicylic acid

### *Uses*

Hair conditioning

### *Warning*

1. If the following symptoms occur after product use, stop using the product immediately and consult a dermatologist (continuous use can exacerbate the symptoms).
  - 1) Occurrence of red spots, swelling, itchiness, and other skin irritation
  - 2) If the symptoms above occur after the application area is exposed to direct sunlight
2. Do not use on open wounds, eczema, and other skin irritations
3. Precaution for Storage and Handling
  - 1) Close the lid after use
  - 2) Keep out of reach of infants and children
  - 3) Do not to store in a place with high/low temperature and exposed to direct sunlight
4. Use as avoiding eye areas.

### *Direction*

\* We recommend a usage depending on one's scalp type, as follows:

- Oily scalp: morning/evening shampoo (twice a day)
- Neutral scalp: shampoo once a day
- Dry scalp: shampoo once every two days.
  1. Wet hair with lukewarm water to open scalp pores.
  2. Pump a sufficient amount of Scalp Scaling Shampoo into hands, apply to scalp and massage gently for 2 minutes to remove sebum and dead skins.
  3. In massaging like movements, scrub hair & scalp for around 3 minutes before rinsing, to allow absorption of nutrients by scalp.
    - To prevent nutrients absorbed by pores from falling out, rinse with water cooler than body temperature.
    - Covering scalp with shampoo foam for more than 5 minutes may cause scalp irritability.
  4. Dry hair with blow-dryer using cool air.
- Healthy scalp maintains a sub-acidity state of 4.5-5.5 Ph to protect hair from harmful bacteria. The Scalp Scaling Shampoo balances scalp to a 5.5 Ph, allowing for an optimal and healthy scalp.

### *Other Information*

~~keep~~ in a room temperature  
~~keep~~ out of the direct sunlight

### *Inactive Ingredient*

water, ~~butylene~~ glycol, etc

## **ZAOL DOCTORS ORDER SYNERGY BOOSTER**

panthenol, salicylic acid, menthol liquid

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71175-0004
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.25 g in 100 mL
PANTHENOL (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	PANTHENOL	0.2 g in 100 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.3 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71175-0004-1	100 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	01/11/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/10/2017	

**Labeler** - zaol (689851635)

**Registrant** - zaol (689851635)

## Establishment

Name	Address	ID/FEI	Business Operations
zaol		689851635	pack(71175-0004) , manufacture(71175-0004) , label(71175-0004)