LORATADINE- loratadine tablet Ohm Laboratories Inc.

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours		
children under 6 years of age	ask a doctor		
consumers with liver or kidney disease ask a doctor			

OTHER INFORMATION

- store between 20° and 25° C (68° and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

SOUND BODYTM

COMPARE TO THE ACTIVE INGREDIENT IN CLARITIN®†

Relief of: Sneezing, Itchy, Watery Eyes; Runny Nose; Itchy Throat or Nose

*When taken as directed. See Drug Facts Panel.

Original Prescription Strength

NON-DROWSY*

Allergy Relief

Loratadine Tablets, USP 10 mg

Antihis tamine

Indoor & Outdoor Allergies

10 Tablets

24 HOURS

ALLERGY RELIEF

Manufactured by: Ohm Laboratories Inc.

5104668/R0713

Keep the carton. It contains important information. See end panel for expitation date.

Questions? call 1-800-406-7984

stearate, pregelatinized starch Inactive ingredients

TORN, BROKEN OR SHOW ANY SIGNS OFTAMPERING. ■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE biorect from excessive moisture

■ store between 20° to 25° C (68° to 77° F) Other Information

	esease disease
sak a doctor	
ask a doctor	children under 6 years of age
anom for delity; not more than 1 tablet in 24 hours	and over

right away (1-800-222-1222). get medical help or contact a Poison Control Center keep out of reach of children, in case of overdose,

If pregnant or breast-feeding, ask a health professional

Drug Facts (continued)

to this product occurs, seek medical neip right away. Stop use and sak a doctor if an allergic reaction

directed. Taking more than directed may cause When using this product do not take more than

disease. Your doctor should determine if you need a Ask a doctor before use if you have liver or kidney

to this product or any of its ingredients. Do not use if you have ever had an allergic reaction Warnings

■itching of the nose or throat

■ Іссий матегу вузв

esou /uuru =

or other upper respiratory allergies: temporarily relieves these symptoms due to hay fever

enimstairlinh.

.em 01 92U ,enibetsno. (in each tablet) Active ingredient

Purpose

Drug Facts



Allergy Relief

Loratadine Tablets, USP 10 mg

Indoor & Outdoor Allergies

Original Prescription Strength

NON-DROWSY*

COMPARE TO THE ACTIVE INGREDIENT IN CLARITIN®+



Relief of: Sneezing; Itchy, Watery Eyes; Runny Nose; Itchy Throat or Nose

* When taken as directed. See Drug Facts Panel.

Manufactured by:
Ohm Laboratories Inc.
1385 Livingston Avenue
North Brunswick, NJ 08902
V#1008633 ITEM#1090311



Allergy Relief

Loratadine Tablets, USP 10 mg **Antihistamine**

Indoor & Outdoor Allergies

Tablets





All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Claritin®

Non



Allergy Relief

Loratadine Tablets, USP 10 mg

Antihistamine Indoor & Outdoor Allergies

LORATADINE

loratadine tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51660-209

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8 I5X)			
MACNESHIM STEADATE (UNIII: 7009.7M6120)			

Product Characteristics Color white (White to Off-White) Score no score Shape ROUND Size 6mm Flavor Imprint Code RX;526 Contains

]	Packaging			
7	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-209-69	1 in 1 CARTON		
1		10 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	06/23/2009	

Labeler - Ohm Laboratories Inc. (184769029)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment			
Name	Address	ID/FEI	Business Operations

Ohm Laboratories Inc.	051565745	manufacture(51660-209)

Revised: 9/2013 Ohm Laboratories Inc.