

**ASPIRIN- aspirin tablet**  
**Valu Merchandisers Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Best Choice 44-249**

***Active ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves:

- pain and fever of colds
- headache
- muscle pain
- minor pain of arthritis
- toothache
- menstrual pain

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- shock
- hives
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed
- take a blood thinning (anticoagulant) or steroid drug
- have had stomach ulcers or bleeding problems

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer

- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug for

- gout
- diabetes
- arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredient***

corn starch

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

Best  
Choice®

**Aspirin  
(NSAID)**

Aspirin (NSAID)  
Pain Reliever &  
Fever Reducer

**100 TABLETS**

325 mg Each

50844 REV0318C24912

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106

**Best Choice®**

**100% Guaranteed**

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**



**Best Choice**  
**Aspirin (NSAID)**  
**Pain Reliever & Fever Reducer**  
**100 TABLETS**  
**325 mg Each**

PROUDLY DISTRIBUTED BY:  
 VALU MERCHANDISERS, CO.  
 5000 KANSAS AVE  
 KANSAS CITY, KS 66106

Best Choice,  
 100% Guaranteed  
 www.bestchoicebrand.com

50844 REV0318C24912

**BEST CHOICE**  
 70038 20356 8

**Actual Size**

**Drug Facts**

**Active ingredient (in each tablet)**  
 Aspirin 325 mg (NSAID)\* ..... Pain reliever/fever reducer  
 \*nonsteroidal anti-inflammatory drug

**Uses** temporarily relieves: ■ pain and fever of colds  
 ■ headache ■ muscle pain ■ minor pain of arthritis  
 ■ toothache ■ menstrual pain

**Warnings**  
 Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
 Allergy alert: Aspirin may cause a severe allergic reaction, which may include: ■ facial swelling  
 ■ shock ■ hives ■ asthma (wheezing)  
 Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older  
 ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)  
 ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed  
 ■ take a blood thinning (anticoagulant) or steroid drug  
 ■ have had stomach ulcers or bleeding problems

**Other information** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ use by expiration date on package

**Inactive ingredient** corn starch

**Questions or comments?** 1-800-426-9391

**STOP PEELING**

**Adhesive Only**

Best Choice 44-249

## ASPIRIN

aspirin tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-249
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	ASPIRIN;44;249
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-249-12	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/04/1993	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	08/04/1993	

**Labeler** - Valu Merchandisers Company (868703513)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(63941-249)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(63941-249)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(63941-249)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(63941-249)