

ADULT COUGH RELIEF- dextromethorphan hbr liquid QUALITY CHOICE (Chain Drug Marketing Association)

Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan HBr 15 mg

Purpose

Cough suppressant

Uses

- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts as occurs with smoking, asthma, or emphysema

When using this product,

do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, cough comes back, or occurs by fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL=milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours,
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

Other information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

Questions or comments?

Call **1-800-935-2362** Monday-Friday 9AM-5PM EST

Principal Display Panel

Cough Relief

Cough Suppressant

Dextromethorphan HBr 15 mg

Cough suppressant

For Ages 6 & Over

6-8 hour Relief

Alcohol-Free

Orange Flavor

FL OZ (mL)

Dosing Cup Included

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by CDMA, Inc.

Novi, MI 48375

Package Label

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Dextromethorphan HBr 15 mg	Cough suppressant

Uses

- Temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

When using this product, do not use more than directed.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- shake well before using
- mL = milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

Questions or comments?
Call 1-800-935-2362 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

100% SATISFACTION GUARANTEED
Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

QC QUALITY CHOICE NDC 83324-134-04

Cough Relief

Cough Suppressant

Dextromethorphan HBr 15 mg Cough Suppressant

For Ages 6 & Over
6-8 Hour Relief
Alcohol-Free

Orange Flavor



4 FL OZ (118 mL)

QC QUALITY CHOICE

Cough Relief

Cough Suppressant

Dextromethorphan HBr 15 mg Cough Suppressant

For Ages 6 & Over
6-8 Hour Relief
Alcohol-Free

Contains
No Fever Reducer
Or Pain Reliever



PLD-G258C FC009144

Lot No.:

Exp. Date:

QUALITY CHOICE Cough Relief

ADULT COUGH RELIEF

dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-134
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
HYDROXYETHYL CELLULOSE (1500 MPAS AT 1%) (UNII: L605B5892V)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-134-04	1 in 1 BOX	07/31/2024	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/31/2024	

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

