

**QUICK-SAN 10X CONCENTRATE- hydrogen peroxide solution  
IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**QUICK-SAN 10X CONCENTRATE A DUEL GERMICIDE, NPE FREE, NON-IODINE  
TEAT DIP**

**ACTIVE INGREDIENT**

Hydrogen Peroxide.....6.00%

(Provides a A Full .60% Hydrogen Peroxide When Mixed At teh Recommended Dilution Ratio)

Lactic Acid.....0.50%

(Provides a A Full .50% Lactic Acid When Mixed At teh Recommended Dilution Ratio)

**INERT INGREDIENTS**

Emollients(skin conditioners).....20.00%

(Provides a A Total.2.00% Glycerin When Mixed At teh Recommended Dilution Ratio)

Other Inerts.....69.00%

(Includes Buffering Agents, Wetting Agents, Stabilizing Agents, and Colorants)

Total.....100%

Diluet 1 Part QUICK-SAN 10X TEAT DIP CONCENTRATE Per 9 Parts Potable, Tepid Water  
An AID IN THE PREVENTION OF NEW INTRAMAMMARY INFECTIONS

**INDICATIONS AND USAGE**

**GENERAL RECOMMENDATIONS**

**A.) A Qaulity water supply is required for mixing**

**1. Hardness <2 grains or 35 ppm**

**2. Iron must be 0.0 ppm**

**3. pH 6.5-7.0**

**B.) CONCENTRATE should be mixed ready-to-use product within 30 days of delivery**

**C.) Keep CONCENTRATE out of direct sunlight and store in a cool place**

**D.) QUICK-SAN 10X CONCENTRATE contains a high level of Hydrogen Peroxide and should be handled with care. This concentration can be detrimental to the skin, eyes and soft tissues.**

**MIXING GUILDINES FOR QUICK-SAN 10xX TEAT DIP CONCENTRATE**

- 1. Clean mixing equipment, clean transfer lines, clean and sanitize packing containers.**
- 2. Use only equipment that is compatible with Hydrogen Peroxide and Acids.**
- 3. Start with QUICK- SAN 10X CONCENTRATE.**
- 4. Water volume to QUICK- SAN 10X CONCENTRATE ratio at least 5:1.**
- 5. With agitation, slowly add the QUICK- SAN 10X CONCENTRATE to the water.**
- 6. Use additional water to rinse QUICK- SAN 10X CONCENTRATE residue from QUICK- SAN 10X CONCENTRATE container and add to mixture.**
- 7. Continue mixing to a uniform blend.**
- 8. Continue mixing while adding the balance of water or skin conditioners to the desired concentration.**
- 9. Test for Hydrogen Peroxide strength pH.**
- 10. Assign a lot number , record test results and retain a sample of finished product.**
- 11. Fill properly labeled containers suitable for Hydrogen Peroxide based products.**

CAUTION: KEEP OUT OF REACH OF CHILDREN, STORE LOCKED UP.  
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

## **WARNING**

QUICK-SAN 10X NPE FREE TEAT DIP CONCENTRATE MUST BE DILUTED BEFORE USE.  
DO NOT MIX WITH ANYTHING BUT POTABLE WATER.  
WEAR SAFETY EQUIPMENT. A MINIMUM OF SAFETY GOGGLES AND RUBBER GLOVES.  
VENTED BUNGS ARE REQUIRED ON THE CONTAINER OF READY-TO-USE PRODUCT.  
SECURE BUNGS/CAPS TO ENSURE THE PRODUCT INTEGRITY.  
USE DEDICATED EQUIPMENT FOR BLENDING QUICK-SAN 10X CONCENTRATE. DO NOT USE EQUIPMENT THAT HAS CONTACT WITH OTHER CHEMICALS.  
DO NOT LET THE QUICK-SAN 10X CONCENTRATE OR READY-TO-USE PRODUCT COME INTO CONTACT WITH BLACK STEEL AND IRON, SOFT METALS, ALLOYS OF SOFT METALS, WOODOR PAPER.  
DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.  
PROTECT THIS PRODUCT FROM FREEZING  
Close

## **FIRST AID PROCEDURES**

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AND EASY TO DO. CONTINUE RINSING WITH WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

IF SWALLOWED: RINSE MOUTH WITH WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

IF ON SKIN: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. WASH SKIN WITH PLENTY OF WATER FOR 15 MINUTES. IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE/ATTENTION

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

## QUICK-SAN 10X

NDC 29983-0085-9

**QUICK-SAN 10X CONCENTRATE**  
A DUAL GERMICIDE, NPE FREE, NON-IODINE TEAT DIP

**ACTIVE INGREDIENTS:**  
Hydrogen Peroxide 6.00%  
(Provides A Full .6% Hydrogen Peroxide When Mixed At The Recommended Dilution Ratio)  
Lactic Acid 5.00%  
(Provides a Full .5% Lactic Acid When Mixed At The Recommended Dilution Ratio)

**INERT INGREDIENTS:**  
Glycerin 20.00%  
(Provides a total of 2% Glycerin At The Recommended Dilution Ratio)  
Other Inerts 69.00%  
(Includes Buffering Agents, Stabilizing Agents and Surfactants)  
**TOTAL:** 100.00%

**GENERAL RECOMMENDATIONS**  
A.) A quality water supply is required for mixing.  
1.) Hardness < 2 grains or 35 ppm.  
2.) Iron must be 0.0 ppm.  
3.) pH 6.5 - 7.0.  
B.) **CONCENTRATE** should be mixed into ready-to-use product within 30 days of delivery.  
C.) Keep **CONCENTRATE** out of direct sunlight and store in a cool place.  
D.) **QUICK-SAN 10X CONCENTRATE** contains a high level of Hydrogen Peroxide and should be handled with care. This concentration can be detrimental to the skin, eyes and soft tissues.

**FIRST AID PROCEDURES**  
**IF IN EYES:** RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AND EASY TO DO. CONTINUE RINSING WITH WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.  
**IF SWALLOWED:** RINSE MOUTH WITH WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.  
**IF ON SKIN:** IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. WASH SKIN WITH PLENTY OF WATER FOR 15 MINUTES. IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE/ATTENTION.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**

**INSTRUCTIONS FOR QUICK-SAN 10X TEAT DIP CONCENTRATE**  
1. Clean teats, udders, teat transfer lines, clean and sanitize.  
2. QUICK-SAN 10X CONCENTRATE is compatible with Hydrogen Peroxide and Acids.  
3. Dilute QUICK-SAN 10X CONCENTRATE to a 10% solution.  
4. Mix QUICK-SAN 10X CONCENTRATE ratio at least 5:1.  
5. Thoroughly and slowly add the QUICK-SAN 10X CONCENTRATE to the water.  
6. Add enough water to raise QUICK-SAN 10X CONCENTRATE residue level in QUICK-SAN 10X CONCENTRATE container and add to mixture.  
7. Continue mixing to a uniform blend.  
8. Continue mixing while adding the balance of water or skin conditioners to the desired concentration.  
9. Test for Hydrogen Peroxide strength and pH.  
10. Assign a lot number, record test results and retain a sample of finished product.  
11. Use properly labeled containers suitable for Hydrogen Peroxide based products.  
**CAUTION: KEEP OUT OF REACH OF CHILDREN. STORE LOCKED UP. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**

Dilute 1 Part  
**QUICK-SAN 10X TEAT DIP CONCENTRATE**  
Per 9 Parts Potable,  
Tepid Water.

**AN AID IN THE PREVENTION OF NEW INTRAMAMMARY INFECTIONS**

**WARNING**  
• QUICK-SAN 10X NPE FREE TEAT DIP CONCENTRATE **MUST BE DILUTED BEFORE USE.** DO NOT MIX WITH ANYTHING BUT POTABLE WATER.  
• WEAR SAFETY EQUIPMENT. A MINIMUM OF SAFETY GOGGLES AND RUBBER GLOVES.  
• VENTED BUNGS ARE REQUIRED ON THE CONTAINER OF READY-TO-USE PRODUCT.  
• SECURE BUNGS/CAPS TO ENSURE THE PRODUCT INTEGRITY.  
• USE DEDICATED EQUIPMENT FOR BLENDING QUICK-SAN 10X CONCENTRATE. DO NOT USE EQUIPMENT THAT HAS CONTACT WITH OTHER CHEMICALS.  
• DO NOT LET THE QUICK-SAN 10X CONCENTRATE OR READY-TO-USE PRODUCT COME IN CONTACT WITH BLACK STEEL AND IRON, SOFT METALS, ALLOYS OF SOFT METALS, WOOD OR PAPER.  
• DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.  
• PROTECT THIS PRODUCT FROM FREEZING.

**A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE:      LOT NO.:      NET CONTENTS: 250 GALLONS      IBA STOCK # 160002      321E2

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

## QUICK-SAN 10X CONCENTRATE

hydrogen peroxide solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0085
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	60.0 g in 1 L
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	50.0 g in 1 L

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0085-7	103.95 L in 1 DRUM		
2	NDC:29983-0085-8	189 L in 1 DRUM		
3	NDC:29983-0085-9	945 L in 1 DRUM		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/12/2012	

**Labeler** - IBA (019494160)

Revised: 12/2024

IBA