# TUSSIN MUCUS AND CHEST CONGESTION SUGAR FREE- guaifenesin liquid AARNA USA, Inc.

-----

## **TUSSIN**

**Mucus and Chest Congestion** 

**Cherry Flavor** 

**Drug Facts** 

# Active ingredient (in each 10 mL)

Guaifenesin, USP 200 mg

# **Purposes**

Expectorant

## **Purposes**

Expectorant

#### Uses

 helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

# **Warnings**

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

# Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

#### Other information

- Each 10 mL contains: Sodium 3.2 mg
- store between 20°-25°C(68°-77°F). Do not refrigerate.

# **Inactive ingredients**

anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

### **Questions or comments?**

toll-free 1-877-225-6999


### Manufactured for:

AARNA USA Inc.

Leland NC, 28451









NDC 82568-0012-8

SUGAR - FREE

#### 

**Uses** helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

#### **Warnings**

#### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product

#### **Drug Facts** (continued)

■mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

I	age	dose	
	adults and children 12 years and over	10 - 20 mL every 4 hours	
l	children under 12 years	do not use	

#### Other information

- Each 10mL contains: Sodium 3.2mg
- store at 20°- 25°C (68°-77°F).■ Do not refrigerate.

**Inactive ingredients** anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions or comments? toll-free 1-877-225-6999


\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do not Use if Printed Safety Seal Around Bottle or Under Cap is Broken or missing











#### **Drug Facts**

## Active ingredient (in each 10 mL)

Guaifenesin, USP 200 mg ...... Expectorant

Purpose

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

#### Warnings

#### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 - 20 mL every 4 hours	
children under 12 years	do not use	

## Drug Facts (continued)

#### Other information

- Each 10mL contains: Sodium 3.2mg
- store at 20°- 25°C (68°-77°F).■ Do not refrigerate.

Inactive ingredients anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

#### Questions or comments? toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do Not Use If foil seal over bottle opening is torn broken or missing.





# TUSSIN MUCUS AND CHEST CONGESTION SUGAR FREE

guaifenesin liquid

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82568-0012

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)
GUAIFENESIN

200 mg in 10 mL

#### **Inactive Ingredients**

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82568- 0012-4	1 in 1 PACKAGE	02/18/2025	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:82568- 0012-8	1 in 1 PACKAGE	02/18/2025	
2		236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:82568- 0012-6	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/18/2025	

# **Labeler -** AARNA USA, Inc. (118515992)

Revised: 5/2023 AARNA USA, Inc.