

**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (FUCSIA) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (CEREZA) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (ROSA) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (RUBI) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (AMBAR) - YELLOW- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (FRESA) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (CHAMPAGNE) - BEIGE- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (COBRE) - ORANGE- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (PIMIENTA CALIENTE) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (DIAMANTE ROSA) - PINK- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (MELON) - ORANGE- octinoxate lipstick**  
**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (VINO) - BEIGE- octinoxate lipstick**  
**Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**ESIKA PRO MULTI-GLOSS LIPSTICK DUAL LIPSTICK WITH TRIPLE GLOSS EFFECT SPF 15**

### ***Drug Facts***

#### **Active Ingredients**

Octinoxate 7.00%

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn.

#### **Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

### **Other information**

- Protect the product in this container from excessive heat and direct sun.

### **Inactive Ingredients**

#### **LIPSTICK**

DIISOPROPYL DIMER DILINOLEATE, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELILLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA (CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

#### **GLOSS**

OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

#### **MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA, RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126.

**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (FUCSIA) - PINK**

**ésika**  
**PRO**

**Dual Lips tick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (CEREZA) - PINK**

**ésika  
PRO**

**Dual Lipstick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. **e** (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.



**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (ROSA) - PINK**

**ésika  
PRO**

**Dual Lipstick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. **e** (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLILLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (RUBI) - PINK**

**ésika  
PRO**

**Dual Lipstick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. **e** (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (AMBAR) - YELLOW

ésika  
PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia



**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (FRESA) - PINK**

**ésika  
PRO**

**Dual Lipstick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. **e** (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (CHAMPAGNE) - BEIGE

ésika  
PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (COBRE) - ORANGE

ésika  
PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)



ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (PIMIENTA CALIENTE) - PINK

ésika

PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (DIAMANTE ROSA) - PINK

ésika  
PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.



PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (MELON) - ORANGE

ésika  
PRO

Dual Lipstick with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. e (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLILLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

**PRINCIPAL DISPLAY PANEL - 3,8 g Tube Box - (VINO) - BEIGE**

**ésika  
PRO**

**Dual Lipstick** with  
Triple Gloss Effect  
SPF 15

Net Weight

0.13 oz. **e** (3,8 g)

ésika  
PRO

LABIAL  
MULTI-BRILLO  
Dual Lipstick with  
Triple Gloss Effect  
SPF 15  
Labial Barra Dual  
para Triple Brillo  
FPS 15

Net Weight  
0.13 oz. e (3,8 g)

U.S.A. - Dist. by Ventura  
Int Ltd. DBA Belcorp USA,  
Miami, FL 33126. Made in  
Colombia

**Drug Facts**

**Active Ingredients**

Octinoxate 7.00%

**Purpose**

Sunscreen

**Uses**

OPEN HERE

**Drug Facts (continued)**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in

**Drug Facts (continued)**

the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.** ■ **Do not use on damaged**

**Drug Facts (continued)**

or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or

**Drug Facts (continued)**

contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before

**Drug Facts (continued)**

sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information**

**Drug Facts (continued)**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

LIPSTICK DIISOPROPYL DIMER DILINOLEATE,

**Drug Facts (continued)**

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, OCTYLDODECANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, ETHYLHEXYL PALMITATE, TRIDECYL TRIMELLITATE, EUPHORBIA CERIFERA (CANDELLA) WAX, SYNTHETIC BEESWAX, POLYETHYLENE, COPERNICIA CERIFERA

**Drug Facts (continued)**

(CARNAUBA) WAX, BUTYROSPERMUM PARKII (SHEA) BUTTER, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, SILICA Silylate, PHENOXYETHANOL, GLYCERYL ISOSTEARATE, ISOSTEARYL ALCOHOL, BETA-SITOSTEROL, CAPRYLYL GLYCOL,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, CHLORPHENESIN, DIMETHICONE, FRAGRANCE, CERAMIDE 3, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

GLOSS OCTYLDODECANOL, TRIDECYL TRIMELLITATE, POLYETHYLENE, OZOKERITE, PARAFFIN, COPERNICIA CERIFERA (CARNAUBA) WAX, PHENOXYETHANOL, DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE,

**Drug Facts (continued)**

TOCOPHERYL ACETATE, DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, CERAMIDE 3, CHLORPHENESIN, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE.

**Drug Facts (continued)**

**MAY CONTAIN:**

SYNTHETIC FLUORPHLOGOPITE, RED 21 LAKE, MICA, IRON OXIDES, CALCIUM SODIUM BOROSILICATE, YELLOW 5 LAKE, TITANIUM DIOXIDE, RED 27 LAKE, RED 7 LAKE, TALC, SILICA,

**Drug Facts (continued)**

RED 30 LAKE, PEG-8 METHYL ETHER TRIETHOXYSILANE, TIN OXIDE, BLUE 1 LAKE.

# ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (FUCSIA) - PINK

octinoxate lipstick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-833
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

D&C RED NO. 27 (UNII: 2LRS185U6K)

D&C RED NO. 7 (UNII: ECW0LZ41X8)

TALC (UNII: 7SEV7J4R1U)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

D&C RED NO. 30 (UNII: 2S42T2808B)

STANNIC OXIDE (UNII: KM7N50LOS6)

FD&C BLUE NO. 1 (UNII: HBR47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-833-02	1 in 1 BOX		
1	NDC:14783-833-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (CEREZA) - PINK

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-834
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	



NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
CERAMIDE 3 (UNII: 4370DF050B)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
PARAFFIN (UNII: I9O0E3H2ZE)
D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-834-02	1 in 1 BOX		
1	NDC:14783-834-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (ROSA) - PINK**  
 octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-835
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:14783-835-02	1 in 1 BOX		

1 NDC:14783-835-01 3.8 g in 1 TUBE; Type 0: Not a Combination Product

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (RUBI) - PINK

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-836
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N10614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	

D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-836-02	1 in 1 BOX		
1	NDC:14783-836-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (AMBAR) - YELLOW**  
 octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-837
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

ETHYLHEXYL PALMITATE (UNII: 2865993309)
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)
CANDELILLA WAX (UNII: WL0328HX19)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
CARNAUBA WAX (UNII: R12CBM0EIZ)
SHEA BUTTER (UNII: K49155WL9Y)
TRIDECYL STEARATE (UNII: A8OE252M6L)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
CERAMIDE 3 (UNII: 4370DF050B)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
PARAFFIN (UNII: I9O0E3H2ZE)
D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-837-02	1 in 1 BOX		
1	NDC:14783-837-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (FRESA) - PINK

octinoxate lipstick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-838
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIISOPROPYL DILINOLEATE</b> (UNII: 5323S7S2LR)	
<b>DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE</b> (UNII: 554N82UWVW)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>TRIDECYL TRIMELLITATE</b> (UNII: FY36J270ES)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>TRIDECYL STEARATE</b> (UNII: A8OE252M6L)	
<b>NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: VLW429K27K)	
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)	
<b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>D&amp;C RED NO. 21</b> (UNII: 08744Z6JNY)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-838-02	1 in 1 BOX		
1	NDC:14783-838-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (CHAMPAGNE) - BEIGE

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-839
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
CERAMIDE 3 (UNII: 4370DF050B)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
PARAFFIN (UNII: I9O0E3H2ZE)
D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-839-02	1 in 1 BOX		
1	NDC:14783-839-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (COBRE) - ORANGE

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-840
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g



## Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-840-02	1 in 1 BOX		
1	NDC:14783-840-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (PIMIENTA CALIENTE) - PINK

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-841
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-841-02	1 in 1 BOX		
1	NDC:14783-841-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

## ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (DIAMANTE ROSA) - PINK

octinoxate lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-842
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

SHEA BUTTER (UNII: K49155WL9Y)
TRIDECYL STEARATE (UNII: A8OE252M6L)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
DIMETHICONE (UNII: 92RU3N3Y1O)
CERAMIDE 3 (UNII: 4370DF050B)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
PARAFFIN (UNII: I9O0E3H2ZE)
D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-842-02	1 in 1 BOX		
1	NDC:14783-842-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (MELON) - ORANGE**  
octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-843

## Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CERAMIDE 3 (UNII: 4370DF050B)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PARAFFIN (UNII: I9O0E3H2ZE)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-843-02	1 in 1 BOX		
1	NDC:14783-843-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

**ESIKA PRO MULTI-GLOSS DUAL WITH TRIPLE GLOSS EFFECT SPF 15 (VINO) - BEIGE**

octinoxate lipstick

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-844
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
CANDELILLA WAX (UNII: WL0328HX19)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SHEA BUTTER (UNII: K49155WL9Y)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

CERAMIDE 3 (UNII: 4370DF050B)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
PARAFFIN (UNII: I9O0E3H2ZE)
D&C RED NO. 21 (UNII: 08744Z6JNY)
ALUMINUM OXIDE (UNII: LM26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
D&C RED NO. 30 (UNII: 2S42T2808B)
STANNIC OXIDE (UNII: KM7N50LOS6)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-844-02	1 in 1 BOX		
1	NDC:14783-844-01	3.8 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/31/2015	

**Labeler** - Ventura International LTD (603192787)

### Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-833, 14783-834, 14783-835, 14783-836, 14783-837, 14783-838, 14783-839, 14783-840, 14783-841, 14783-842, 14783-843, 14783-844)

Revised: 8/2015

Ventura International LTD