

**RITE AID LIDOCAINE ROLL ON- lidocaine hydrochloride liquid**  
**Velocity Pharma LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Rite Aid Lidocaine Roll on 2.5oz**

**Drug Facts**

***Active ingredient***

Lidocaine HCl 4%

***Purpose***

Topical anesthetic

***Use***

temporarily relieves minor pain

***Warnings***

**For external use only**

**Do not use**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Flammable**

- keep away from fire or flame

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**adults and children over 12 years:**

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

**children 12 years or younger:** ask a doctor

**Inactive ingredients**

aloe vera gel, cetyl alcohol, dimethicone, disodium EDTA, ethylhexylglycerin, C10-30 alkyl acrylate cross polymer, polysorbate 60, glycerin, triethanolamine, water, stearyl alcohol.

**Child-resistant packaging. Close cap tightly after use. Keep carton as it contains important information.**

**Principal Display Panel**

<p>*Compare to the active ingredient of <b>Aspercreme®</b> with Lidocaine No Mess Applicator</p> <p><b>MAXIMUM STRENGTH PAIN RELIEVING ROLL-ON</b></p> <p><b>4% LIDOCAINE</b></p> <p><b>NO MESS APPLICATOR</b> soothes aggravated nerves fast-acting • targets pain non-greasy</p> <p><b>RITE AID PHARMACY</b></p> <p><b>2.5 FL OZ (73 mL)</b></p>	<table border="1"><tr><td colspan="2"><b>Drug Facts</b></td></tr><tr><td><b>Active ingredient:</b> Lidocaine HCl 4% .....</td><td><b>Purpose</b> Topical anesthetic</td></tr><tr><td colspan="2"><b>Use:</b> Temporarily relieves minor pain</td></tr><tr><td colspan="2"><b>Warnings:</b> For external use only</td></tr><tr><td colspan="2"><b>Do not use:</b> • on large areas of the body or on cut, irritated or swollen skin • on puncture wounds • for more than one week without consulting a doctor</td></tr><tr><td colspan="2"><b>When using this product:</b> • use only as directed. Read and follow all directions and warnings on this label • do not allow contact with the eyes • do not bandage or apply local heat (such as heating pads) to area of use</td></tr><tr><td colspan="2"><b>Stop use and ask a doctor if:</b> • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days</td></tr><tr><td colspan="2"><b>Flammable:</b> Keep away from fire or flame</td></tr><tr><td colspan="2"><b>If pregnant or breast-feeding:</b> ask a health professional before use.</td></tr><tr><td colspan="2"><b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2"><b>Directions:</b> ▪ <b>Adults and children over 12 years:</b> apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ▪ <b>Children 12 years or younger:</b> ask a doctor</td></tr><tr><td colspan="2"><b>Inactive ingredients:</b> aloe vera gel, cetyl alcohol, dimethicone, disodium ethylene diamine tetra acetic acid, ethylhexylglycerin, glycerin, C10-30 alkyl acrylate cross polymer, phenoxyethanol, polysorbate 60, purified water, stearyl alcohol, triethanolamine</td></tr><tr><td colspan="2"><b>Questions or comments? Call 1-855-314-1850</b></td></tr></table>	<b>Drug Facts</b>		<b>Active ingredient:</b> Lidocaine HCl 4% .....	<b>Purpose</b> Topical anesthetic	<b>Use:</b> Temporarily relieves minor pain		<b>Warnings:</b> For external use only		<b>Do not use:</b> • on large areas of the body or on cut, irritated or swollen skin • on puncture wounds • for more than one week without consulting a doctor		<b>When using this product:</b> • use only as directed. Read and follow all directions and warnings on this label • do not allow contact with the eyes • do not bandage or apply local heat (such as heating pads) to area of use		<b>Stop use and ask a doctor if:</b> • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days		<b>Flammable:</b> Keep away from fire or flame		<b>If pregnant or breast-feeding:</b> ask a health professional before use.		<b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions:</b> ▪ <b>Adults and children over 12 years:</b> apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ▪ <b>Children 12 years or younger:</b> ask a doctor		<b>Inactive ingredients:</b> aloe vera gel, cetyl alcohol, dimethicone, disodium ethylene diamine tetra acetic acid, ethylhexylglycerin, glycerin, C10-30 alkyl acrylate cross polymer, phenoxyethanol, polysorbate 60, purified water, stearyl alcohol, triethanolamine		<b>Questions or comments? Call 1-855-314-1850</b>		<p>SHAKE WELL BEFORE EACH USE</p> <p><b>SATISFACTION GUARANTEE</b> If you're not satisfied, we'll happily refund your money.</p> <p>0 11822 73725 8</p> <p>Lot No.: Exp.: varnish free area</p> <p>Neutral Code: HP/Drugs/MNB/16/931</p> <p><b>DISTRIBUTED BY:</b> RITE AID 30 HUNTER LANE, CAMP HILL, PA 17011 <a href="http://www.riteaid.com">www.riteaid.com</a> MADE IN INDIA</p> <p><small>*This product is not distributed or manufactured by CHATTEM Inc., owner of the registered trademark Aspercreme® Lidocaine no mess applicator. Rev 02/18-01</small></p>
<b>Drug Facts</b>																												
<b>Active ingredient:</b> Lidocaine HCl 4% .....	<b>Purpose</b> Topical anesthetic																											
<b>Use:</b> Temporarily relieves minor pain																												
<b>Warnings:</b> For external use only																												
<b>Do not use:</b> • on large areas of the body or on cut, irritated or swollen skin • on puncture wounds • for more than one week without consulting a doctor																												
<b>When using this product:</b> • use only as directed. Read and follow all directions and warnings on this label • do not allow contact with the eyes • do not bandage or apply local heat (such as heating pads) to area of use																												
<b>Stop use and ask a doctor if:</b> • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days																												
<b>Flammable:</b> Keep away from fire or flame																												
<b>If pregnant or breast-feeding:</b> ask a health professional before use.																												
<b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center right away.																												
<b>Directions:</b> ▪ <b>Adults and children over 12 years:</b> apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ▪ <b>Children 12 years or younger:</b> ask a doctor																												
<b>Inactive ingredients:</b> aloe vera gel, cetyl alcohol, dimethicone, disodium ethylene diamine tetra acetic acid, ethylhexylglycerin, glycerin, C10-30 alkyl acrylate cross polymer, phenoxyethanol, polysorbate 60, purified water, stearyl alcohol, triethanolamine																												
<b>Questions or comments? Call 1-855-314-1850</b>																												

120 mm

77 mm

**RITE AID PHARMACY**

\*Compare to the active ingredient of Aspercreme® with LIDOCAINE NO MESS APPLICATOR

**pain care**

MAXIMUM STRENGTH available over the counter

**pain relieving roll-on**

**4% lidocaine**

NO MESS APPLICATOR  
soothes aggravated nerves  
fast-acting  
targets pain  
non-greasy

2.5 FL OZ (73 mL)

**Drug Facts**

<b>Active ingredient:</b> Lidocaine HCl 4%	<b>Purpose</b> Topical anesthetic
<b>Use:</b> Temporarily relieves minor pain	
<b>Warnings:</b> For external use only Do not use: • on large areas of the body or on cut, irritated or swollen skin • on puncture wounds • for more than one week without consulting a doctor	
<b>When using this product:</b> • use only as directed. Read and follow all directions and warnings on this label • do not allow contact with the eyes • do not bandage or apply local heat (such as heating pads) to area of use	
<b>Stop use and ask a doctor if:</b> • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days	
<b>Flammable:</b> Keep away from fire or flame	
<b>If pregnant or breast-feeding:</b> ask a health professional before use.	
<b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions:</b> • <b>Adults and children over 12 years:</b> apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period • <b>Children 12 years or younger:</b> ask a doctor	
<b>Inactive ingredients:</b> aloe vera gel, cetyl alcohol, dimethicone, disodium ethylene diamine tetra acetic acid, ethylhexyl glycerin, methylparaben, C10-30 alkyl acrylate cross polymer, polysorbate 60, purified water, stearyl alcohol, triethanolamine	
<b>Questions or comments? Call 1-855-314-1850</b>	

SHAKE WELL BEFORE EACH USE

**SATISFACTION GUARANTEE**

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

Barcode: 0 11822 73725 8 372515

Lot No:  
Exp Date:  
Lic# GUJ/DRUGS/G/25/2169

DISTRIBUTED BY  
RITE AID, 30 HUNTER LANE  
CAMP HILL, PA 17011

MADE IN INDIA

This product is not distributed or manufactured by CHATTEM Inc., owner of the registered trademark, Aspercreme®. Lidocaine no mess applicator. Child-resistant packaging. Close cap tightly after use. Rev 02/18-01

**RITE AID LIDOCAINE ROLL ON**

lidocaine hydrochloride liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76 168-307
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76168-307-47	1 in 1 CARTON	03/01/2017	
1		73 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/01/2017	

**Labeler** - Velocity Pharma LLC (962198409)

Revised: 10/2020

Velocity Pharma LLC