## ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate solution Xttrium Laboratories, Inc.

-----

### **DYNA-HEX 15mL**

Drug Facts

### Active ingredient

Chlorhexidine gluconate 4% solution

### Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthare personnel handwash: helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- skin wound and general skin cleansing

### Warnings

### For external use only

### Allergy alert:

This product may vause a severe allergic reaction. Symptoms may nclude:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area
- as a preoerative skin preparation of the head or face

### When using this product

- keep out of the eyes, ears and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing or large body areas should not be done except when advised by a health care provider

### Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occur. These may be signs of a serious condition

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

### Directions

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a seperate naul cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

### Helathcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

### Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

### Skin wound and general skin cleaning:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

### **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM through 4:30 PM CST NDC 0116-1061-15 DYNA-HEX 4 ® (CHlorhexidine Gluconate 4% Solution) Antiseptic Non-Sterile SOlution Contains: 4% CHlorhexidine Gluconate Distributed by: Xttrium Laboratories, Inc. Mount Prospect, IL 60056 FOR EXTERNAL USE ONLY Net Contents: 50 Single-Use 0.5 fl oz (15-mL) Packettes 4DYN15PACKLBL NDC 0116-1061-15

DYNA-HEX 4<sup>®</sup> Chlorhexidine Gluconate 4% Solution Antiseptic Non-Sterile Solution

Contains: 4% Chlorhexidine Gluconate Distributed By: Xttrium Laboratories, Inc. Mount Prospect, IL 60056

### FOR EXTERNAL USE ONLY

Net Contents: 50 Single-Use 0.5 fl oz (15-mL) Packettes



NDC 0116-1061-15

# DYNA-HEX 4<sup>®</sup> Chlorhexidine Gluconate 4% Solution Antiseptic Non-Sterile Solution

Contains:4% Chlorhexidine Gluconate<br/>Xttrium Laboratories, Inc.Distributed By:Mount Prospect, IL 60056

## FOR EXTERNAL USE ONLY

Net Contents: 50 Single-Use 0.5 fl oz (15-mL) Packettes

# **Drug Facts** Active ingredient

Purpose

Chlorhexidine gluconate 4% solution

Antiseptic

## Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- patient preoperative skin preparation: for the preparation of the patient's skin prior to surgery
- skin wound and general skin cleansing

## *Warnings* For external use only

## Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

## Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

### Drug Facts (continued)

### When using this product

- keep out of the eyes, ears and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor If irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

 use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly



### Drug Facts (continued)

### Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

### Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

### 4DY15CTNLBLB

### Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Lot number and expiration date printed on side of box



Compare to the active ingredient in Hibiclens®\*

# DYNA-HEX 4\*

Chlorhexidine Gluconate 4% Solution Antiseptic Non-Sterile Solution

FOR EXTERNAL USE ONLY

Dyna-Hex 4<sup>®</sup> reduces bacteria on the skin

Dye-Free



Distributed by Xttrium Laboratories, Inc. Mount Prospect, IL 60056





Please refer to outer packaging for directions for use and product warnings

\*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Item Code: 4DYN15PACKLBL

| ANTISEPTIC SKIN CLEANSER<br>chlorhexidine gluconate solution                 |                |                    |                            |               |                  |  |  |  |
|--|----------------|--------------------|----------------------------|---------------|------------------|--|--|--|
| Product Information  |                |                    |                            |               |                  |  |  |  |
| Product Type   | HUMAN OTC DRUG | Item Code (Source) |                            | NDC:0116-1061 |                  |  |  |  |
| Route of Administration  | TOPICAL        |                    |                            |               |                  |  |  |  |
|  |                |                    |                            |               |                  |  |  |  |
| Active Ingredient/Active Moiety  |                |                    |                            |               |                  |  |  |  |
| Ingredient Name  |                |                    | <b>Basis of Strength</b>   |               | Strength         |  |  |  |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) |                |                    | CHLORHEXIDINE<br>GLUCONATE |               | 4 g<br>in 100 mL |  |  |  |

| Inactive Ingredients                                       |  |                      |                    |  |  |  |  |  |
|--|--|----------------------|--------------------|--|--|--|--|--|
| Ingredient Name  |  |                      |                    |  |  |  |  |  |
| TRIDECYL ALCOHOL (UNII: 819428H868)                        |  |                      |                    |  |  |  |  |  |
| GLUCONOLACTONE (UNII: WQ29KQ9POT)                          |  |                      |                    |  |  |  |  |  |
| COCO DIETHANOLAMIDE (UNII: 92005F972D)                     |  |                      |                    |  |  |  |  |  |
| WATER (UNII: 059QF   | WATER (UNII: 059QF0KO0R)                             |                      |                    |  |  |  |  |  |
| LAURAMINE O XIDE (UNII: 4F6 FC4MI8 W)                      |  |                      |                    |  |  |  |  |  |
| PEG-75 LANOLIN (U  | PEG-75 LANOLIN (UNII: 09179OX7TB)                    |                      |                    |  |  |  |  |  |
| HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16) |  |                      |                    |  |  |  |  |  |
| ISOPROPYL ALCOHOL (UNII: ND2M416302)                       |  |                      |                    |  |  |  |  |  |
|  |  |                      |                    |  |  |  |  |  |
| Packaging  |  |                      |                    |  |  |  |  |  |
| # Item Code  | Package Description Marketing St                     |                      | Marketing End Date |  |  |  |  |  |
| <b>1</b> NDC:0116-1061-15                                  | 15 mL in 1 CARTON; Type 0: Not a Combination Product | 08/01/2018           |                    |  |  |  |  |  |
|  |  |                      |                    |  |  |  |  |  |
| Marketing Information                                      |  |                      |                    |  |  |  |  |  |
| Marketing Categor  | ry Application Number or Monograph Citation          | Marketing Start Date | Marketing End Date |  |  |  |  |  |
| NDA  | NDA0 19 125  | 08/01/2018           |                    |  |  |  |  |  |
|  |  |                      |                    |  |  |  |  |  |

Labeler - Xttrium Laboratories, Inc. (007470579)

Registrant - Xttrium Laboratories, Inc. (007470579)

### Establishment

L

| Name                       | Address | ID/FEI    | <b>Business Operations</b> |
|----------------------------|---------|-----------|----------------------------|
| Xttrium Laboratories, Inc. |         | 007470579 | manufacture(0116-1061)     |

Revised: 6/2018

Xttrium Laboratories, Inc.