

MEDERMA STRETCH MARKS THERAPY- dimethicone cream
Merz Pharmaceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mederma® Stretch Marks Therapy

Drug Facts

Active Ingredient

Dimethicone 2%

Purpose

Skin Protectant

Uses

- temporarily protects and helps relieve chapped or cracked skin

Warnings

For external use only

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply as needed

Other Information

Store at room temperature

Inactive Ingredients

Water, Allium Cepae (Onion) Bulb Extract, Cetearyl Alcohol, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Glycerin, Pentylene Glycol, Cyclomethicone, Arachidyl Alcohol, Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Ethoxydiglycol, Cetearyl Glucoside, Tocopheryl Acetate, Fragrance, Sodium Hyaluronate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Disodium EDTA, Centella Asiatica Leaf Extract, Hydrolyzed Collagen, Hydrolyzed Soy Protein, Sodium Hydroxide, Iron Oxides.

Questions or comments?

For more information call 1-888-925-8989 or visit www.mederma.com

PRINCIPAL DISPLAY PANEL - 150 g Tube Box

MEDERMA®

**stretch
marks
therapy**

**Improve appearance
Reduce discoloration
Smooth texture
Enhance softness**

Hydrates
to

**HELP
PREVENT**
stretch
marks

DERMATOLOGIST
RECOMMENDED

**Clinically shown to
produce noticeable
improvement in
just 4 weeks**

PARABEN FREE
intensive cream
and skin protectant

NET WT. 5.29 OZ. (150g)

MEDERMA[®]

stretch marks therapy

MEDERMA[®]

stretch marks therapy

Improve appearance
Reduce discoloration
Smooth texture
Enhance softness



DERMATOLOGIST
RECOMMENDED

Clinically shown to
produce noticeable
improvement in
just 4 weeks

MEDERMA[®]

stretch marks therapy

Drug Facts

Active Ingredient	Purpose
Dimethicone 2%	Skin Protectant

Uses

- temporarily protects and helps relieve chapped or cracked skin

Warnings

For external use only

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply as needed.

Other Information

Store at room temperature.

Inactive Ingredients

Water, Allium Cepae (Onion) Bulb Extract, Cetearyl Alcohol, C12-15 Alkyl Benzoate, Dicapryl Carbonate, Glycerin, Parfume, Glycol

PARABEN FREE
intensive cream
and skin protectant
NET WT. 5.29 OZ. (150g)

Dicaprylyl Carbonate, Glycerin, Pentaerythritol Glycol,
Cyclomethicone, Arachidyl Alcohol, Alcohol,
Behenyl Alcohol, Arachidyl Glucoside,
Ethoxydiglycol, Cetearyl Glucoside, Tocopheryl
Acetate, Fragrance, Sodium Hyaluronate,
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl
Taurate Copolymer, Hydroxyethylcellulose,
Disodium EDTA, Centella Asiatica Leaf Extract,
Hydrolyzed Collagen, Hydrolyzed Soy Protein,
Sodium Hydroxide, Iron Oxides.

Questions or comments?

For more information call 1-844-469-6379 or
visit www.mederma.com

Rev. 06/18
5011896
Checkpoint
AW00291-02

MEDERMA[®] stretch marks therapy

GUARANTEED RESULTS OR YOUR MONEY BACK.

Mederma[®] Stretch Marks Therapy
combines botanical ingredients in a

MEDERMA[®] stretch marks therapy

Mederma[®] Stretch Marks
Therapy is an intensive cream
that combines a unique blend
of ingredients:

 **CEPALIN[®]**
Botanical Extract

HYALURONIC ACID
Hydrating Agent

nourishing formula that hydrates skin to help prevent stretch marks and is clinically shown to improve the appearance of stretch marks.

Mederma® Stretch Marks Therapy should be evenly applied and gently massaged in a circular motion on all areas of the body where you have stretch marks. Apply 2 times a day, morning and evening. Results can be seen in as soon as 4 weeks, with optimal results in 12 weeks. **Mederma® Stretch Marks Therapy** works best when used as directed.

May be used during pregnancy, beginning in the second trimester, and while breastfeeding.

Learn more about **Mederma®** and your stretch marks therapy at mederma.com or 1-844-469-6379.

Hydrating Agent

CENTELLA ASIATICA
Plant Extract

It is formulated to help reduce the appearance and smooth the texture of stretch marks with noticeable improvement in 4 weeks, and optimal improvement in 12 weeks.

Manufactured for Merz North America, Inc.
Raleigh, NC 27615
Made in Germany

©2018 Merz North America, Inc.



MEDERMA STRETCH MARKS THERAPY

dimethicone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0259-2102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
dimethicone (UNII: 92RU3N3Y1O) (dimethicone - UNII:92RU3N3Y1O)	dimethicone	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
Edetate Disodium (UNII: 7FLD91C86K)	
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
Docosanol (UNII: 9G1OE216XY)	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35JOOJ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
Cetearyl Glucoside (UNII: 09FUA47KNA)	
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
ONION (UNII: 492225Q21H)	
Glycerin (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
BOVINE TYPE I COLLAGEN (UNII: FHJ3ATL51C)	
SOY PROTEIN (UNII: R44IWB3RN5)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0259-2102-15	1 in 1 BOX	12/01/2013	06/30/2024
1		150 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0259-2102-05	0.5 g in 1 PACKET; Type 0: Not a Combination Product	12/01/2013	06/30/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH			

OTC MONOGRAPH FINAL	part347	12/01/2013	06/30/2024
------------------------	---------	------------	------------

Labeler - Merz Pharmaceuticals, LLC (126209282)

Revised: 2/2022

Merz Pharmaceuticals, LLC