NUBY SOOTHING GEL- soothing gel gel Talbot's Pharmaceuticals Family Products, LLC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredients

Active ingredients


Arnica Montana, radix 30X HPUS 3.33%

Calcarea Phosphorica 12X HPUS 3.33%

Chamomilla 12X HPUS 3.33%

The letters "HPUS" indicate that the components in this product are officially monographed in the

Homeopathic Pharmacopoeia of the United States.







Purpose Purpose†

sore gums

sensitive gums

pain associated with irritability



With Natural Ingredients Active ingredients Amica Montana, radix 30X HPUS 3.33 Calcarea Phosphorica 12X HPUS 3.33 Chamomilla 12X HPUS 3.33%...... Purposet The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacoposis of the United States. \pmb{Uses} Temporarily relieves sore gums, pain and irritability due to oral discomfort.*
 Warnings

 Consult a physiciant
 =symptoms persist for more than 72 hours or worsen

 =swelling increases
 =inflation pain or redness persists or worsens

 =rash or lever develops
 =
 Keep this and all medications out of the reach of children. In case of accidental overdose contact a medical professional or a Poison Control Center immediately. Weah hands before use.
 Octopent politike on score mark.
 Use your fingerty or cotion applicator to gently apply a small pse-size amount of NithyTM Scothing.
 Ode to the afficied area every 15 minutes as necessary or as directed by aphysican or healthcare provider. Other Information Tamper evident - Do not use if tube tip is cut prior to opening. Inactive ingredients Aqua (Purified Water), Potaskium Sorbate NF, Sodium Benzoele NF, Sorbic Acid NF, Vegetable Glycerin USP, Xanihan Gum NF. Questions or comments? Call us at 1-800-LUVNCARE M-F 8am-Spm CT Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. The Nüby™ Gum-eez[™] teether's unique textured design provides comfort to baby's delicate gums. It provides stimulus to the lips and tongue which promde the transition from nursing to cheving. Conforms to for § Safety Standard ASTM F963. WARNING: DO NOT microwave or steam stellate. Always use this product with adult supervision. Before each use, check teether if damaged, discard and replace with a new teether. **CLEANING:** can be boiled. Wash before initial use and after each subsequent use. Dishwasher safe flop nack only) or wash with warm, soapy water. Rinse and dy thoroughly. Please retain these instructions for future reference. Nûby 🚡 🖓

24016

Soothing Gel

© 2018 Admar Int Nuby and Dr. Talb of Admar Internat ational, Inc. are trademarks Form CT 3 70797 24016


QUICKLY SOOTHES SORE GUMS[†] BENZOCAINE FREE BELLADONNA FREE





Keep this and all medicines out of the reach of children.

Keep this and all medications out of the reach of children. In case of accidental overdose contact a medical professional or a Poison Control Center immediately.



	Soothing Ge With Natura Ingredients
Drug Facts	
Active ingredients trica Morlana, tatk 20X HPUS 3.33%. Cateree Phosphorica 12X HPUS 3.33%. Tramomilla 12X HPUS 3.33%. Intelleters HPU/EV Inducte that the components in this prod. Homeopathic Pharmacoposis of the United States.	pain associated with irritability
Uses Temporarily relieves sore gums, pain and irr	itability due to oral discomfort.*
Warnings Consult a physician if symptoms persist for more the eventling increases initiation pain or redness persists rrash or lever develops	
Keep this and all medications out of the reach of ch overdose contact a medical professional or a Poison Co	
Directions Wash Inada before use, Out open to of the on score mark. Use your fugetto or cotton applicator to gently apply a small p 3et to be attracted area every 15 minutes as necessary or as dir conder.	se-size amount of Núby™ Soothing ected by a physician or healthcare
Other Information Tamper evident - Do not use if tube tip is cut prior to op	ening.
Inactive ingredients Aqua (Purfied Water), Potassium Sorbate NF, Sodium Benzoek Biyoerin USP, Xanihan Gum NF.	e NF, Sorbic Acid NF, Vegetable
Questions or comments? Call us at 1-800-LUVNCARE M-F 8am-5pm CT	
Claims based on traditional homeopathic practice, not a FDA evaluated.	ccepted medical evidence. Not
Nüby™ Gum-esz™ teether's unique text: baby's delicate gums. It provides stimulus monte the transition from nursing to cheve undard ASTM P63- WARNING: DO NOT, ways use this product with adult supervisi ther. If damaged, discard and replace with a EANING: Can be boiled. Wash before sequent use. Dishwasher safe (top rack on ter. Rinse and dry thoroughly. Please retain erence.	o the lips and tongue which ing. Conforms to Toy Safeti microwave or steam stafilize on. Before each use, check new teether. initial use and after each y) or wash with warm, soapy
pproved by pediatric dentist, . Grace Yum.	
nufactured for: bot's Pharmaceuticals	











Questions or comments? Questions or comments?







Other Information Other Information Tamper evident - Do not use if tube tip is cut prior to opening.







Directions Directions

- Wash hands before use.
- Cut open tip of tube on score mark.


• Use your fingertip or cotton applicator to gently apply a small pea-size amount of Nûby[™] Soothing Gel to the affected area every 15 minutes as necessary or as directed by a physician or healthcare provider.







Inactive Ingredients Inactive ingredients Aqua (Purified Water), Potassium Sorbate NF, Sodium Benzoate NF, Sorbic Acid NF, Vegetable Glycerin USP, Xanthan Gum NF.



OUICKLY SOOTHES SORE GUMS[†] BENZOCAINE FREE BELLADONNA FREE





Uses

Uses Temporarily relieves sore gums, pain and irritability due to oral discomfort.[†]



	Soothing Gel With Natural Ingredients
Drug Facts	
Active ingredients Antica Montana, radx 30X HPUS 3.33% Calcarea Phosphorica 12X HPUS 3.33% Chamornilla 12X HPUS 3.33% The latters: HPUS 3.33% Homeopathic Pharmacopose of the United Ste	is in this product are officially monographed in the
Uses Temporarily relieves sore gums,	pain and irritability due to oral discomfort. [‡]
Warnings Consult a physician if symptoms persis swelling increases irritation pain or red rash or fever develops	
Keep this and all medications out of the overdose contact a medical professional or	reach of children. In case of accidental r a Poison Control Center immediately.
Directions Wash hands before use. P QL (pen tip of Libe on score mark. Use your Ingertip or cotton applicator to genity a Gel to he atflected area every 15 minutes as neo provider.	pply a small pea-size amount of Nidby ^{mis} Soothing assary or as directed by a physician or healthcare
Other Information Tamper evident - Do not use if tube tip is o Inactive ingredients Aqua (Puritied Water), Potassium Sorbate NF, Sc Glycenin USP, Xanthan Gum NF.	
Questions or comments? Call us at 1-800-LUVNCARE M-F 8am-5pm	ст
Claims based on traditional homeopathic p FDA evaluated.	ractice, not accepted medical evidence. Not
 baby's delicate gums. It provides promote the transition from nursing standard ASTM F963. WARNING: Always use this product with adult eether. If damaged, discard and rep CLEANING: Can be boiled. Was subsequent use. Dishwasher safe (to tubsequent use. Dishwasher safe) (to tubsequent use. 	inique textured design provides comfort stimulus to the lips and tongue which to chewing. Conforms to Toy Safety supervision. Bofore each use, check lace with a new techer: In before initial use and after each prack.only or wash with warm, soapy case retain these instructions for future
Approved by pediatric dentist, Dr. Grace Yum.	
Vanufactured for: ialbot's Pharmaceuticals amily Products, LLC 3335 NIV 107 Ave. suite 2M44 / mailbox 30 Joral, Florida 33172	© 2018 Admar International, Inc.
ioothing gel made in U.S.A. Sum-eez made in China aackaged in China o Talibot's Pharmacouticals Family Products, LLC specifications. Designed in the U.S.A. Weets CPSC Safety Requirements	Nukly and Dr. Talbot's are trademarks of Admar International, Inc. 24016 Form CTX2
PA FREE, tested to 1 part per million	3 70797 24016 4

OUICKLY SOOTHES SORE GUMS⁺ BENZOCAINE FREE BELLADONNA FREE





Warnings

Consult a physician if • symptoms persist for more than 72 hours or worsen • swelling increases • irritation pain or redness persists or worsens • rash or fever develops



	Soothing Gel With Natural Ingredients
Drug Facts	
Active ingredients Arrica Monlana, radix 30X HPUS 3.33%. Calcense Phosphorica 12X HPUS 3.33%. Chamomilla 12X HPUS 3.33%. The lettlers' HPUS' indicate that the components i Homequathic Pharmacoposia of the United States	
Uses Temporarily relieves sore gums, pa	ain and irritability due to oral discomfort.*
Warnings Consult a physician if symptoms persist fo swelling increases irritation pain or rednes rash or fever develops	
Keep this and all medications out of the re overdose contact a medical professional or a	ach of children. In case of accidental Poison Control Center immediately.
Directions Wash hands before use. Out open to of tube on score mark. Use your ingerito or cotton applicator to gently appl Get to the atflected area every 15 minutes as necess provider.	ly a small pee-size amount of Nüby™ Scothing ay or as directed by a physician or healthcare
Other Information Tamper evident - Do not use if tube tip is cut p Inactive ingredients Aqua (Purified Water), Potassium Sorbate NF, Sodiu	
Glycerin USP, Xanthan Gum NF. Questions or comments? Call us at 1-800-LUVNCARE M-F Bam-Spm CT	r
Claims based on traditional homeopathic prac FDA evaluated.	tice, not accepted medical evidence. Not
The Nüby™ Gum-eez™ teether's uniq to baby's delicate gums. It provides st promote the transition from nursing J Standard ASTM P63. WARNING: DC Always use this product with adult it teether. If damaged, discard and neplac CLEANING: Can be bolied. Wash subsequent use. Deliveshire safe (top water. Rinne and dy thoroughly Plear reference.	timulus to the lips and tongue which to chewing. Conforms to Toy Safety D NOT microwave or steam sterilize, supervision. Before each use, check ze with a new teether. before initial use and after each rack only) or wash with warm, soapy
*Approved by pediatric dentist, Dr. Grace Yum.	
Manufactured for: Talbot's Pharmaceuticals Family Products, LLC 2335 NW 107 Ave. Suite 2M44 / mallbox 30 Doral, Florida 33172	C 2018 Admar International, Inc.
Soothing gel made in U.S.A. Gum-eez made in China Packaged in China to Talbot's Pharmacouticals Family Products, LLC specifications. Designed in the U.S.A. Meets CPSC Safety Requirements	Nuby and Dr. Talbot's are trademarks of Admar International, Inc. 24016 Form CTX2
BPA FREE, tested to 1 part per million	70797 2/016

QUICKLY SOOTHES SORE GUMS[†]

BENZOCAINE FREE BELLADONNA FREE





QUICKLY SOOTHES SORE GUMS⁺

Principal Display Panel



	Soothing Gel With Natural Ingredients
Drug Facts	
Active ingredients Arrica Monlana, radix 30X HPUS 3.33%. Calcense Phosphorica 12X HPUS 3.33%. Chamomilla 12X HPUS 3.33%. The lettlers' HPUS' indicate that the components i Homequathic Pharmacoposia of the United States	
Uses Temporarily relieves sore gums, pa	ain and irritability due to oral discomfort.*
Warnings Consult a physician if symptoms persist fo swelling increases irritation pain or rednes rash or fever develops	
Keep this and all medications out of the re overdose contact a medical professional or a	ach of children. In case of accidental Poison Control Center immediately.
Directions Wash hands before use. Out open to of tube on score mark. Use your ingerito or cotton applicator to gently appl Get to the atflected area every 15 minutes as necess provider.	ly a small pee-size amount of Nüby™ Scothing ay or as directed by a physician or healthcare
Other Information Tamper evident - Do not use if tube tip is cut p Inactive ingredients Aqua (Purified Water), Potassium Sorbate NF, Sodiu	
Glycerin USP, Xanthan Gum NF. Questions or comments? Call us at 1-800-LUVNCARE M-F Bam-Spm CT	r
Claims based on traditional homeopathic prac FDA evaluated.	tice, not accepted medical evidence. Not
The Nüby™ Gum-eez™ teether's uniq to baby's delicate gums. It provides st promote the transition from nursing J Standard ASTM P63. WARNING: DC Always use this product with adult it teether. If damaged, discard and neplac CLEANING: Can be bolied. Wash subsequent use. Deliveshire safe (top water. Rinne and dy thoroughly Plear reference.	timulus to the lips and tongue which to chewing. Conforms to Toy Safety D NOT microwave or steam sterilize, supervision. Before each use, check ze with a new teether. before initial use and after each rack only) or wash with warm, soapy
*Approved by pediatric dentist, Dr. Grace Yum.	
Manufactured for: Talbot's Pharmaceuticals Family Products, LLC 2335 NW 107 Ave. Suite 2M44 / mallbox 30 Doral, Florida 33172	C 2018 Admar International, Inc.
Soothing gel made in U.S.A. Gum-eez made in China Packaged in China to Talbot's Pharmacouticals Family Products, LLC specifications. Designed in the U.S.A. Meets CPSC Safety Requirements	Nuby and Dr. Talbot's are trademarks of Admar International, Inc. 24016 Form CTX2
BPA FREE, tested to 1 part per million	70797 2/016

QUICKLY SOOTHES SORE GUMS[†]

BENZOCAINE FREE BELLADONNA FREE



NUBY SOOTHING GEL

soothing gel gel



Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Source)		NDC:70797-240	
Route of Administration	TOPICAL				
Active Ingredient/Active Mo	ety				
Ing	redient Name		Basis of St	rength	Strength
ARNICA MONTANA ROOT (UNII: MUE8 Y11327) (ARNICA MONTANA ROOT - ARNICA MONTANA ROOT - UNII: MUE8 Y11327)			ΓΑΝΑ	30 [hp_X] in 15 g	
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB) CALCIUM CATION -			CALCIUM CAT	FION	12 [hp_X] in 15 g
MATRICARIA RECUTITA (UNII: G0 R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0 R4UBI2ZZ)MATRICARIA RECUTITA -				12 [hp_X] in 15 g	
Inactive Ingredients					
Ingredient Name				Strength	
SODIUM BENZOATE (UNII: OJ245FE	SEU)				
GLYCERIN (UNII: PDC6A3C0OX)					
XANTHAN GUM (UNII: TTV12P4NEE)					
SORBIC ACID (UNII: X045WJ989B)					
WATER (UNII: 059QF0KO0R)					

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

Packaging

#	Item Code	Package Description		keting 't Date	Marketing End Date
1	NDC:70797- 240-01	1 in 1 BLISTER PACK	08/25/20) 18	
1	NDC:70797- 240-15	15 g in 1 TUBE; Type 9: Other Type of Part 3 Combi Drug/Device/Biological Product)	nation Product (e.g.,		
2	NDC:70797- 240-02	1 in 1 BLISTER PACK	08/25/20) 18	
2	NDC:70797- 240-15	15 g in 1 TUBE; Type 9: Other Type of Part 3 Combi Drug/Device/Biological Product)	nation Product (e.g.,		
3	NDC:70797- 240-03	1 in 1 CARTON	08/25/20) 18	
3	NDC:70797- 240-15	15 g in 1 TUBE; Type 0: Not a Combination Product			
N	Iarketing	Information			
	Marketing Category Application Number or Monograph Citation Marketin		Citation Marketing Start Da	ite Ma	arketing End Date
un	pproved homeopathic 08/25/2018				

Labeler - Talbot's Pharmaceuticals Family Products, LLC. (078855555)