# VIADERMA VITASTEM FIRST AID TOPICAL ANTIBIOTIC- tetracycline hydrochloride solution VIADERMA DISTRIBUTION INC

-----

## Viaderma Vitastem First Aid Topical Antibiotic

## **Drug Facts**

## Active ingredient (in each gram)

Tetracycline HCl 30 mg

## **Purpose**

First aid antibiotic

#### Uses

• First aid to help prevent skin infection in minor cuts, scrapes, and burns

## Warnings

## For external use only.

#### Do not use

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

## Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns.

## Stop use and ask a doctor if

condition persists or gets worse.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

#### Other information

- store between 68-77°F (20-25°C)
- may stain cloth

## Inactive ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water.

## **Package Labeling:**

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck

## **Drug Facts**

Active ingredients (in each gram) Purposes
Tetracycline HCl 30 mg.....First aid antibiotic

#### Uses

 First aid to help prevent skin infection in minor cuts, scrapes, and burns

#### Warnings

For external use only.

#### Do not use

- Longer than 1 week unless directed by a doctor
- In the eyes
- Over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if condition persists

or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control

#### **Directions**

right away.

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## Drug Facts (Cont)

#### Other information

- Store between 68-77°F (20-25°C)
- may stain cloth

## Inactive ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, water,



Licensed to: Viaderma Distribution Inc.
by: Viaderma, Inc.
Distributed by: Viaderma Distribution Inc.
1050 E. Flamingo Road, Suite 107
Las Vegas, NV 89119
Report any serious adverse events to:
Viaderma Distribution Inc.
Tel: 1-800-585-8685
www.viaderma.com



## Doctor Formulated



#### 60 Seconds

Infection Protection\*

#### 99% of Germs

Killed at Source\*

#### **Rapid Absorption**

for Faster Healing\*





Patented Technology Advanced delivery system that helps the antibiotic absorb rapidly to protect where infection start

— at the source.

Designed for deeper action and faster healing.\*

Scan to learn more.



Claims supported by **SkinPass™** Patented Technology
U.S. Pat. No. 12,465,567.

Statements relate to mechanism
of **SkinPass™** delivery system,
not the active ingredient.



Net Wt. 0.5 oz (15mL)













Tetracycline HCI 3% Net Wt. 0.5 oz (15 mL)



#### VIADERMA VITASTEM FIRST AID TOPICAL ANTIBIOTIC

tetracycline hydrochloride solution

D		1 £	:
Prod	uct	Inform	lation

**Item Code (Source) Product Type** HUMAN OTC DRUG NDC:71262-020

**Route of Administration TOPICAL** 

## **Active Ingredient/Active Moiety**

SORBIC ACID (UNII: X045WJ989B)

**Ingredient Name Basis of Strength** Strength

TETRACYCLINE HYDROCHLORIDE (UNII: P6R62377KV) (TETRACYCLINE -**TETRACYCLINE** UNII:F8VB5M810T)

30 mg **HYDROCHLORIDE** in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

WATER	(LIMII)	0590F0K00	R١
WAIER	COIVII.	ひっかいたいたいひ	$\Gamma$

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:71262- 020-15	1 in 1 CARTON	12/05/2025		
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/05/2025	

## Labeler - VIADERMA DISTRIBUTION INC (081113521)

Registrant - VIADERMA DISTRIBUTION INC (081113521)

Revised: 12/2025 VIADERMA DISTRIBUTION INC