

BIO CO ENZYME PHASE- aconiticum acidum, cis-, adenosinum triphosphoricum dinatrium, adrenalinum, , alpha-ketoglutaricum acidum, alpha-lipoicum acidum, ascorbicum acidum, barium oxalsuccinicum, beta vulgaris, cerium oxalicum, citricum acidum, cysteinum, fumaricum acidum, hepar sulphuris calcareum, magnesium oroticum dihydricum, malicum acidum, manganum phosphoricum, nadidum, natrum oxalaceticum, natrum pyruvicum, nicotinamidum, pantothenic acid, proteus (morgani), pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, liquid Deseret Biologicals, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Aconiticum Acidum 16X, Cis-, Adenosinum Triphosphoricum Dinatrium 10X, Adrenalinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Alpha-Ketoglutaricum Acidum 8X, Alpha-Lipoicum Acidum 8X, Ascorbicum Acidum 6X, Barium Oxalsuccinicum 34C, Beta Vulgaris 4X, Cerium Oxalicum 8X, Citricum Acidum 8X, Cysteinum 6X, Fumaricum Acidum 8X, Hepar Sulphuris Calcareum 16X, Magnesium Oroticum Dihydricum 8X, Malicum Acidum 8X, Manganum Phosphoricum 16X, Nadidum 8X, Natrum Oxalaceticum 6X, Natrum Pyruvicum 8X, Nicotinamidum 6X, Pantothenic Acid 8X, Proteus (Morgani) 30C, Pulsatilla (Pratensis) 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Succinicum Acidum 8X, Sulphur 10X, Thiaminum Hydrochloricum 6X.

PURPOSE:

Aconiticum Acidum, Cis - Fatigue, Adenosinum Triphosphoricum Dinatrium - Weakness, Adrenalinum - Exhaustion, Alpha-Ketoglutaricum Acidum - Weakness, Alpha-Lipoicum Acidum - Fatigue, Ascorbicum Acidum - Exhaustion, Barium Oxalsuccinicum - Fatigue, Beta Vulgaris - Exhaustion, Cerium Oxalicum - Fatigue, Citricum Acidum - Weakness, Cysteinum - Exhaustion, Fumaricum Acidum - Fatigue, Hepar Sulphuris Calcareum - Fatigue, Magnesium Oroticum Dihydricum - Weakness, Malicum Acidum - Exhaustion, Manganum Phosphoricum - Weakness, Nadidum - Exhaustion, Natrum Oxalaceticum - Fatigue, Natrum Pyruvicum - Exhaustion, Nicotinamidum - Fatigue, Pantothenic Acid - Fatigue, Proteus (Morgani) - Weakness, Pulsatilla (Pratensis) - Exhaustion, Pyridoxinum Hydrochloricum - Weakness, Riboflavinum - Fatigue, Succinicum Acidum - Weakness, Sulphur - Weakness, Thiaminum Hydrochloricum - Fatigue

USES:

- For the temporary relief of symptoms including:
- exhaustion • fatigue • weakness

These statements are based upon homeopathic principles. They have not been reviewed

Bio Co-Enzyme

DesBio®

Purpose

.....Fatigue

.....m dinatrum

.....Weakness

.....Exhaustion

.....m 8X.....

.....Weakness

Read on next side

Inc.

bio.com

REV. 092724

Deadener, No text

Drug Facts (continued)

Uses

- For the temporary relief of symptoms including:
 - exhaustion • fatigue • weakness

Warnings

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, contact a physician or Poison Control Center right away.

Directions

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

Other Information

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Inactive Ingredients

Demineralized water, 25% ethanol

Questions or Comments?

800-827-8204

Phase

Homeopathic

NDC 43742-2259-1

1 FL OZ (30 ml)

INACTIVE INGREDIENTS:
DEMINERALIZED WATER,
25% ETHANOL



Tamper
your p
if seal i

Drug Facts

Active Ingredients

Aconiticum acidum, cis- 16X
Adenosinum triphosphoricum
10X
Adrenalinum 8X 12X 30X 20
60C 200C
Alpha-ketoglutaricum acidu
.....
Continue

Dist. By: Deseret Biologicals,
469 W. Parkland Drive
Sandy, UT 84070 www.desb
800-827-8204

PEEL HERE

Drug Facts (continued)

Active Ingredients Purpose

Alpha-lipoicum acidum 8X.....Fatigue
Ascorbicum acidum 6X.....Exhaustion
Barium oxalsuccinicum 34C.....Fatigue
Beta vulgaris 4X.....Exhaustion
Cerium oxalicum 8X.....Fatigue
Citricum acidum 8X.....Weakness
Cysteinum 6X.....Exhaustion
Fumaricum acidum 8X.....Fatigue
Hepar sulphuris calcareum 16X.....Fatigue
Magnesium oroticum dihydricum 8X.....
.....Weakness
Malicum acidum 8X.....Exhaustion
Manganum phosphoricum 16X.....
.....Weakness
Nadidum 8X.....Exhaustion
Natrium oxalaceticum 6X.....Fatigue
Natrium pyruvicum 8X.....Exhaustion
Nicotinamidum 6X.....Fatigue
Pantothenic acid 8X.....Fatigue
Proteus (morgani) 30C.....Weakness
Pulsatilla (pratensis) 6X.....Exhaustion
Pyridoxinum hydrochloricum 6X.....
.....Weakness
Riboflavinum 6X.....Fatigue
Succinicum acidum 8X.....Weakness
Sulphur 10X.....Weakness
Thiaminum hydrochloricum 6X.....Fatigue

Continued on next side

Deadener, No text

BIO CO ENZYME PHASE

aconiticum acidum, cis-, adenosinum triphosphoricum dinatrium, adrenalinum, , alpha-

ketoglutaricum acidum, alpha-lipoicum acidum, ascorbicum acidum, barium oxalsuccinicum, beta vulgaris, cerium oxalicum, citricum acidum, cysteinum, fumaricum acidum, hepar sulphuris calcareum, magnesium oroticum dihydricum, malicum acidum, manganum phosphoricum, nadidum, natrum oxalaceticum, natrum pyruvicum, nicotinamidum, pantothenic acid, proteus (morgani), pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43742-2259
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITIC ACID (UNII: 93371T1BXP) (ACONITIC ACID - UNII:93371T1BXP)	ACONITIC ACID	16 [hp_X] in 1 mL
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	10 [hp_X] in 1 mL
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	8 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
ALPHA LIPOIC ACID (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	ALPHA LIPOIC ACID	8 [hp_X] in 1 mL
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
BARIUM OXALOSUCCINATE (UNII: L7A49804ZQ) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALOSUCCINATE	34 [hp_C] in 1 mL
BETA VULGARIS WHOLE (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS WHOLE	4 [hp_X] in 1 mL
CEROUS OXALATE NONAHYDRATE (UNII: 0UV74P3R0J) (CEROUS CATION - UNII:72Q4U60JWM)	CEROUS OXALATE NONAHYDRATE	8 [hp_X] in 1 mL
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
CYSTEINE (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	6 [hp_X] in 1 mL
FUMARIC ACID (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	16 [hp_X] in 1 mL
MAGNESIUM OROTATE DIHYDRATE (UNII: VQ922CRY87) (OROTIC ACID - UNII:61H4T033E5)	MAGNESIUM OROTATE DIHYDRATE	8 [hp_X] in 1 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
MANGANESE PHOSPHATE, DIBASIC (UNII: VZ3U1H7Q5B) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE PHOSPHATE, DIBASIC	16 [hp_X] in 1 mL
NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X] in 1 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	6 [hp_X] in 1 mL
SODIUM PYRUVATE (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)	SODIUM PYRUVATE	8 [hp_X] in 1 mL
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	6 [hp_X] in 1 mL
PANTOTHENIC ACID (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	8 [hp_X] in 1 mL

PROTEUS MORGANII (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)	PROTEUS MORGANII	30 [hp_C] in 1 mL
PULSATILLA PRATENSIS WHOLE (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	6 [hp_X] in 1 mL
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
RIBOFLAVIN (UNII: TLM2976OFR) (LACTOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
SUCCINIC ACID (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	10 [hp_X] in 1 mL
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-2259-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	04/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/08/2025	

Labeler - Deseret Biologicals, Inc. (940741853)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-2259) , api manufacture(43742-2259) , label(43742-2259) , pack(43742-2259)