

SODIUM BICARBONATE ANTACID- sodium bicarbonate powder
Menper Distributors Inc.

Sodium Bicarbonate Antacid

Active ingredient (in each dose=1/2 teaspoon) Purpose

Sodium bicarbonate USP 2,616 mg Antacid

Purpose

Antacid

Uses

Relieves:

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

FOR ORAL USE ONLY

STOMACH WARNING: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL POWDER IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.

Do not use in children under 12 years of age.

Ask a doctor or pharmacist before use if you have a sodium-restricted diet.

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have used the maximum dosage for 2 weeks
- severe stomach pain occurs after using this product

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- Take 1/2 teaspoon in 1/2 glass (4 fl. oz.) of water every 2 hours up to a maximum dosage or as directed by a doctor. Dissolve completely in water before drinking.

Age	Maximum Dosage
Adults 60 years and over	Do not exceed three doses of 1/2 teaspoon in a 24 hour period
Adults and children 12 years of age and over	Do not exceed six doses of 1/2 teaspoon in a 24 hour period

Children under 12 years

Do not use


Inactive Ingredients:

Questions:

1-800-560-5223 M-F 9AM to 4PM Eastern

Menper Distributors Inc.

www.menperdistributors.com



Drug Facts

Active Ingredient (in each dose=1/2 teaspoon) Purpose
Sodium bicarbonate USP 2.616 mgAntacid

Uses
Relieves: ■ heartburn ■ sour stomach ■ acid indigestion
■ upset stomach associated with these symptoms

Warnings
FOR ORAL USE ONLY
STOMACH WARNING: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL POWDER IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.
Do not use in children under 12 years of age.
Ask a doctor or pharmacist before use if you have a sodium-restricted diet.
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if ■ you have used the maximum dosage for 2 weeks ■ severe stomach pain occurs after using this product.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
■ Take 1/2 teaspoon in 1/2 glass (4 fl. oz.) of water every 2 hours up to maximum dosage or as directed by a doctor. Dissolve completely in water before drinking. Maximum Dosage
Age Do not exceed three doses of 1/2 teaspoon in a 24 hour period
Adults and children 12 years or older Do not exceed six doses of 1/2 or age and over teaspoon in a 24 hour period
Children under 12 years Do not use.

Other information ■ Do not exceed recommended dosage. See warnings.
mg ■ each 1/2 teaspoon dose contains: sodium 716

Tamper-Evident Feature: Do not use if foil seal over mouth of bottle is torn, broken or missing.

Distributed by:
Menper Distributors, Inc.
6500 N.W. 35th Avenue
Miami, FL 33147
www.menperdistributors.com

Lot#: 0 142279194 136 3
Exp. Date:

SODIUM BICARBONATE ANTACID

sodium bicarbonate powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-390
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	2.616 g in 2.616 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM CATION (UNII: LYR4M0NH37)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-390-16	454 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	
2	NDC:53145-390-08	227 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	
3	NDC:53145-390-04	113 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/01/2017	

Labeler - Menper Distributors Inc. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
Church & Dwight Co., Inc.		097622153	manufacture(53145-390)

Revised: 7/2025

Menper Distributors Inc.