

CHILDRENS COLD COUGH DM- brompheniramine maleate, dextromethorphan hydrobromide solution
Publix Super Markets Inc

Publix Super Markets, Inc. Children's Cold & Cough DM Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Dextromethorphan HBr 10 mg

Purposes

Antihistamine

Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 4 mg
- store at 68°-77°F (20°-25°C)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Package/Label Principal Display Panel

P

FOR AGES 6 YEARS & OVER

CHILDREN'S

cold & cough DM

ANTIHISTAMINE, BROMPHENIRAMINE MALEATE

COUGH SUPPRESSANT,

DEXTROMETHORPHAN HBr

Safe and effective relief without phenylephrine.

Relief of:

- Runny nose
- Itchy, watery eyes
- Coughing, sneezing

GRAPE FLAVORED

ALCOHOL FREE

Compare to active ingredients in Dimetapp® Cold & Cough.

4 FL OZ (118 mL)



CHILDRENS COLD COUGH DM

brompheniramine maleate, dextromethorphan hydrobromide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-502
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)			BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
Inactive Ingredients				
Ingredient Name				Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
Product Characteristics				
Color			Score	
Shape			Size	
Flavor		GRAPE	Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-502-26	1 in 1 CARTON	07/28/2025	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	07/28/2025	

Labeler - Publix Super Markets Inc (006922009)