ENBRACE HR- levomefolate magnesium, leucovorin, folic acid, ferrous cysteine glycinate, magnesium ascorbate, zinc ascorbate, cocarboxylase, flavin adenine dinucleotide, nadh, pyridoxal phosphate anhydrous, cobamamide, betaine, magnesium l-threonate, 1,2-docosahexanoyl-sn-glycero-3-phosphoserine calcium, 1,2-icosapentoyl-sn-glycero-3-phosphoserine calcium, and phosphatidyl serine capsule, delayed release pellets

Jaymac Pharma

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EnBrace HR™

EnBrace® HR

with DeltaFolate™

[15 mg DFE Folate][50 mcg CBI] [1.5 mg Cys-Fe]

ANTI-ANEMIA PREPARATION

Low-IRON

Prescription **Prenatal Vitamin** For Therapeutic Use

SOFTGEL (30ct bottle)

NDC 64661-**650**-30

Rx Only

GLUTEN-FREE

DESCRIPTION:

EnBrace® **HR** is an orally administered prescription prenatal vitamin *for therapeutic use* formulated for adult patients who are under specific and directr monitoring of a licensed medical practitioner.

EnBrace® HR contains a small amount of iron and may be taken concurrently with iron supplementation.

INGREDIENTS:

Control-release, citrated folic acid, DHF+ (B ₉ - Provitamin)	1 mg ¹
Vitamin B ₁₂ [cobamamide]	50 mcg ²
FeGC [ferrous glycine cysteinate] (1.5 mg elemental iron)	13.6 mg ³
ALSO CONTAINS:	
Folinic acid (B ₉ -vitamer)	2.5 mg ¹
Levomefolic acid ($B_9 \& B_{12}$ - cofactor)	5.23 mg ⁴

- ¹ 6 mg DFE folate (vitamin B₉)
- 2 The form most found in mammalian liver adjusted for stability and pH in the presence of stomach substance, is a cobamamide, or vitamin B_{12}
- ³ Pure amino acid, cysteinated iron chelate as AminoFerTM* under exclusive license
- ⁴ 9 mg DFE I-methylfolate magnesium (molar equivalent)
- * AminoFerTM (Viva Pharmaceuticals, Canada) U.S. Patent # 7,341,708

FUNCTIONAL EXCIPIENTS: 25 mg ascorbates 5,6 (24 mg magnesium l-ascorbate, 1 mg zinc l-ascorbate) [antioxidant], at least 23.33 mg phospholipid-omega 3 complex 7 [marine lipids], 500 mcg betaine (trimethylglycine) [acidifier], 1 mg magnesium l-threonate [stabilizer].

OTHER EXCIPIENTS: "Annatto color" (as a blend of annatto with stomach substance [thickener/stabilizer]) [colorant], citrates (citric, sodium) [stabilizers], flavin adenine dinucleotide 8 (FAD), gelatin (bovine), glycerine, plant lipids (sunflower) [lecithin], natural orange flavor [masking], nicotinamide adenine dinucleotide hydride 8 (NADH), pyridoxal 5' phosphate 8 (P5P), piperine [bioavailability enhancer], purified water, thiamine pyrophosphate 8, ubidecarenone [antioxidant], yellow beeswax.

- ⁵ 20% daily value (DV) of VITAMIN C, and 5% DV IRON for pregnancy
- ⁶ NOT a significant source of magnesium and zinc
- ⁷ Contains at least 12 mg phosphatidylserine (PS) of which approximately 6.4 mg as PS-DHA-Ca, and less than 1% EPA (<800 mcg PS-EPA-Ca)
- 8 Contains less than 2% (<25 mcg/each) of vitamins B_1 , B_2 , B_3 and B_6

CONTAINS FISH/KRILL/SOY.

Certified 3rd-partyGLUTEN-FREE.No artificial colorants. No dairy, wheat, sugar or egg.

MECHANISM OF ACTION:

Vitamin B₁₂ [**TREATMENT**]; FOLATE [*PREVENTION*]; OTHER [*SUPPLEMENTATION*];

INDICATIONS:

EnBrace \blacksquare **HR** is indicated in the TREATMENT of vitamin deficiency - specifically vitamin B_{12} deficiency, and the PREVENTION of vitamin B_{12} -cofactor deficiency, l-methylfolate.

Requirements of vitamin B_9 and/or vitamin B_{12} in excess of normal due to pregnancy can usually be met with oral supplementation.

PRECAUTIONS:

GENERAL:

0.1 mg or more of folic acid daily may obscure pernicious anemia in that the hematological remission may occur while neurological manifestations remain progressive. The safe tolerable limit for folic acid (in preparations) is 1 mg [emphasis

added].

Folic acid is not a substitute for vitamin B_{12} - although it may improve vitamin B_{12} -deficient megaloblastic anemia. Exclusive use of folic acid in treating vitamin B_{12} -deficient megaloblastic anemia could result in progressive and irreversible neurologic damage. Specifically, <u>vitamin B_{12} deficiency allowed to progress over 3 months may produce permanent degenerative lesions of the spinal cord</u> - as observed when folate therapy is used as the only hematopoietic agent.

Doses of vitamin B_{12} exceeding 10 mcg daily may produce hematologic response in patients with folate deficiency. Indiscriminate administration may mask the true diagnosis.

A dietary deficiency of only vitamin B_{12} is rare; multiple vitamin deficiency is expected in any dietary deficiency. No single regimen fits all cases, and the status of the patient observed in follow-up is the final criterion for adequacy of therapy.

DRUG INTERACTIONS:

Colchicine, para-aminosalicylic acid, and heavy alcohol intake for longer than 2 weeks may produce malabsorption of vitamin B_{12} .

CARCINOGENESIS, MUTAGENESIS, IMPAIRMENT OF FERTILITY:

There is no evidence from long-term use in patients with pernicious anemia that vitamin B_{12} or folate is carcinogenic. Pernicious anemia is associated with increased incidence of carcinoma of the stomach, but this is believed to be related to the underlying pathology and not to treatment with vitamin B_{12} .

PREGNANCY, NURSING MOTHERS, PEDIATRIC USE:

Vitamin B_9 and vitamin B_{12} are essential vitamins and requirements are increased during pregnancy. Amounts of vitamin B_9 and vitamin B_{12} that are recommended by the Food and Nutrition Board, National Academy of Science - National Research Council for lactating women should be consumed during pregnancy.

Vitamin B_{12} and vitamin B_9 appear in the milk of nursing mothers in concentrations which approximate the mother's vitamin B_{12} and vitamin B_9 blood level. Amounts of vitamin B12 that are recommended by the Food and Nutrition Board, National Academies of Science - National Research Council for lactating women should be consumed during lactation.

Intake in pediatric patients should be in the amount recommended by the Food and Nutrition Board, National Academy of Science - National Research Council.

ADVERSE REACTIONS:

Mild transient diarrhea, polycythemia vera, itching, transitory exanthema, feeling of swelling of entire body may occur with administration of vitamin B_{12} .

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION:

The adult dose is one capsule daily preferably on an empty stomach.

As a general rule reticulocyte plasma count, folate and vitamin B_{12} status must be obtained prior to treatment.

Do not exceed recommended dose. Call your medical practitioner about side effects. You may report side effects by calling 337.662-5962.

HOW SUPPLIED:

Oval, brownish-orange softgel capsule with imprint **ENL**.

STORAGE:

Store at 20°-25°C (68°-77°F). Protect from light and moisture as contact with moisture may produce surface discoloration and/or erosion.

RX ONLY

KEEP OUT OF THE REACH OF CHILDREN.

Tamper Evident: Do not use if seal is broken or missing.

MANUFACTURED FOR:

JayMac Pharmaceuticals, LLC; Sunset, LA 70584.

MANUFACTURED AND/OR PACKAGED IN USA/CANADA.

PATENTS:

US other patent applications pending.

TRADEMARKS:

EnBrace ® **HR** is a registered mark of JayMac Pharmaceuticals. DeltaFolate[™] is a use-trademark of JayMac Pharmaceuticals.

Revision (Dec 27, 2021)

PRINCIPAL DISPLAY PANEL:

EnBraceHR™

with DeltaFolateTM

NDC 64661-**650**-30

Rx Only

Certified 3rd-party GLUTEN-FREE

[15 mg DFE Folate][50 mcg CBI][1.5 MG FeGC]

ANTI-ANEMIA PREPARATION

Low-IRON

SOFTGEL (30 ct BOTTLE)

Prescription Prenatal Vitamin For Therapeutic Use

DESCRIPTION: EnBrace* HR is an orally administered prescription PRENATAL vitamin for therapeutic use formulated for adult patients who are under specific and direct monitoring of a lisenced medical practitioner. A recent study* supposed that EnBrace* HR highly be a better penetial vitamin choice for women desiring to become preparant, and who may be concurrently receiving treatment for dynession. The "Clinicalfinide," orientifies. YOLG-78582, Trableve HR for Depression Treatment and Prevention in Women Trying to Conceive and Early Pregnancy", Sponsor: Massachusetts General Hospital.

.. 1 mg¹ . 2.5 mg¹ . 5.23 mg³ . 50 mcg² . 13.6 mg⁴ Citrated folic acid, DHF+ (Bg-Provitamin) . . .

OTHER ENDIFIENTS. Annother lockwardt, critories (ctire, sodown) (statuters), gedatin (bowne), gyvernie, plant lipots
(cumbover) (lectricia), notward owange from (manking), piperie wider (biocumborie) (manner), purified wider,
ublicecurronie (annotheria), elliow beeswar.
(biocurronie) (an



SOFTGEL (30 ct BOTTLE) **Prescription Prenatal Vitamin** For Therapeutic Use

INDICATION: EnBrace* NR is indicated in the TREATMENT of vitamin deficiency – specifically vitamin B12 deficiency, and the PREVENTION of vitamin B12 deficiency. The PREVENTION of vitamin B12 deficiency (and the PREVENTION of vitamin B12 deficiency) vitamin B12 is exertial for the synthesis of methionies from homographics—a reaction which also requires 1-nethylotials are annotes by registered from 1-methylotic acid, and a functional vitamin B12 deficiency cocus is exhibit produced from 1-methylotic acid, and a functional vitamin B12 deficiency cocus is exhibit produced from 1-methylotic acid, and a functional vitamin B12 deficiency cocus is exhibit produced from 1-methylotic acid, and a functional vitamin B12 deficiency cocus is exhibit produced from 1-methylotic acid, and a functional vitamin B12 deficiency (and previous deficiency for a functional produced from 1-methylotic acid produced from 1-methylo

Do not exceed the recommended dose. Call your medical practitioner about side effects. You may report side effects by calling 866-280-5961.

You may report size errects by saming we will be a 20°-25' (68°-77) F)

KEEP THIS OUT OF THE REACH OF CHILDREN. (Tamper Evident: Do not use if seal is broken or missing)

HOW SUPPLIES Brazes "A Ris is no not, bownish-orange softget capatile with imprint ENL.

REGULATORY: "Old" drugs, including vitamins, which were considered safe prior to 1938, were permitted to continue on the market without further review. However, ENA maintained the authority to review these old drugs if possible safety concerns became apparent. In 1951, the Durham-Humphrey Act was passed. This act formally differentiated between prescription and OTC drugs. —4 FR 1631 (March 16, 1979).

JAYMAC Pharmaceuticals, LLC, Sunset, LA 70584, MANUFACTURED AND/OR PACKAGED IN USA/INDIA Other U.S. Patents pending. V22 (June 2022)



DESCRIPTION: EnBrace* HR is an orally administered prescription PRENATAL vitamin for thempeutic use formulated for adult patients who are under specific and direct monitoring of a lisenced medical paractitioner. Arecent study—suppered that EnBrace* HR might be a better penetial viriamic horize for women desiring to become preparant, and who may be concurrently receiving treatment for depression. For the Control of the Cont

Irying to Conceive and Early Pregnancy", Sponsor: MassachuseHs General Hospital.

MRGEDIENTS:
Cirtated felic acid, DHH* (8-p*Powlamin)

- Folinic acid (8-p*Powlamin)

- S. S. mg¹
Levenefibic acid (8-p & 8-p*Powlamin)

- S. S. mg¹
Levenefibic acid (8-p & 8-p*Powlamin)

- S. S. mg¹
Levenefibic acid (8-p & 8-p*Powlamin)

- S. S. mg²
Levenefibic acid (8-p & 8-p*Powlamin)

- Folinic acid (8-p & 8-p*Powlamin)

- Folinic



INDICATION: EnBrace* HR is indicated in the TREATMENT of vitamin deficiency – specifically vitamin B12 deficiency, and the PREVENTION of vitamin B12 collection, and the PREVENTION of vitamin B12 collection, and the PREVENTION of vitamin B12 collection, and the PREVENTION, OTHER SUPPLEMENTATION of Vitamin B12 the Second of the Second of

JAYMAC Pharmaceuticals, LLC ,Sunset, LA 70584, MANUFACTURED AND/OR PACKAGED IN USA/INDIA Other U.S. Patents pending. V22 (June 2022)

JAYMAC medis LLC

SOFTGEL (30 ct BOTTLE)

Prescription Prenatal Vitamin For Therapeutic Use



Add image transcription here...

ENBRACE HR

levomefolate magnesium, leucovorin, folic acid, ferrous cysteine glycinate, magnesium ascorbate, zinc ascorbate, cocarboxylase, flavin adenine dinucleotide, nadh, pyridoxal phosphate anhydrous, cobamamide, betaine, magnesium l-threonate, 1,2-docosahexanoyl-sn-glycero-3-phosphoserine calcium, 1,2-icosapentoyl-sn-glycero-3-phosphoserine calcium, and phosphatidyl serine capsule, delayed release pellets

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:64661-650
Route of Administration	ORAL		

Active ingredicing Active Profess		Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength				
LEVOMEFOLATE MAGNESIUM (UNII: 1VZZ62R081) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLIC ACID	5.23 mg				
LEUCOVORIN (UNII: Q573I9DVLP) (LEUCOVORIN - UNII:Q573I9DVLP)	LEUCOVORIN	2.5 mg				
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg				
FERROUS CYSTEINE GLYCINATE (UNII: 8B4OP7RK5N) (FERROUS CATION - UNII:GW895810WR)	FERROUS CYSTEINE GLYCINATE	13.6 mg				
MAGNESIUM ASCORBATE (UNII: 0N1G678593) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	MAGNESIUM ASCORBATE	24 mg				
ZINC ASCORBATE (UNII: 9TI35313XW) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ZINC ASCORBATE	1 mg				
COCARBOXYLASE (UNII: Q57971654Y) (COCARBOXYLASE - UNII:Q57971654Y)	COCARBOXYLASE	25 ug				
FLAVIN ADENINE DINUCLEOTIDE (UNII: ZC44YTI8KK) (FLAVIN ADENINE DINUCLEOTIDE - UNII:ZC44YTI8KK)	FLAVIN ADENINE DINUCLEOTIDE	25 ug				
NADH (UNII: 4J24DQ0916) (NADH - UNII:4J24DQ0916)	NADH	25 ug				
PYRIDOXAL PHOSPHATE ANHYDROUS (UNII: F06SGE49M6) (PYRIDOXAL PHOSPHATE ANHYDROUS - UNII:F06SGE49M6)	PYRIDOXAL PHOSPHATE ANHYDROUS	25 ug				
COBAMAMIDE (UNII: F0R1QK73KB) (COBAMAMIDE - UNII:F0R1QK73KB)	COBAMAMIDE	50 ug				
BETAINE (UNII: 3SCV180C9W) (BETAINE - UNII:3SCV180C9W)	BETAINE	500 ug				
MAGNESIUM L-THREONATE (UNII: 1Y26ZZ0OTM) (THREONIC ACID, DL UNII:NTD0MI8XRT)	MAGNESIUM L-THREONATE	1 mg				
1,2-DOCOSAHEXANOYL-SN-GLYCERO-3-PHOSPHOSERINE CALCIUM (UNII: 6WJM73T46K) (1,2-DOCOSAHEXANOYL-SN-GLYCERO-3-PHOSPHOSERINE - UNII:DVY07ILF1W)	1,2-DOCOSAHEXANOYL-SN- GLYCERO-3-PHOSPHOSERINE CALCIUM	6.4 mg				
1,2-ICOSAPENTOYL-SN-GLYCERO-3-PHOSPHOSERINE CALCIUM (UNII: 9ABD9DRK7B) (1,2-ICOSAPENTOYL-SN-GLYCERO-3-PHOSPHOSERINE - UNII:C3019D8IIA)	1,2-ICOSAPENTOYL-SN- GLYCERO-3-PHOSPHOSERINE CALCIUM	800 ug				
PHOSPHATIDYL SERINE (UNII: 394XK0IH40) (PHOSPHATIDYL SERINE - UNII:394XK0IH40)	PHOSPHATIDYL SERINE	12 mg				

Inactive Ingredients				
Ingredient Name	Strength			
ANNATTO (UNII: 6PQP1V1B6O)				
GELATIN (UNII: 2G86QN327L)				
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)				
PIPERINE (UNII: U71XL721QK)				
WATER (UNII: 059QF0KO0R)				
UBIDECARENONE (UNII: EJ27X76M46)				
YELLOW WAX (UNII: 2ZA36H0S2V)				

Product Characteristics			
Color	BROWN (ANNATTO)	Score	no score
Shape	CAPSULE (oval)	Size	14mm
Flavor		Imprint Code	ENL
Contains			

Packagin	g

			Date	Date
1 ND 30	C:64661-650-	30 in 1 BOTTLE; Type 0: Not a Combination Product	08/12/2011	
Marketing Information				
Ma	rketing I	nformation		
ı	rketing l Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	Marketing Category PROVED DRUG	Application Number or Monograph	_	_

Package Description

Marketing Start

Marketing End

Labeler - Jaymac Pharma (830767260)

Item Code

Registrant - Jaymac Pharma (830767260)

Establishment			
Name	Address	ID/FEI	Business Operations
Ocean Healthcare Pvt Ltd		873673519	manufacture(64661-650)

Revised: 1/2025 Jaymac Pharma