

SALICYLIC ACID- liquid wart remover liquid
RITE AID CORPORATION

Rite Aid Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

Other information

store between 20° - 25°C (68° - 77°F)

- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Rite Aid Pharmacy

MAXIMUM STRENGTH

Liquid

Wart Remover

Salicylic Acid 17%

Removes common & plantar warts

Convenient brush applicator

Safe & effective

0.31 FL OZ (9mL)



MAXIMUM STRENGTH
Liquid Wart Remover

Salicylic Acid 17%



0.31 FL OZ (9 mL)

53-012RA-02

MAXIMUM STRENGTH
Liquid Wart Remover
Salicylic Acid 17%

MAXIMUM STRENGTH
Liquid Wart Remover

Salicylic Acid 17%



0.31 FL OZ (9 mL)

* This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com
MADE IN USA WITH
U.S. AND IMPORTED PARTS



If you're not satisfied, we'll happily refund your money.

Care
■ Wipe top of bottle clean after each use
■ For optimal use, discard when signs of wart no longer appear.

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Questions? Call 1-866-964-0939

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Other information ■ store between 20°–25°C (68°–77°F) ■ close tightly to prevent solidification ■ store in a cool place

Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ apply small amount of wart remover with applicator to sufficiently cover each wart ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

When using this product ■ on genital warts and warts on the face ■ on moles, birthmarks and warts with hair growing from them ■ on mucous membranes ■ on irritated, itched or reddened skin


Do not use ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist ■ on genital warts and warts on the face ■ on moles, birthmarks and warts with hair growing from them ■ on mucous membranes ■ on irritated, itched or reddened skin

Warnings ■ For external use only. ■ Flammable ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Drug Facts
Active ingredient Salicylic acid 17% w/w
Purpose Wart remover

DO NOT USE IF NECKBAND IS BROKEN



SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0119
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	
PYROXYLIN (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0119-9	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/22/2017	06/20/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/22/2017	06/20/2026

Labeler - RITE AID CORPORATION (014578892)

Revised: 6/2025

RITE AID CORPORATION