

**ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**  
**TARGET Corporation**

-----  
**Antibiotic Plus Pain Relief**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

## **Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

## **Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

## **Questions?**

Call **1-800-910-6874**

Dist. by Target Corp.  
Mpls., MN 55403

## **PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

up & up

maximum strength

antibiotic cream + pain relief

neomycin sulfate, polymyxin b sulfate, pramoxine HCl

first aid antibiotic / pain relieving cream

helps prevent infection in minor cuts, scrapes and burns plus  
maximum strength pain relief

NET WT 0.5 OZ (14.2 g)

NDC 11673-393-01



Compare to active ingredients in Neosporin® + Pain Relief\*

maximum strength  
**antibiotic cream + pain relief**  
neomycin sulfate, polymyxin b sulfate, pramoxine HCl  
**first aid antibiotic / pain relieving cream**

5213029  
1020  
17



maximum strength  
**antibiotic cream + pain relief**  
neomycin sulfate, polymyxin b sulfate, pramoxine HCl  
**first aid antibiotic / pain relieving cream**

helps prevent infection in minor cuts, scrapes and burns plus  
maximum strength pain relief

NET WT 0.5 OZ (14.2 g)



C-001472-074  
245 07 0071 00000-0X  
11673 39301 2

T27

**Drug Facts (continued)**  
**Other information**  
• store at 20° to 25°C (68° to 77°F)  
• see carton or tube crimp for lot number and expiration date  
**Inactive ingredients** emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum  
**Questions?** Call 1-800-910-8774

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.  
Dkt. by Target Corp., Mpls., MN 55403  
Made in Canada  
TM & ©2021  
Target Brands, Inc.

**Drug Facts**  
**Active ingredients (each gram contains)**  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 10,000 units.....First aid antibiotic  
Pramoxine hydrochloride 10 mg.....External analgesic  
**Purpose**  
First aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• cuts • scrapes • burns  
**Warnings**  
For external use only.  
**Do not use** • in the eyes • over large areas of the body  
• if you are allergic to any of the ingredients  
**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns  
**Stop use and ask a doctor if**  
• condition persists or gets worse • you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
• rash or other allergic reaction develops  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: ask a doctor.  
**Uses**  
First aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• cuts • scrapes • burns

# ANTIBIOTIC PLUS PAIN RELIEF

neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-393
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [iU] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11673-393-01	1 in 1 CARTON	10/16/2020	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	10/16/2020	

**Labeler** - TARGET Corporation (006961700)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Sun Pharma Canada Inc.		243339023	manufacture(11673-393)