

**IMMUNE WAKER - influenzzinum, anthracinum, arnica, belladonna, aconitum nap., arsenicum alb., baptisia, bryonia, hepar sulph. calc., iodium, lachesis, lycopodium, merc. viv., nux vom., phos., pulsatilla, rhus tox., apis mel., echinacea, hydrastis, thuja occ., agaricus musc., allium sat., aloe, calc. carb., calendula, capsicum, carduus mar., salvia, selenium, taraxacum, tarentula hisp., zinc. met., zingiber pellet**  
**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Immune Waker**

### **INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with a compromised immune system such as hypersensitivity, debility, glandular swellings, infections and inflammation.

### **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) three to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.

### **ACTIVE INGREDIENT SECTION**

Apis mel. 3x, Echinacea 3x, Hydrastis 3x, Thuja occ. 3x, Apis mel. 8x, Echinacea 8x, Hydrastis 8x, Thuja occ. 8x, Aconitum nap. 15x, Agaricus musc. 15x, Allium sat. 15x, Aloe 15x, Arnica 15x, Arsenicum alb. 15x, Azadirachta 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Calc. carb. 15x, Calendula 15x, Capsicum 15x, Carduus mar. 15x, Hepar sulph. calc. 15x, Iodium 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nux vom. 15x, Phos. 15x, Pulsatilla 15x, Rhus tox. 15x, Salvia 15x, Selenium 15x, Taraxacum 15x, Tarentula hisp. 15x, Zinc. met. 15x, Zingiber 15x, Anthracinum 20x, Influenzzinum 35x.

### **PURPOSE SECTION**

Formulated for symptoms associated with a compromised immune system such as hypersensitivity, debility, glandular swellings, infections and inflammation.

### **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

### **QUESTIONS SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012 Questions?  
1.800.448.7256

### **WARNINGS SECTION**

**Warning: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

## KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

## PACKAGE LABEL

**NEWTON**  
homeopathics **PRO**  
Nurturing Naturally Since 1987™

NDC#  
55714-4635-1

**Immune Waker**

*Formulated for symptoms associated with a compromised immune system such as hypersensitivity, debility, glandular swellings, infections and inflammation.*

**1 OZ (28 G)**

**Warnings:** Label statements have not been reviewed by the FDA. Broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

www.newtonlabs.net  
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012  
Questions? 800.448.7256

Dispensed by health professionals - not sold over-the-counter.  
**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) three to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.  
**Active Ingredients:** Apis mel. 3x, Echinacea 3x, Hydrastis 3x, Thuja occ. 3x, Apis mel. 8x, Echinacea 8x, Hydrastis 8x, Thuja occ. 8x, Aconitum nap. 15x, Agaricus musc. 15x, Allium sat. 15x, Aloe 15x, Arnica 15x, Arsenicum alb. 15x, Azadirachta 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Calc. carb. 15x, Calendula 15x, Capsicum 15x, Carduus mar. 15x, Hepar sulph. calc. 15x, Iodium 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nux vom. 15x, Phos. 15x, Pulsatilla 15x, Rhus tox. 15x, Salvia 15x, Selenium 15x, Taraxacum 15x, Tarentula hisp. 15x, Zinc. met. 15x, Zingiber 15x, Anthracinum 20x, Influenzinum 35x.  
**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.  
**Stock# R126 Lot#**

### IMMUNE WAKER

influenzinum, anthracinum, arnica, belladonna, aconitum nap., arsenicum alb., baptisia, bryonia, hepar sulph. calc., iodium, lachesis, lycopodium, merc. viv., nux vom., phos., pulsatilla, rhus tox., apis mel., echinacea, hydrastis, thuja occ., agaricus musc., allium sat., aloe, calc. carb., calendula, capsicum, carduus mar., salvia, selenium, taraxacum, tarentula hisp., zinc. met., zingiber pellet

#### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55714-4635
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Apis Mellifera</b> (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	8 [hp_X] in 1 g
<b>Echinacea, Unspecified</b> (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	8 [hp_X] in 1 g

<b>Goldenseal</b> (UNII: ZW3Z11D0JV) (Goldenseal - UNII:ZW3Z11D0JV)	Goldenseal	0 [hp_X] in 1 g
<b>Thuja Occidentalis Leafy Twig</b> (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	8 [hp_X] in 1 g
<b>Aconitum Napellus</b> (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	15 [hp_X] in 1 g
<b>Amanita Muscaria Fruiting Body</b> (UNII: DIF093I037) (Amanita Muscaria Fruiting Body - UNII:DIF093I037)	Amanita Muscaria Fruiting Body	15 [hp_X] in 1 g
<b>Garlic</b> (UNII: V1V998DC17) (Garlic - UNII:V1V998DC17)	Garlic	15 [hp_X] in 1 g
<b>Aloe</b> (UNII: V5VD430YW9) (Aloe - UNII:V5VD430YW9)	Aloe	15 [hp_X] in 1 g
<b>Arnica Montana</b> (UNII: O80TY208ZW) (Arnica Montana - UNII:O80TY208ZW)	Arnica Montana	15 [hp_X] in 1 g
<b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Cation (3+)	15 [hp_X] in 1 g
<b>Azadirachta Indica Bark</b> (UNII: G580B439YI) (Azadirachta Indica Bark - UNII:G580B439YI)	Azadirachta Indica Bark	15 [hp_X] in 1 g
<b>Baptisia Tinctoria Root</b> (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	15 [hp_X] in 1 g
<b>Atropa Belladonna</b> (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	15 [hp_X] in 1 g
<b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
<b>Oyster Shell Calcium Carbonate, Crude</b> (UNII: 2E32821G6I) (Oyster Shell Calcium Carbonate, Crude - UNII:2E32821G6I)	Oyster Shell Calcium Carbonate, Crude	15 [hp_X] in 1 g
<b>Calendula Officinalis Flowering Top</b> (UNII: 18E7415PXQ) (Calendula Officinalis Flowering Top - UNII:18E7415PXQ)	Calendula Officinalis Flowering Top	15 [hp_X] in 1 g
<b>Capsicum</b> (UNII: 00UK7646FG) (Capsicum - UNII:00UK7646FG)	Capsicum	15 [hp_X] in 1 g
<b>Milk Thistle</b> (UNII: U946SH95EE) (Milk Thistle - UNII:U946SH95EE)	Milk Thistle	15 [hp_X] in 1 g
<b>Calcium Sulfide</b> (UNII: 1MBW07J51Q) (Calcium Sulfide - UNII:1MBW07J51Q)	Calcium Sulfide	15 [hp_X] in 1 g
<b>Iodine</b> (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	15 [hp_X] in 1 g
<b>Lachesis Muta Venom</b> (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	15 [hp_X] in 1 g
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
<b>Mercury</b> (UNII: FXS1BY2PGL) (Mercury - UNII:FXS1BY2PGL)	Mercury	15 [hp_X] in 1 g
<b>Strychnos Nux-vomica Seed</b> (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
<b>Phosphorus</b> (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	15 [hp_X] in 1 g
<b>Pulsatilla Vulgaris</b> (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	15 [hp_X] in 1 g
<b>Toxicodendron Pubescens Leaf</b> (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
<b>Sage</b> (UNII: 065C5D077J) (Sage - UNII:065C5D077J)	Sage	15 [hp_X] in 1 g
<b>Selenium</b> (UNII: H6241UJ22B) (Selenium - UNII:H6241UJ22B)	Selenium	15 [hp_X] in 1 g
<b>Taraxacum Officinale</b> (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	15 [hp_X] in 1 g
<b>Lycosa Tarantula</b> (UNII: 86M454L2TT) (Lycosa Tarantula - UNII:86M454L2TT)	Lycosa Tarantula	15 [hp_X] in 1 g
<b>Zinc</b> (UNII: J41CSQ7QDS) (Zinc - UNII:J41CSQ7QDS)	Zinc	15 [hp_X] in 1 g

<b>Ginger</b> (UNII: C5529G5JPQ) (Ginger - UNII:C5529G5JPQ)	Ginger	15 [hp_X] in 1 g
<b>Bacillus Anthracis</b> (UNII: IT7Z319PFY) (Bacillus Anthracis - UNII:IT7Z319PFY)	Bacillus Anthracis	20 [hp_X] in 1 g
<b>Influenza A Virus</b> (UNII: R9HH0NDE2E) (Influenza A Virus - UNII:R9HH0NDE2E)	Influenza A Virus	35 [hp_X] in 1 g
<b>Influenza B Virus</b> (UNII: 1314JZ2X6W) (Influenza B Virus - UNII:1314JZ2X6W)	Influenza B Virus	35 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Sucrose</b> (UNII: C151H8M554)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4635-1	28 g in 1 BOTTLE, GLASS		
2	NDC:55714-4635-2	57 g in 1 BOTTLE, GLASS		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/10/2014	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4635)

Revised: 11/2014

Newton Laboratories, Inc.