# MAXCLINIC HYALURONIC MESO CHANGE ROLLER- hyaluronic acid patch N&B LAB.Co.Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### ACTIVE INGREDIENT

Active Ingredient: Hyaluronic acid 97.0%

#### **INACTIVE INGREDIENT**

Inactive Ingredients: Lactose

### **PURPOSE**

Purpose: Skin Firming & Moisturizing

#### WARNINGS

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

#### KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

#### **Directions**

Directions: 1. First place the handle on the roller, then remove the protective cap. 2. Gently roll across the entire face for absorption. For optimal results, start rolling from areas with deep wrinkles (neck, smile lines, forehead). 3. Use for 3~5 minutes until the hyaluronic acid melts into the skin and then the roller becomes blunt. \* First apply the ampoule on the face and neck, then use the roller. \* Intended for a single use only. Please remove and discard the roller after use. \* Once opened, use immediately

#### **DOSAGE & ADMINISTRATION**

Dosage & Administration: Use once a week.

### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL


### 맥스클리닉 히알루로닉 메조 체인지 롤러

히알루론산 성분 97% 함유!

뾰족한 히알루론산이 피부층에 작용해 피부 본연의 힘을 강화하고, 유효성분의 흡수를 더해주는 동시에 매끄럽고 탄력감 있는 물광 피부로 되돌려줍니다.

사용방법 | 1, 손잡이를 롤러에 끼운 다음, 보호캡을 벗겨줍니다.

- 2. 얼굴 전체에 골고루 롤링하여 흡수시켜 줍니다. 주름이 깊은 부위 (목, 팔자, 이마) 부터 사용하면 더욱 효과적 입니다.
- 3. 3~5분간 히알루론산이 녹아 무뎌질때까지 사용해주시면 됩니다.
- 4. 손잡이 빠지는 방향을 맞춰서 롤러를 빼주세요.
- \* 앰플을 바른 후 롤러를 사용합니다.
- \* 1회용 제품으로 사용 후 롤러는 빼서 폐기해주세요.
- \* 개봉 후 즉시 사용해주세요



전성분 | 소듐하이알루로네이트 (97%), 락토오스

### 70mg x 4ea (하알루론산 패치 중량)

제조업자 I (주)이시스코스메틱 경기도 시흥시 경기과기대로 246 4호 (정왕동) 제조판매업자 I (주)엔앤비랩 서울특별시 서초구 남부순환로 2423, 8층 (서초동, 한원빌딩)

### MAXCLINIC HYALURONIC MESO CHANGE ROLLER

Hyaluronic acid content of more than 97%

HÝALURONIC Meso Change Roller formulated with guadrangular pyramid-shaped hyaluronic acid for deep penetration and enhanced absorption of active ingredients, renewing firmness and smoothness to the skin.

Drug Facts

Active Ingredient/ Sodium Hyaluronate 97.0%

Inactive Ingredient / Lactose

Purpose/Skin Firming & Moisturizing

Warnings/For external use only · Do not use on damaged or broken skin · When using this product keep out of eyes. Rinse with water to remove · Stop use and ask a doctor if rash occurs · Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions/1. First place the handle on the roller, then remove the protective cap.

- 2. Gently roll across the entire face for absorption. For optimal results, start rolling from areas with deep wrinkles (neck, smile lines, forehead).
- 3. Use for 3~5 minutes until the hyaluronic acid melts into the skin and then the roller becomes blunt.
- \* First apply the ampoule on the face and neck, then use the roller.
- \* Intended for a single use only. Please remove and discard the roller after use.
- \* Once opened, use immediately

Dosage & Administration/ Use once a week.

Manufacturing dealers/ N&B Lab Co.,Ltd.

### MAXCLINIC HYALURONIC MESO CHANGE ROLLER

hyaluronic acid patch

Product Informa	tıon	l
-----------------	------	---

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69058-400

<b>-</b>	•		•	. •
Route	ot /	4 d mi	nictra	tion

TOPICAL

## Active Ingredient/Active Moiety

11011 0 11181 0 11101110 11101000		
Ingredient Name	<b>Basis of Strength</b>	Strength
HYALURO NIC ACID (UNII: S270 N0 TRQY) (HYALURO NIC ACID - UNII:S270 N0 TRQY)	HYALURONIC ACID	67.9 mg in 70 mg

### **Inactive Ingredients**

mucuve ingredients	
Ingredient Name	Strength
Lactose (UNII: J2B2A4N98G)	

### **Packaging**

# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1 NDC:69058-400-02	4 in 1 CARTON	12/20/2016	
1 NDC:69058-400-01	70 mg in 1 POUCH; Type 0: Not a Combination Product		

### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2016	

### **Labeler -** N&B LAB.Co.Ltd (690332858)

# **Registrant -** N&B LAB.Co.Ltd (690332858)

Establishment				
Name	Address	ID/FEI	Business Operations	
N&B LAB.Co.Ltd		690332858	manufacture(69058-400)	

Revised: 2/2017 N&B LAB.Co.Ltd