

CHILDRENS MUCUS RELIEF CHEST CONGESTION PLUS COUGH- dextromethorphan hydrobromide, guaifenesin solution

CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Children's Mucus Relief Chest Congestion Plus Cough

Drug Facts

Active Ingredients (in each 5 mL)

Dextromethorphan HBr, USP, 5mg

Guaifenesin, USP, 100 mg

Purpose

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Do not use

if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if your child has

- cough that occurs with too much phlegm (mucus).
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not give more than 6 doses in a 24 hour period.
- give the recommended number of vials below, following the instructions under How to Open and

Use on the side panel.

- empty all liquid in each Single-Use Vial when dosing.

Dosing Chart

Age	Dose (mL)
under 4 years	Do not use
4-6 years	1 Single-Use Vial (5mL) Every 4 hours
6-12 years	1-2 Single-Use Vial (5mL Each) Every 4 hours

Inactive Ingredients

Citric Acid, Glycerin, Mixed Berry Flavor, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Saccharine, Sorbitol, Sucralose, Trisodium Citrate Dihydrate, Xanthan Gum.

Other Information

- each Single-Use Vial contains 8mg of sodium.
- store at 20-25 °C (68-77 °F).
- tamper evident: do not use if top flap of carton is open. Do not use if any vials are open or broken.

Questions or Comments?

1-800-719-9260

Package Labeling:

Children's Mucus Relief
Chest Congestion Plus Cough

CVS Health

Non-drowsy

Drug Facts

Active Ingredients	Purpose
Dextromethorphan HBr, USP, 5mg Guaifenesin, USP, 100 mg	Cough Suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Do not use if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if your child has

- cough that occurs with too much phlegm (mucus).
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- do not give more than 6 doses in a 24 hour period.
- give the recommended number of vials below, following the instructions under "How to Open and Use" on the side panel.
- empty all liquid in each Single-Use Vial when dosing.

Dosing Chart	
Age	Dose (mL)
under 4 years	Do not use
4 - 6 years	1 Single-Use Vial (5 mL) Every 4 hours
6 - 12 years	1 - 2 Single-Use Vials (5 mL Each) Every 4 hours

Drug Facts Continued to Side Panel ▶

*This product is not manufactured by Reckitt Benckiser, distributor of Children's Mucinex® Cough Liquid.

INTEGRATED TAMPER EVIDENT
Push Below to Open

CVS Health

Compare to the active ingredients in Children's Mucinex® Cough Liquid*

Non-drowsy
NDC 69842-260-01

Children's Mucus Relief
Chest Congestion Plus Cough

DXTROMETHORPHAN HBr
Cough suppressant
GUAIFENESIN
Expectorant

Relief of:

- Cough
- Chest congestion/mucus
- Stuffy nose

Ages 4 & Over
Alcohol, Sugar & Dye Free




How to Open and Use:

Flick the tip before opening so liquid descends.

Twist the tip until open and discard it immediately.



Place open end into child's mouth and squeeze to dispense all liquid.

WARNING: CHOKING HAZARD Small parts. Keep out of reach of children.

CVS Health

Children's Mucus Relief
Chest Congestion Plus Cough

DXTROMETHORPHAN HBr
Cough suppressant
GUAIFENESIN
Expectorant

Relief of:

- Cough
- Chest congestion/mucus
- Stuffy nose

Ages 4 & Over
Alcohol, Sugar & Dye Free



Mixed Berry Flavor

20 SINGLE-USE VIALS
0.17 fl oz (5 mL) EACH
3.4 fl oz (100 mL) TOTAL

Actual Vial Size on Side Panel



Package Contains 20 Vials
Actual Size

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2018 CVS pharmacy
CVS.com® 1-800-SHOP CVS
V-34620

CVS Quality Money Back Guarantee PLEASE RECYCLE

VISTA COLOR®

#194350



0 50428 59767 5

CHILDRENS MUCUS RELIEF CHEST CONGESTION PLUS COUGH

dextromethorphan hydrobromide, guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-260
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

GLYCERIN (UNII: PDC6A3C00X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-260-01	1 in 1 BOX	12/04/2018	
1		100 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/04/2018	

Labeler - CVS Pharmacy (062312574)