

MAGNESIUM CITRATE- magnesium citrate liquid
EQUATE (Wal-Mart Stores, Inc.)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Magnesium citrate 1.745g per fl. oz.

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

laxative product for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

When using this product

- do not exceed the maximum recommended daily dosage in a 24 hour period

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information

- **each fluid ounce contains:** magnesium 280 mg, sodium 37 mg
- store between 46-86°F (8-30°F)
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

citric acid, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?

Call 1-888-287-1915

Principal Display Panel**Magnesium Citrate**

Saline Laxative Oral Solution

Sugar Free/Dye Free

- Relief of Occasional Constipation

Lemon Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Distributed by: Wal-Mart Stores, Inc, Bentonville, AR 72716

Package Label



NDC 49035-329-10

Quality Guaranteed

Magnesium Citrate

Saline Laxative Oral Solution

Sugar Free/Dye Free

● Relief of occasional constipation

Lemon Flavor

10 FL OZ (296 mL)



Drug Facts	
Active ingredient (in each fl oz) Magnesium citrate 1.745g.....	Purpose Saline laxative
Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 1/2 to 6 hours	
Warnings Do not use laxative products for longer than 1 week unless directed by a doctor.	
Ask a doctor before use if you have ■ kidney disease ■ a magnesium restricted diet ■ a sodium restricted diet ■ stomach pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that lasts more than 1 week	
Ask a doctor or pharmacist before use if you are presently taking a prescription drug.	
When using this product , do not exceed the maximum recommended daily dosage in a 24 hour period.	
Stop use and ask a doctor if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716

Drug Facts (continued)	
Directions ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses	
adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor
Other information ■ each fluid ounce contains: magnesium 280 mg, sodium 37 mg ■ store between 46-86°F (8-30°C). Do not refrigerate. ■ protect from excessive heat and freezing ■ discard unused product within 24 hours of opening bottle	
Inactive ingredients citric acid, flavor, purified water, saccharin sodium, sodium bicarbonate	
Questions or comments? Call 1-888-287-1915	

TAMPER EVIDENT: DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

PLD-G276D
LB005833



6 81131 27742 6

483574

EQUATE Magnesium Citrate

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-329
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9 V) (MAGNESIUM CATION - UNII:T6 V3LHY8 38)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39 QO)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-329-10	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/31/2014	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL		part334	10/31/2014	

Labeler -
EQUATE (Wal-Mart Stores, Inc.) (051957769)