

CITROMA- magnesium citrate liquid
Geiss, Destin & Dunn, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Magnesium Citrate
667

Active Ingredient

Magnesium citrate 1.745 g per fl oz

Purpose

Saline Laxative

Use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

- if you are on a low salt diet

Ask a doctor

before use if you have

- kidney disease
- a magnesium or sodium-restricted diet
- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already use a laxative for a period longer than 1 week

Ask a doctor or pharmacist

before use if you are taking any other drugs. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop Use

and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

Other information

- each fl oz contains: **magnesium 290 mg**
- each fl oz contains: **sodium 45 mg**

Inactive ingredients

citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose

Distributed By: Geiss, Destin & Dunn, Inc.

385 Highway 74 South

Peachtree City, Ga 30269

www.valuelabels.com

667.001/AG

Principal Display Panel

NDC 50804-667-38

Good Sense

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Magnesium Citrate Oral solution

Saline Laxative

- Pasteurized
- Sparkling Laxative

Pleasing Lemony Flavor

100% SATISFACTION GUARANTEED

10 FL OZ (296 mL)

NDC 50804-667-38

GOODSENSE.

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Magnesium Citrate

Oral Solution

Saline Laxative

• Pasteurized • Sparkling Laxative

Pleasing Lemony Flavor

10 FL OZ (296 mL)

100% SATISFACTION GUARANTEED

Drug Facts	
Active Ingredient	Purpose
Magnesium citrate 1.745 g per fl oz	Saline laxative
Use for relief of occasional constipation (irregularity). Generally produces bowel movement in ½ to 6 hours	
Warnings	
Do not use	
<ul style="list-style-type: none"> ■ if you are on a low salt diet 	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> ■ kidney disease ■ a magnesium or sodium-restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week 	
Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.	
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a	
Drug Facts (continued)	
Poison Control Center right away.	
Directions ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses	
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor
discard unused product within 24 hours of opening bottle	
Other Information	
<ul style="list-style-type: none"> ■ magnesium content 290 mg per 1 fl oz (30 mL) ■ sodium content 45 mg per 1 fl oz (30 mL) ■ store at temperatures between 46° and 86° F (8° and 30° C) 	
Inactive Ingredients citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose	
Questions? Call 1-866-696-0957	

0 80MAG 00000 0
 UPC 8-46036-00737-4
 L0000081SB
 Distributed By: Geiss, Destn & Dunn, Inc. Peachtree City, GA 30269 www.valerabels.com

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-667
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.61 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
LEMON OIL (UNII: I9GRO824LL)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCROSE (UNII: C151H8M554)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-667-38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/18/2009	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/18/2009	

Labeler - Geiss, Destin & Dunn, Inc. (076059836)

Registrant - Vi-Jon (790752542)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(50804-667)

Revised: 5/2020

Geiss, Destin & Dunn, Inc.