

WARTSTICK- salicylic acid stick
Balassa Laboratories Inc.

WartStick Wart Remover

Drug Facts

Active Ingredient

Salicylic acid 40% (w/w)

Purpose

Wart remover

Uses

- For the removal of common warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface.
- For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only.

Do not use

- if you are a diabetic
- on irritated, infected, or reddened skin
- if you have poor blood circulation
- on warts with hair growing from them
- on moles or birthmarks
- on face, genitals, or mucous membranes

Stop use and ask a doctor if

irritation occurs or discomfort persists

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Wash affected area
- May soak in warm water for 5 minutes

- Dry area thoroughly
- Keeping the product off the surrounding skin, apply a thin layer of the product to each wart
- Cover affected area with clean bandage
- Repeat procedure daily as needed (until wart is removed) for up to 12 weeks

Other Information

Replace cap when finished and store at room temperature

Inactive Ingredients

Castor oil, chlorobutanol, paraffin, rosin, yellow wax

PRINCIPAL DISPLAY PANEL - 5.1 g Tube in Carton - NDC 10107-250-02

40% SALICYLIC ACID

MAXIMUM STRENGTH

TRUSTED FOR GENERATIONS

WartSTICK®

ORIGINAL SOLID-STICK WART REMOVER

☐ *Painlessly Removes Common & Plantar Warts*

Fast Acting!

- Easy to Use
- Odorless

NET WT 0.2 OZ (5.1g)

MONEY BACK GUARANTEED





FAST ACTING!

- Easy to Use
- Odorless

NET WT 0.2 oz (5.1 g)



MONEY BACK GUARANTEED

For questions or comments, contact us at www.wartstick.com.
 Manufactured by Balassa Laboratories, Inc., P.O. Box 291161, Port Orange, FL 32129
 All rights reserved. All copyrights and trademarks are owned by Balassa Laboratories, Inc.



MONEY BACK GUARANTEED



FAST ACTING!

MAXIMUM STRENGTH

Our family has been proudly making this powerful wart remover for decades. Visit us online at www.wartstick.com to find out more about WartStick's history!

Drug Facts
 Active Ingredient Salicylic acid 40% (w/w).....Wart Remover
Purpose
Uses • For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
 • For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.
Warnings
 For external use only
Do not use • If you are a diabetic
 • If you have poor blood circulation
 • on moles or birthmarks
Stop use and ask a doctor if irritation occurs or if discomfort persists
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away
Directions • wash affected area
 • may soak wart in warm water for 5 minutes
 • apply thin layer of the product to each wart
 • cover affected area with clean bandage
 • repeat procedure daily as needed (until wart is removed) for up to 12 weeks
Other Information
 Replace cap when finished and store at room temperature
Inactive Ingredients
 Castor oil, chlorbutanol, paraffin, rosin, yellow wax



WartStick
 ORIGINAL
 SOLID-STICK WART REMOVER

**40% SALICYLIC ACID
MAXIMUM STRENGTH
TRUSTED FOR GENERATIONS**

WartSTICK®

ORIGINAL Solid-Stick Wart Remover

☐ *Painlessly Removes Common & Plantar Warts*

Fast Acting!

- Easy to Use
- Odorless

Contains: 2 WartSticks

NET WT 0.4 OZ (11.3g)

MONEY BACK GUARANTEED


**40% SALICYLIC ACID
MAXIMUM STRENGTH**

TRUSTED FOR
GENERATIONS

WartSTICK®

**ORIGINAL
SOLID-STICK WART REMOVER**

***Painlessly Removes
Common &
Plantar Warts***



FAST ACTING!

- Easy to Use
- Odorless

Contains:
2 WartSticks

NET WT 0.4 oz (11.3 g)

**MONEY BACK
GUARANTEED**

P.O. Box 291161, Fort Orange, FL 32129
All rights reserved. All copyrights and trademarks
are owned by Balassa Laboratories, Inc.

0 83467 24800 0



PRINCIPAL DISPLAY PANEL - 5.1 g Tube in Carton, with 25 1"x3" bandages - NDC 10107-250-20

40% SALICYLIC ACID

MAXIMUM STRENGTH

TRUSTED FOR GENERATIONS

WartSTICK®

ORIGINAL SOLID-STICK WART REMOVAL KIT

Painlessly Removes Common & Plantar Warts

NET WT 0.2 OZ (5.1g)

25 1" x 3" STERILE FABRIC BANDAGES INCLUDED

WartSTICK
ORIGINAL
SOLID-STICK WART REMOVAL KIT

WartSTICK
ORIGINAL
SOLID-STICK WART REMOVAL KIT

NET WT 0.2 oz (5.1 g)

WARTS
COMMON & PLANTAR
Painlessly Removes

40% SALICYLIC ACID
MAXIMUM STRENGTH

Trusted For
Generations



For the removal of COMMON & PLANTAR WARTS

25
STERILE FABRIC
BANDAGES
INCLUDED

Fast Acting ✓
Easy To Use ✓
Odorless ✓

Our family has been proudly making this powerful wart remover for decades. Visit us online at www.wartstick.com to find out more about Wartstick's history!

0 834671 25125 3

For questions or comments, contact us at www.wartstick.com
Manufactured by Balassa Laboratories, Inc.
P.O. Box 291161, Port Orange, FL 32129
All rights reserved. All copyrights and trademarks are owned by Balassa Laboratories, Inc.

WartSTICK ORIGINAL
SOLID-STICK WART REMOVAL KIT

| Drug Facts | Purpose |
|---|--------------|
| Active Ingredient Salicylic acid 40% (w/w) | Wart Remover |
| Uses • For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. • For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern. | |
| Warnings For external use only Do not use • If you are a diabetic • If you have poor blood circulation • on moles or birthmarks • on irritated, infected, or reddened skin • on warts with hair growing from them • on face, genitals, or mucous membranes | |
| Stop use and ask a doctor if irritation occurs or if discomfort persists | |
| Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away | |
| Directions • wash affected area thoroughly • cover affected area with clean bandage • repeat procedure daily as needed (until wart is removed) for up to 12 weeks • may soak wart in warm water for 5 minutes • apply thin layer of the product to each wart | |
| Other Information Replace cap when finished and store at room temperature | |
| Inactive Ingredients Castor oil, chlorobutanol, paraffin, rosin, yellow wax | |

1" x 3"
x25
STERILE FABRIC
BANDAGES
INCLUDED



PRINCIPAL DISPLAY PANEL - 5.1 g Tube in Carton, with 25 0.625" x 2.25"

bandages - NDC 10107-250-21

WartSTICK®

SOLID-STICK WART REMOVAL KIT

MAXIMUM STRENGTH 40% SALICYLIC ACID

Painlessly Removes Warts!

kids PACK INCLUDES x25 Sterile Fabric Bandages (5/8" x 2 1/4")

NET WT 0.2 OZ (5.1g)



Our family has been proudly making this powerful wart remover for decades. Visit us online at www.wartstick.com to find out more about WartStick's history!

- ▶ Fast Acting
- ▶ Easy To Use
- ▶ Odorless



x25
Sterile Fabric
Bandages
5/8" x 2 1/4"

INCLUDES
Kids
PACK


MAXIMUM STRENGTH 40% SALICYLIC ACID

SOLID-STICK WART REMOVAL KIT

WartSTICK
Painlessly Removes Warts!

WartSTICK
SOLID-STICK WART REMOVAL KIT

For questions or comments,
contact us at www.wartstick.com
Manufactured by Balasasa Laboratories, Inc.,
P.O. Box 291161, Port Orange, FL 32129
All copyright and trademarks owned
by Balasasa Laboratories, Inc.
Robbe Ribbit - Copyright 2024



WartSTICK

kids **PACK**

Drug Facts

Active Ingredient
Salicylic acid 40% (w/w).....**Purpose**
Wart Remover

Uses • For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
• For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only
Do not use • if you are a diabetic • on irritated, infected, or reddened skin
• if you have poor blood circulation • on warts with hair growing from them
• on moles or birthmarks • on face, genitals, or mucous membranes

Stop use and ask a doctor if irritation occurs or if discomfort persists
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away

Directions • wash affected area • may soak wart in warm water for 5 minutes
• dry area thoroughly • apply thin layer of the product to each wart
• cover affected area with clean bandage
• repeat procedure daily as needed (until wart is removed) for up to 12 weeks

Other Information Replace cap when finished and store at room temperature

Inactive Ingredients Castor oil, chlorobutanol, paraffin, rosin, yellow wax



5/8" x 2 1/4"
x25
Sterile Fabric
Bandages
INCLUDED

WARTSTICK
salicylic acid stick

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:10107-250

| | |
|--------------------------------|---------|
| Route of Administration | TOPICAL |
|--------------------------------|---------|

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 0.4 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CHLOROBUTANOL (UNII: HM4YQM8WRC) | |
| CASTOR OIL (UNII: D5340Y2I9G) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| PARAFFIN (UNII: I9O0E3H2ZE) | |
| ROSIN (UNII: 88S87KL877) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|--|
| Color | yellow | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:10107-250-02 | 1 in 1 CARTON | 05/12/2017 | |
| 1 | | 5.1 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:10107-250-08 | 1 in 1 CARTON | 08/23/2018 | 01/01/2024 |
| 2 | | 5.1 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 3 | NDC:10107-250-03 | 2 in 1 CARTON | 03/13/2017 | |
| 3 | | 5.1 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:10107-250-20 | 1 in 1 KIT | 10/01/2024 | |
| 4 | NDC:10107-250-01 | 5.1 g in 1 TUBE; Type 1: Convenience Kit of Co-Package | | |
| 5 | NDC:10107-250-21 | 1 in 1 KIT | 10/01/2024 | |
| 5 | NDC:10107-250-01 | 5.1 g in 1 TUBE; Type 1: Convenience Kit of Co-Package | | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
|-----------|---------------------------------|-----------------|---------------|

| Category | Citation | Date | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M028 | 06/01/1983 | |

Labeler - Balassa Laboratories Inc. (069162485)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|---|
| Balassa Laboratories Inc. | | 069162485 | manufacture(10107-250) , label(10107-250) , pack(10107-250) |

Revised: 10/2024

Balassa Laboratories Inc.