

ABSOLUTE FINISH FOUNDATION SPF15- octinoxate and titanium dioxide lotion
Erno Laszlo, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Absolute Finish Foundation SPF15

Drug Facts

Active Ingredients

Octinoxate 7.5%, Titanium Dioxide 2.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control center right away.

Directions

Apply liberally 15 minutes before sun exposure

- reapply: after 40 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

Cyclopentasiloxane, Tribehenin, Dimethicone Crosspolymer, Cyclohexasiloxane, Octyldodecyl Neopentanoate, Emu Oil, Dimethicone, Tocopheryl Acetate, Retinyl Palmitate, Ascorbic Acid, Salicylic Acid, Triethoxycaprylylsilane, Phenoxyethanol, Caprylyl Glycol, Hexylene Glycol, Mica,

Titanium Dioxide, Iron Oxides.

Other information

- protect this product from excessive heat and direct sun

Questions or comments?

Call toll free at 866-452-7956.

DISTRIBUTED IN U.S.A.

BY ERNO LASZLO NEW YORK, NY 10001

PRINCIPAL DISPLAY PANEL - 15 mL Jar Carton

**ERNO
LASZLO**

NEW YORK

ABSOLUTE FINISH

FOUNDATION SPF 15

15mL e 0.5 fl.oz.



ABSOLUTE FINISH

FOUNDATION SPF 15
FOND DE TEINT MOUSSE
SPF15

15mL e 0.5 fl.oz.



ERNO LASZLO TIMELESS SKIN SYSTEM,
OUR TWICE-DAILY RITUAL OF CLEANSING,
TONING, MOISTURIZING AND FINISHING,
PROMOTES THE ESSENTIAL HEALTH AND
CONTINUAL RENEWAL OF YOUR SKIN, TO
MAINTAIN A YOUTHFUL APPEARANCE.

THIS AIR-WHIPPED MOUSSE PROVIDES
YOUR SKIN WITH FLAWLESS COVERAGE
AND A MATTE FINISH.

CREATED BY THE INSTITUTE - NEW YORK
WWW.ERNOLASZLO.COM

DISTRIBUTED IN U.S.A.
BY ERNO LASZLO NEW YORK, NY 10001
ERNO LASZLO, LONDON WC1R 4QR
MADE IN U.S.A. • FABRIQUÉ AUX ÉTATS-UNIS
ERNO LASZLO INSTITUTE: 866-4LASZLO (USA)
NO. 2800 • WWW.ERNOLASZLO.COM





Drug Facts

Active Ingredients

Octinoxate 7.5%, Titanium Dioxide 2.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control center right away.

Directions Apply liberally 15 minutes before sun exposure. • reapply after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients: Cyclopentasiloxane, Tribehenin, Dimethicone Crosspolymer, Cyclohexasiloxane, Octyldodecyl Neopentanoate, Emu Oil, Dimethicone, Tocopheryl Acetate, Retinyl Palmitate, Ascorbic Acid, Salicylic Acid, Triethoxycaprylylsilane, Phenoxyethanol, Caprylyl Glycol, Hexylene Glycol, Mica, Titanium Dioxide, Iron Oxides.

Other information • protect this product from excessive heat and direct sun

Questions or comments? Call toll free at 866-452-7956.

4

TIMELESS SKIN SYSTEM
FINISH

DAY
ALL SKIN TYPES

08-2900XXX-01US

ABSOLUTE FINISH FOUNDATION SPF15

octinoxate and titanium dioxide lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:579 13-2900

Route of Administration

TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL
Titanium Dioxide (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)	Titanium Dioxide	20 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Tribehenin (UNII: 8OC9U7TQZ0)	
Cyclomethicone 6 (UNII: XHK3U310BA)	
Octyldodecyl Neopentanoate (UNII: X8725R883T)	
Emu Oil (UNII: 344821WD61)	
Dimethicone (UNII: 92RU3N3Y1O)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Vitamin A Palmitate (UNII: 1D1K0N0VVC)	
Ascorbic Acid (UNII: PQ6CK8PD0R)	
Salicylic Acid (UNII: O414PZ4LPZ)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Hexylene Glycol (UNII: KEH0A3F75J)	
Mica (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57913-2900-9	1 in 1 CARTON		
1		15 mL in 1 JAR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/10/2013	

Labeler - Erno Laszlo, Inc. (098821031)

Establishment			
Name	Address	ID/FEI	Business Operations
Mana Products		078870292	MANUFACTURE(57913-2900) , LABEL(57913-2900) , PACK(57913-2900)