CHILDRENS COLD AND COUGH DAY AND NIGHT TWIN PACK- onion, matricaria chamomilla, arabica coffee bean, calcium sulfide, goldenseal, sodium chloride, phosphorus, anemone pulsatilla and sulfur Wal-Mart Stores, Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Equate Children's Cold & Cough Day & Night Value Pack

DAYTIME

Drug Facts

| Active ingredients | Purpose |
|------------------------------|--|
| Allium Cepa 6X HPUS | watery/runny nose, cold, hacking cough, sore throat |
| Hepar Sulph Calc 12X HPUS | S cold, sneezing |
| Hydrastis 6X HPUS | rattling/tickling cough, sinus congestion, dry/raw/sore throat |
| Natrum Muriaticum 6X HPUS | dry cough, sore throat |
| Phosphorus 12X HPUS | hoarse/dry cough, nasal congestion, chest congestion |
| Pulsatilla 6X HPUS | moist cough, cold, nasal congestion |
| Sulphur 12X HPUS | chest congestion, nasal congestion, sneezing, runny nose |

"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopæia of the United States.

Uses

Temporarily relieves the symptoms of the common cold including nasal and chest congestion, runny nose, sore throat, sneezing and cough.

Warnings

As with any drug, ask a doctor before use if pregnant or breast-feeding Consult a physician if:

- Symptoms persist for more than 7 days or worsen
- Inflammation, fever or infection develops
- Symptoms are accompanied by a high fever (over 101°F)
- Cough tends to recur or is accompanied by a high fever, rash or persistent headache

Keep this and all medications out of the reach of children.

Do not use this product for persistent or chronic cough such as asthma, smoking

or emphysema or if cough is accompanied by excessive mucus, unless directed by a licensed medical professional.

A persistent cough may be a sign of a serious condition.

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly.

In case of emergency or accidental overdose,

contact a medical professional or Poison Control

Center immediately.

Directions

- Shake well before using.
- Measure only with the dosing cup provided.
- Do not use dosing cup with other products.
- On dosing cup, mL = milliliter.

Drug Facts (continued)

| Children 2 years | 5mL up to 6 times |
|---------------------|-------------------------|
| to under 6 years | per day (every 4 hours) |
| Children 6 years | 10mL up to 6 times |
| to under 12 years | per day (every 4 hours) |
| Adults and children | 15mL up to 6 times |
| 12 years and over | per day (every 4 hours) |

Other information

- Do not use if imprinted "SEALED FOR YOUR PROTECTION" tamper-evident bottle cap band is broken or missing.
- The inner packaged bottle is child-resistant.
- Store at room temperature.
- Do not refrigerate.

Inactive ingredients

Citric Acid, Glycerin, Glycyrrhiza Extract, Purified Water, Sodium Benzoate.

NIGHTTIME

Drug Facts

| Active ingredients | Purpose |
|---------------------|---|
| Allium Cepa 6X HPUS | watery/runny nose, cold, hacking cough, sore throat |

Chamomilla 6X HPUS sensitive, irritable, fussy, nocturnal occasional

sleeplessness

Coffea Cruda 6X HPUS occasional sleeplessness, restlessness

Hepar Sulph Calc 12X HPUS cold, sneezing

Hydrastis 6X HPUS rattling, tickling cough, sinus congestion, dry/raw/sore

throat

Natrum Muriaticum 6X

HPUS

dry cough, sore throat

Phosphorus 12X HPUS hoarse/dry cough, nasal congestion, chest congestion

Pulsatilla 6X HPUS moist cough, cold, nasal congestion

Sulphur 12X HPUS chest congestion, nasal congestion, sneezing, runny nose

"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopæia of the United States.

Uses

Temporarily relieves the symptoms of the common cold including cough, runny nose, sneezing, nasal and chest congestion, and sore throat with accompanying occasional sleeplessness.

Warnings

As with any drug, ask a doctor before use if pregnant or breast-feeding.

Consult a physician if:

- Symptoms persist for more than 7 days or worsen
- Inflammation, fever or infection develops

Drug Facts (continued)

- Symptoms are accompanied by a high fever (over 101°F)
- Cough tends to recur or is accompanied by a high fever, rash or persistent headache

Keep this and all medications out of the reach of children.

Do not use this product for persistent or chronic cough such as asthma, smoking or emphysema or if cough is accompanied by excessive mucus, unless directed by a licensed medical professional.

A persistent cough may be a sign of a serious condition.

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly.

In case of emergency or accidental overdose, contact a medical professional or Poison Control Center immediately.

Directions

- Shake well before using.
- Measure only with the dosing cup provided.
- Do not use dosing cup with other products.
- On dosing cup, mL = milliliter.

| Children 2 years to under 6 | 5mL at bedtime and every 4 hours during the night |
|------------------------------|---|
| years | or as necessary |
| Children 6 years to under 12 | 10mL at bedtime and every 4 hours during the night or |
| years | as necessary |
| Adults and children 12 years | 15mL at bedtime and every 4 hours during the night or |
| and over | as necessary |

Other information

- Do not use if imprinted "SEALED FOR YOUR PROTECTION" tamper-evident bottle cap band is broken or missing.
- The inner packaged bottle is child-resistant.
- Store at room temperature.
- Do not refrigerate.

Inactive ingredients

Citric Acid, Glycerin, Glycyrrhiza Extract, Purified Water, Sodium Benzoate.

*Claims based on traditional homeopathic

practice, not accepted medical evidence.

Not FDA evaluated.

Primary Principal Display Panel - Children's Cold & Cough Day & Night Value Pack

VALUE PACK

NDC 49035-95-01

Equate™

Compare to

Hyland's 4 Kids

Cold 'n Cough Day

& Night Value Pack

active ingredients

Children's

Alcohol-Free, Sugar-Free Dye-Free

Homeopathic

Cold & Cough*

Daytime

Ages 2 to 12 years

For Temporary Relief of:

- Nasal congestion
- Runny nose
- Sore throat
- Sneezing
- Cough

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

4 FL OZ (118mL) Daytime

8 FL OZ (236mL) TOTAL

Children's

Alcohol-Free, Sugar-Free Dye-Free

Homeopathic

Cold & Cough*

Nighttime

Ages 2 to 12 years

For Temporary Relief of:

- Chest congestion
- Occasional sleeplessness
- Runny nose
- Sore throat
- Sneezing
- Cough

4 FL OZ (118mL) Nighttime

^{*}Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



CHILDRENS COLD AND COUGH DAY AND NIGHT TWIN PACK

onion,matricaria chamomilla,arabica coffee bean,calcium sulfide,goldenseal,sodium chloride,phosphorus,anemone pulsatilla and sulfur kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49035-925

| ı | Packaging | | | | |
|---|-----------|----------------------|--|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | NDC:49035-925- 01 | 1 in 1 CARTON; Type 0: Not a Combination Product | 07/01/2018 | |

| Quantity of Parts | | |
|-------------------|------------------|------------------------|
| Part # | Package Quantity | Total Product Quantity |

| Part 1 | 1 BOTTLE, PLASTIC | 118 mL |
|--------|-------------------|--------|
| Part 2 | 1 BOTTLE, PLASTIC | 118 mL |

Part 1 of 2

CHILDRENS NIGHTTIME COLD AND COUGH

onion, arabica coffee bean, calcium sulfide, phosphorus, matricaria chamomilla, anemone pulsatilla, goldenseal, sulfur and sodium chloride liquid

Product Information

Item Code (Source) NDC:49035-920

Route of Administration ORAL

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|----------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H) | ONION | 6 [hp_X] in 1 mL | |
| ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72) | ARABICA COFFEE BEAN | 6 [hp_X] in 1 mL | |
| CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q) | CALCIUM SULFIDE | 12 [hp_X] in 1 mL | |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W) | PHOSPHORUS | 12 [hp_X] in 1 mL | |
| ANEMONE PULSATILLA (UNII: 176KB35JEV) (ANEMONE PULSATILLA - UNII:176KB35JEV) | ANEMONE PULSATILLA | 6 [hp_X] in 1 mL | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37) | SODIUM CHLORIDE | 6 [hp_X] in 1 mL | |
| MATRICARIA CHAMOMILLA (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ) | MATRICARIA CHAMOMILLA | 6 [hp_X] in 1 mL | |
| SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70) | SULFUR | 12 [hp_X] in 1 mL | |
| GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV) | GOLDENSEAL | 6 [hp_X] in 1 mL | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | |
| GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) | | | |
| WATER (UNII: 059QF0KO0R) | | | |

| Packaging | | | |
|------------|---------------------|-----------------|---------------|
| # Hom Codo | Packago Description | Marketing Start | Marketing End |

| # Item Code | Раскаде резсприон | Date | Date |
|---------------------------|--|------|------|
| 1 NDC:49035-920-01 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 07/02/2018 | |

Part 2 of 2

COLD AND COUGH

onion, calcium sulfide, sodium chloride, phosphorus, pulsatilla vulgaris, sulfur, and goldenseal liquid

| Product Information | |
|-------------------------|---------------|
| Item Code (Source) | NDC:49035-927 |
| Route of Administration | ORAL |

| Active Ingredient/Active Moiety | | | |
|--|-----------------------|----------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W) | PHOSPHORUS | 12 [hp_X] in 1 mL | |
| ANEMONE PULSATILLA (UNII: 176KB35JEV) (ANEMONE PULSATILLA - UNII:176KB35JEV) | ANEMONE PULSATILLA | 6 [hp_X] in 1 mL | |
| GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV) | GOLDENSEAL | 6 [hp_X] in 1 mL | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37) | SODIUM CHLORIDE | 6 [hp_X] in 1 mL | |
| SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70) | SULFUR | 12 [hp_X] in 1 mL | |
| ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H) | ONION | 6 [hp_X] in 1 mL | |
| CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q) | CALCIUM SULFIDE | 12 [hp_X] in 1 mL | |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:49035- 927-01 | 1 in 1 CARTON | | | |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 06/01/2018 | |

| Marketing Information | | | |
|---|---------------------------------|---|--|
| Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| | 07/01/2018 | | |
| | Application Number or Monograph | Application Number or Monograph Marketing Start Citation Date | |

Labeler - Wal-Mart Stores, Inc (051957769)

Revised: 12/2022 Wal-Mart Stores, Inc