

**OXYGEN- oxygen gas**  
**MITCHELL WELDING SUPPLY**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

[www.mitchellwelding.com](http://www.mitchellwelding.com)

NO SMOKING

NO VAPING

CONTENTS: LTRS: CU.FT.



OXYGEN, COMPRESSED USP

UN1072

C.A.S. NO. 7782-44-7

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

[www.mitchellwelding.com](http://www.mitchellwelding.com)

NO SMOKING

NO VAPING

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.


Produced by Air Liquefaction.

Size Contents Size Contents

M6 170 Liters E 682 Liters

C 248 Liters H 6910 Liters

D 415 Liters Other Liters



OXYGEN, Refrigerated Liquid USP

UN 1073

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

www.mitchellwelding.com

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without

monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.


**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.** Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

CAS: 7782-44-7

**NO SMOKING NO VAPING**



<b>OXYGEN</b>			
oxygen gas			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:72276-001

**Route of Administration** RESPIRATORY (INHALATION)

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72276-001-01	6909.31 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
2	NDC:72276-001-02	707.92 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
3	NDC:72276-001-03	396.44 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
4	NDC:72276-001-04	113 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
5	NDC:72276-001-05	172 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
6	NDC:72276-001-06	166 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
7	NDC:72276-001-07	211 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
8	NDC:72276-001-08	323 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
9	NDC:72276-001-09	233 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
10	NDC:72276-001-10	354 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
11	NDC:72276-001-11	605 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
12	NDC:72276-001-12	992 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
13	NDC:72276-001-13	250 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
14	NDC:72276-001-14	425 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
15	NDC:72276-001-15	510 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
16	NDC:72276-001-16	652 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
17	NDC:72276-001-17	679 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
18	NDC:72276-001-18	1702 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
19	NDC:72276-001-19	3454 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
20	NDC:72276-001-20	199 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
21	NDC:72276-001-21	214 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
22	NDC:72276-001-22	235 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
23	NDC:72276-001-23	400 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	

24	NDC:72276-001-24	427 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
25	NDC:72276-001-25	470 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
26	NDC:72276-001-26	651 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
27	NDC:72276-001-27	534 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
28	NDC:72276-001-28	587 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
29	NDC:72276-001-29	652 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
30	NDC:72276-001-30	697 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
31	NDC:72276-001-31	766 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
32	NDC:72276-001-32	1190 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
33	NDC:72276-001-33	1308 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
34	NDC:72276-001-34	1627 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
35	NDC:72276-001-35	1787 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
36	NDC:72276-001-36	2452 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
37	NDC:72276-001-37	2697 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
38	NDC:72276-001-38	3302 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
39	NDC:72276-001-39	3540 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
40	NDC:72276-001-40	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
41	NDC:72276-001-41	4248 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
42	NDC:72276-001-42	5381 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
43	NDC:72276-001-43	5664 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
44	NDC:72276-001-44	7505 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
45	NDC:72276-001-45	6410 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
46	NDC:72276-001-46	7100 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
47	NDC:72276-001-47	7250 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
48	NDC:72276-001-48	7960 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
49	NDC:72276-001-49	8690 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
50	NDC:72276-001-50	9540 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
51	NDC:72276-001-51	11525 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	
52	NDC:72276-001-52	12652 L in 1 CYLINDER; Type 0: Not a Combination Product	07/05/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205889	07/05/2018	

**Labeler** - MITCHELL WELDING SUPPLY (047833462)

## Establishment

Name	Address	ID/FEI	Business Operations
MITCHELL WELDING SUPPLY		047833462	manufacture(72276-001)

## Establishment

Name	Address	ID/FEI	Business Operations
MITCHELL WELDING SUPPLY		118920889	manufacture(72276-001)

Revised: 11/2025

MITCHELL WELDING SUPPLY