

JUNGSÆEMMOOL SKIN SETTING TONE BALANCING BASE- titanium dioxide, octinoxate, zinc oxide, octisalate cream

Jungsaemmoool Beauty Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

71261-010_JUNGSÆEMMOOL Skin Setting Tone Balancing Base

Titanium Dioxide 9.1%

Octinoxate 7.0%

Zinc Oxide 4.9%

Octisalate 4.5%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2)

Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, Diphenylsiloxy Phenyl Trimethicone, Cyclohexasiloxane, Pentaerythrityl Tetraethylhexanoate, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Mica (CI 77019), Butylene Glycol, Glycerin, Niacinamide, Pentylene Glycol, Distearidimonium Hectorite, Cetyl PEG/PPG-10/1 Dimethicone, PEG-10 Dimethicone, Tribehenin, Magnesium Sulfate, Iron Oxides (CI 77492), Dimethicone/Vinyl Dimethicone Crosspolymer, Aluminum Hydroxide, Phenoxyethanol, Diphenyl Dimethicone, Stearic Acid, Iron Oxides (CI 77491), Ceresin, Triethoxycaprylylsilane, Iron Oxides (CI 77499), Dimethicone, Fragrance(Parfum), Ethylhexylglycerin, Adenosine, Disodium EDTA, Ethylhexyl Palmitate, Tocopherol, Sodium PCA, Magnesium PCA, Zinc PCA, Silica Dimethyl Silylate, Caprylyl Glycol, Manganese PCA, Actinidia Polygama Fruit Extract, Potassium Sorbate, Sodium Hyaluronate, Hexylene Glycol

Protect the product in the container from excessive heat and direct sun

JUNGSÆMMOOL
Skin Setting Tone Balancing Base
 (Whitening, Wrinkle Care & Anti-UV Cosmetic)
 SPF 50+ / PA+++
 [Dermatologist Tested]

The tone balancing base restores the balance of tone and helps express bare faced skin conveniently by providing UV protection.

/ Makeup Setting
 Silver Vine helps express clear, bare faced skin through natural skin expression.

/ Smooth Setting
 Hyaluronic Filing Sphere makes skin texture soft and smooth by filling fine wrinkles and pores.

/ Moisture Setting
 Skin conditioning effect: helps keep skin moisturized with Mineral Complex that provides essential moisture to skin.

40 ml / 1.35 fl. oz.
 JUNGSÆMMOOL Beauty Co., Ltd.
 3F B, Apjujeong-ro 72-gil, Gangnam-gu, Seoul, Korea
 www.jsmbeauty.com
 MADE IN KOREA

정생을 스킨 세팅 톤 밸런싱 베이스
 [미백, 주름개선, 자외선 차단 기능성 화장품]
 SPF 50+ / PA+++
 [피부 자극 테스트 완료]

톤의 균형을 맞춰주고 자외선 차단을 도와 간편한 만일 연출에 도움을 주는 톤 밸런싱 베이스

/ Makeup Setting
 특유한 인삼 같은 피부표현을 도와주는 Silver Vine이 진짜 내 피부같이 자연스럽게 연출

/ Smooth Setting
 Hyaluronic Filing Sphere가 미세한 주름과 모공을 커버하여 부드럽고 매끈한 피부결로 세팅

/ Moisture Setting
 피부에 필요한 보습과 수분을 공급하는 미네랄 콤플렉스가 함유되어 촉촉한 피부로 가꾸어주는 스킨 컨디셔닝 효과

효능효과 | 피부의 미백에 도움을 준다. 피부의 주름개선에 도움을 준다. 자외선으로부터 피부를 보호한다. (SPF50+, PA+++)
 용량/용량 | 본 품 제조/용량 | 용량에 따라 100% 사용한다.
 사용법 | 스킨 세터 후 적용을 위해 피부결을 따라 얇고 정제해 고루 펴 바른다.

용기의 표시된 부분을 눌러주면 내용이 더욱 잘 나옵니다.

본 제품에 이상이 있을 경우 교환/반품/교환 고사 소비자 분쟁 해결 기구에서
 화가 보실때입니다. 고객센터: 090-816-7871 (수신시간: 09:00~18:00)

제조/판매처: (주)정생코스메틱
 서울특별시 강남구 영동대로 72길 8, 3층
 고객센터: 02-556-0000
 경기도 화성시 행안읍 세곡로 1길 27, 22길 46

Drug Facts
Active Ingredients **Purposes**
 Titanium Dioxide 91% Sunscreen
 Octinoxate 7.0% Sunscreen
 Zinc Oxide 4.9% Sunscreen
 Octisalate 4.9% Sunscreen

Uses - Helps prevent sunburn
Directions
 Apply liberally 15 minutes before sun exposure. Reapply at least every two hours. Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses. 3) Ask a doctor to use for children under 6 months.

Warnings - For external use only
 Do not use on damaged or broken skin. Stop using and ask a doctor if rash occurs.
 When using this product, keep out of eyes. Rinse with water to remove.
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Inactive Ingredients
 Water, Cyclopentasiloxane, Diphenylolxy Phenyl Trimethylsilyl Dimethylsilyloxy, Pentaerythrityl Tetraethylhexanoate, Lauryl PEG-9 Polydimethylsilyloxy Dimethylsiloxane, Hexa-C-17-09, Silicone Glycol Glycol, Niacinamide, Pentylene Glycol, Dipotassium Hexaborate, Cetyl PEG-10 Dimethylsiloxane, PEG-10 Dimethylsiloxane, Triethoxycaprylylsilane, Iron Oxides (CI 77487), Carotene, Triethoxycaprylylsilane, Iron Oxides (CI 77489), Dimethylsiloxane, Fragrance/Parfum, Ethylhexylglycerin, Adenosine, Dicotylum EDTA, Ethylhexyl Palmitate, Tocopherol, Sodium PCA, Magnesium PCA, Zinc PCA, Silica Dimethyl Glylate, Caprylyl Glycol, Manganese PCA, Achidina Polygamma Fruit Extract, Potassium Sorbate, Sodium Hyaluronate, Hexylene Glycol

Other Information
 Protect the product in this container from excessive heat and direct sun.

JUNGSÆMMOOL

"Beauty starts from you. Just believe."
 - Jung Saem Mool

SKIN SETTING
 Tone Balancing
 Base
 SPF 50+ PA+++

Set your skin
 for face makeup!
 페이스 메이크업을 위한
 피부 세팅

결과 톤을 보정해주는 메이크업의
 밑칠과 알성도를 높여주는 베이스
 라인업니다.

DIRECTIONS At the last step of skincare, apply an appropriate amount on the face in the direction of skin texture.
CAUTION For external use only. Avoid contact with eyes. Keep out of reach of children. Discontinue use if signs of irritation appear.
 사용시의 주의사항 | 1) 화장품 사용 시 드는 사용 후
 2) 사용 후 피부에 자극이 있을 경우 사용 중지
 3) 사용 후 피부에 자극이 있을 경우 사용 중지
 4) 사용 후 피부에 자극이 있을 경우 사용 중지
 5) 사용 후 피부에 자극이 있을 경우 사용 중지
 6) 사용 후 피부에 자극이 있을 경우 사용 중지
 7) 사용 후 피부에 자극이 있을 경우 사용 중지
 8) 사용 후 피부에 자극이 있을 경우 사용 중지
 9) 사용 후 피부에 자극이 있을 경우 사용 중지
 10) 사용 후 피부에 자극이 있을 경우 사용 중지



JUNGSÆMMOOL SKIN SETTING TONE BALANCING BASE			
titanium dioxide, octinoxate, zinc oxide, octisalate cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:7126 1-0 10
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	91 mg in 1 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	70 mg in 1 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8 SF37)	ZINC CATION	49 mg in 1 mL	
OCTISALATE (UNII: 4X49 Y0 596 W) (OCTISALATE - UNII:4X49 Y0 596 W)	OCTISALATE	45 mg in 1 mL	

Inactive Ingredients

	Ingredient Name	Strength
	WATER (UNII: 059QF0K00R)	
	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
	DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
	PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
	MICA (UNII: V8A1AW0880)	
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
	GLYCERIN (UNII: PDC6A3C0OX)	
	NIACINAMIDE (UNII: 25X51I8RD4)	
	PENTYLENE GLYCOL (UNII: 50C1307PZG)	
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
	PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
	TRIBEHENIN (UNII: 8OC9U7TQZ0)	
	MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
	DIPHENYL DIMETHICONE (100 CST) (UNII: AG1ANB6B8O)	
	STEARIC ACID (UNII: 4ELV7Z65AP)	
	FERRIC OXIDE RED (UNII: 1K09F3G675)	
	CERESIN (UNII: Q1LS2UJO3A)	
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
	FERROSFERRIC OXIDE (UNII: XM0M87F357)	
	DIMETHICONE (UNII: 92RU3N3Y1O)	
	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
	ADENOSINE (UNII: K72T3FS567)	
	EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
	ETHYLHEXYL PALMITATE (UNII: 2865993309)	
	TOCOPHEROL (UNII: R0ZB2556P8)	
	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
	MAGNESIUM PIDOLATE (UNII: V5PC588N7G)	
	ZINC PIDOLATE (UNII: C32PQ86DH4)	
	SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
	MANGANESE PIDOLATE (UNII: 3S6I84YKIV)	
	ACTINIDIA POLYGAMA FRUIT (UNII: CJA97047JF)	
	POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
	HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
	HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:71261-010-02	1 in 1 CARTON	07/14/2020	
1	NDC:71261-010-01	40 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/14/2020	

Labeler - Jungsaemmool Beauty Co., Ltd. (694214725)

Registrant - Jungsaemmool Beauty Co., Ltd. (694214725)

Establishment

Name	Address	ID/FEI	Business Operations
Shinsegae Intercos Korea Inc.		694526100	manufacture(71261-010)

Revised: 7/2020

Jungsaemmool Beauty Co., Ltd.