

**SEVERE CONGESTION AND COUGH MULTI-SYMPTOM MAXIMUM STRENGTH-
dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated
CVS Pharmacy**

CVS 44-648

Active ingredients (in each caplet)

Dextromethorphan HBr 10 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Purpose

Cough suppressant
Expectorant
Nasal decongestant

Uses

- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep
 - nasal congestion due to a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

Other information

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

50% MORE TABLETS THAN THE

NATIONAL BRAND†

♥CVS
Health®

Compare to the active ingredients
in Maximum Strength Mucinex®
FAST-MAX® Severe Congestion & Cough*

Multi-Symptom

Severe Congestion & Cough

DEXTROMETHORPHAN HBr

Cough suppressant

GUAIFENESIN - Expectorant

PHENYLEPHRINE HCl

Nasal decongestant

MAXIMUM STRENGTH

Relieves:

Nasal & chest congestion

Controls cough

Thins & loosens mucus

For Ages 12+

Actual Size

30 COATED CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by RB Health (US)
LLC, owner of the registered trademark
Maximum Strength Mucinex® FAST-MAX®
Severe Congestion & Cough.

50844 REV0423D64801

†50% more tablets than Maximum Strength
Mucinex® FAST-MAX® Severe Congestion
& Cough 20 count package.

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

© 2023 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-19849

100% money back
guaranteed.

CVS.com/returnpolicy

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each caplet) **Purpose**

Dextromethorphan HBr 10 mg..... Cough suppressant

Guaifenesin 200 mg.....Expectorant

Phenylephrine HCl 5 mg.....Nasal decongestant

Uses ■ temporarily relieves:

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- nasal congestion due to a cold
- the impulse to cough to help you get to sleep
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ high blood pressure ■ heart disease ■ diabetes ■ difficulty in urination due to enlargement of the prostate gland ■ thyroid disease ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than directed

- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

Other information ■ each caplet contains: sodium 3 mg

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

how2recycle.info



PAPER MULTILAYER BOX

*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough. 150% more tablets than Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough, 20 count package.

Drug Facts (continued)

Inactive ingredients com starch, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, malodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-426-9991

CVS Health.

Multi-Symptom

Severe Congestion & Cough

50% MORE TABLETS THAN THE NATIONAL BRAND†

CVS Health. Compare to the active ingredients in Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough*

Multi-Symptom

Severe Congestion & Cough

DEXTROMETHORPHAN HBr
Cough suppressant

GUAIFENESIN - Expectorant

PHENYLEPHRINE HCl
Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- Nasal & chest congestion
- Controls cough
- Thins & loosens mucus

For Ages 12+



Actual Size

30 COATED CAPLETS

CVS Health.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2023 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
V-19849

 100% money back guaranteed.
CVS.com/returnpolicy

B-0231-648-01-H
REV0423D64801

#972449 FPO 80%
UPC# 050428393789
X XXXXXX XXXXXX X

No print/No varnish Area
Lot & Expiry date 50844 REV0423D64801

CVS 44-648

SEVERE CONGESTION AND COUGH MULTI-SYMPTOM MAXIMUM STRENGTH

dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-648
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 2--ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	red (maroon)	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	44;648
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-648-95	3 in 1 CARTON	07/19/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-648-01	3 in 1 PACKAGE	07/20/2015	07/19/2023
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M012	07/20/2015	
--------------------	------	------------	--

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-648) , pack(59779-648)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(59779-648)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(59779-648)

Revised: 7/2025

CVS Pharmacy