

**ERBORIAN CC CREME HIGH DEFINITION SPF 25 CARAMEL- octinoxate,
octisalate, titanium dioxide, zinc oxide cream
LABORATOIRES M&L**

ERBORIAN - CC CREME HIGH DEFINITION SPF 25 CARAMEL

Drug Facts

Active ingredients

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium dioxide 8.84%

Zinc oxide 3.84%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. –2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun



Inactive ingredients

AQUA/WATER- CYCLOPENTASILOXANE - CI 77492/IRON OXIDES - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - METHYL TRIMETHICONE - MICA - C12-15 ALKYL BENZOATE - DIMETHICONE - CI 77491/IRON OXIDES - MAGNESIUM SULFATE - VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - ALUMINUM HYDROXIDE - PHENOXYETHANOL - TRIHYDROXYSTEARIN - BUTYLENE GLYCOL - METHICONE - PALMITIC ACID - STEARIC ACID - TOCOPHERYL ACETATE - ETHYLHEXYLGLYCERIN - CI 77499/ IRON OXIDES - PARFUM/FRAGRANCE - HEXYL CINNAMAL - ALPHA-ISOMETHYLIONONE-LINALOOL - CITRONELLOL - GERANIOL - EUGENOL - LIMONENE

Questions or comments

Call toll free 1-888-975-2162

Package Labeling: 10345-913-05

erborian
KOREAN SKIN THERAPY

Drug Facts

Active ingredients	Purpose
Ethylhexyl methoxycinnamate / Octinoxate 6.00%	Sunscreen
Ethylhexyl salicylate / Octisalate 2.00%	Sunscreen
Titanium dioxide 8.84%	Sunscreen
Zinc oxide 3.84%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.

Drug Facts (continued)

- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun


Inactive ingredients

AQUA/WATER - CYCLOPENTASILOXANE - CI 77492/IRON OXIDES - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - MICA - CI 12-15/ALKYL BENZOATE - DIMETHICONE - CI 77491/IRON OXIDES - MAGNESIUM SULFATE - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - ALLUMINUM HYDROXIDE - PHENOXYETHANOL - TRI-HYDROXYSTEARIN - BUTYLENE GLYCOL - METHICONE - PALMITIC ACID - STEARIC ACID - TOCOPHERYL ACETATE - ETHYLHEXYLGLYCERIN - CI 77499/IRON OXIDES - PARFUM/FRAGRANCE - HEXYL CINNAMYL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANOL - EUGENOL - LIMONENE

Questions or comments?

Call toll free 1-888-975-2162

6AA10436
www.erborian.com
Made in South Korea
M&L - 108 rue de Richelieu - Paris - France



8 809255 786743


The Korean secret to a visibly perfect complexion is in high-tech, multi-use formulas that help to improve the appearance of your skin, making it look luminous and soft, and reducing the appearance of blemishes. CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.

CC CRÈME
À LA CENTELLA ASIATICA

HIGH DEFINITION
RADIANCE
FACE CREAM
SKIN PERFECTOR

BROAD SPECTRUM
SPF 25 SUNSCREEN

CARAMEL



Enriched with Centella Asiatica, CC CRÈME helps to boost radiance, protect and hydrate, while also helping to unify and camouflage dehydration fine lines and refine the appearance of skin's texture. Soft and radiant, your skin looks flawless, in "High Definition". Apply in a fine layer on your face, just like your daily moisturizer. Tested under dermatological supervision. Non-comedogenic.

5 ML NET WT. 0.17 OZ.

Package Labeling: 10345-913-45

29*16



Drug Facts

Active ingredients	Purpose
Ethylhexyl methoxycinnamate / Octinoxate 6.00%	Sunscreen
Ethylhexyl salicylate	

Drug Facts (continued)

Inactive ingredients

AQUA/WATER - CYCLOPENTASILOXANE - CI 77492/IRON OXIDES - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - MICA - CI 12-15/ALKYL BENZOATE - DIMETHICONE - CI 77491/IRON OXIDES - MAGNESIUM SULFATE - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - ALLUMINUM HYDROXIDE - PHENOXYETHANOL - TRI-HYDROXYSTEARIN - BUTYLENE GLYCOL - METHICONE - PALMITIC ACID - STEARIC ACID - TOCOPHERYL ACETATE - ETHYLHEXYLGLYCERIN - CI 77499/IRON OXIDES - PARFUM/FRAGRANCE - HEXYL CINNAMYL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANOL - EUGENOL - LIMONENE



erborian
KOREAN SKIN THERAPY
PARIS · SEOUL

CC CRÈME
À LA CENTELLA ASIATICA

HIGH DEFINITION

The Korean secret to a visibly perfect complexion is in high-tech, multi-use formulas that help to improve the appearance of your skin, making it look luminous and

Octisalate 2.00%.....Sunscreen
Titanium dioxide 8.84%.....Sunscreen
Zinc oxide 3.84%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only**
- Do not use ■ on damaged or broken skin
 - When using this product ■ keep out of eyes. Rinse with water to remove
 - Stop use and ask a doctor if ■ rash occurs.
 - Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure
 - Reapply at least every 2 hours
 - Use a water resistant sunscreen if swimming or sweating
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun

GLYCOL - GLYCERIN - PEG-10
DIMETHICONE - METHYL
TRIMETHICONE - MICA - CI2-15
ALKYL BENZOATE - DIMETHICONE -
CI 77491/IRON OXIDES -
MAGNESIUM SULFATE -
VINYL DIMETHICONE/METHICONE
SILSESQUOXANE CROSSPOLYMER
- DISTEAROYMONIUM HECTORITE -
POLYESTER-1 - SILICA DIMETHYL
SILYLATE - CENTELLA ASIATICA
EXTRACT - TALC -
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER - ALUMINUM
HYDROXIDE - PHENOXYETHANOL -
TRI-HYDROXYSTEARIN - BUTYLENE
GLYCOL - METHICONE - PALMITIC
ACID - STEARIC ACID - TOCOPHERYL
ACETATE - ETHYLHEXYLGLYCERIN -
CI 77499/IRON OXIDES -
PARFUM/FRAGRANCE - HEXYL
CINNAMAL - ALPHA-ISOMETHYL
IONONE - LINALOOL - CITRONELLOL
- GERANIOL - EUGENOL -
LIMONENE

Questions or comments?

Call toll free
1-888-975-2162

HIGH DEFINITION RADIANCE FACE CREAM SKIN PERFECTOR

BROAD SPECTRUM
SPF 25 SUNSCREEN

CAMEL



45 ML
NET WT. 1.5 OZ.

soft, and reducing the appearance of blemishes, CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.

Enriched with Centella Asiatica, CC CRÈME helps to boost radiance, protect and hydrate, while also helping to unify and camouflage dehydration fine lines and refine the appearance of skin's texture.

Soft and radiant, your skin looks flawless, in "High Definition".

[Apply in a fine layer on your face, just like your daily moisturizer.]

Tested under dermatological supervision.

Non-comedogenic.

www.erborian.com
Made in South Korea
M&L - 108 rue de Richelieu -
Paris - France



ERBORIAN CC CREME HIGH DEFINITION SPF 25 CAMEL

octinoxate, octisalate, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-913
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	88.4 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	38.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYESTER-10 (UNII: 212N9O2MMZ)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
TALC (UNII: 7SEV7J4R1U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
EUGENOL (UNII: 3T8H1794QW)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-913-45	1 in 1 BOX	08/21/2018	
1		45 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-913-05	1 in 1 BOX	04/16/2021	
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/21/2018	

Labeler - LABORATOIRES M&L (262533623)

Revised: 12/2023

LABORATOIRES M&L