

**FS-106SPRAY- chlorhexidine gluconate liquid**  
**IBA Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**FS-106 Spray**

**ACTIVE INGREDIENT:**

Chlorhexidine Gluconate..... 0.55%

**INERT INGREDIENTS:**

Sorbitol (As A Humectant And Skin Conditioner)..... 2.50%  
Other Inerts..... 96.95%  
(Includes Buffering Agents, Stabilizing Agents And Surfactants)  
TOTAL..... 100.00%  
pH of 6.5 at time of manufacture

**RECOMMENDED PROCEDURES FOR TEAT SANITATION**

**A. PRE-MILKING (PRE-DIPPING)**

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Spray, foam or dip the cow's teats full length with FS-106 "SPRAY".
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if spraying or foaming) with a clean, single service paper towel(s) to avoid contamination of milk.
6. Attach milking unit.

**B. POST-MILKING (POST-DIPPING)**

Immediately after milking, spray or dip all teats full length with FS-106 "SPRAY". Ensure good coverage of all sides of the teats and teat orifices.

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. If solution in the teat dip cup becomes dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

Not For Human Use.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

## **FIRST AID PROCEDURES**

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

## **FS-106 Spray**

A highly effective and chapless chlorhexidine teat dip containing sorbitol

NDC 29983-1012-6



# FS-106 "SPRAY"

## SANITIZING TEAT DIP

A Highly Effective And Chapless Chlorhexidine Teat Dip Containing Sorbitol  
Especially Formulated For Dairies Where NPE FREE Products Are Preferred Or Required

*This Product Is Laboratory Certified As Pathogen Free Prior To Shipment*

**ACTIVE INGREDIENT:**  
Chlorhexidine Gluconate..... 0.55%

**INERT INGREDIENTS:**  
Sorbitol (As A Humectant And Skin Conditioner)..... 2.50%  
Other Inerts ..... 96.95%  
(Includes Buffering Agents, Stabilizing Agents And Surfactants)  
**TOTAL**..... 100.00%

pH of 6.5 at time of manufacture

**GENERAL RECOMMENDATIONS**

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. If solution in the teat dip cup becomes dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.  
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.**


**FIRST AID PROCEDURES**

**EYE CONTACT:** IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

**SKIN CONTACT:** FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

**INGESTION:** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**



Can Be Applied  
As A Spray,  
Foam Or Dip

**RECOMMENDED PROCEDURES FOR TEAT SANITATION**

**A. PRE-MILKING (PRE-DIPPING)**

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Spray, foam or dip the cow's teats full length with FS-106 "SPRAY".
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if spraying or foaming) with a clean, single service paper towel(s) to avoid contamination of milk.
6. Attach milking unit.

**B. POST-MILKING (POST-DIPPING)**

Immediately after milking, spray or dip all teats full length with FS-106 "SPRAY". Ensure good coverage of all sides of the teats and teat orifices.

**WARNING**

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

**Not For Human Use**

**A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE:      LOT NO.:      NET CONTENTS: 15 GALLONS (56.775 LITERS)      IBA STOCK # 260577      1121W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

### FS-106SPRAY

chlorhexidine gluconate liquid

#### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:29983-1012
<b>Route of Administration</b>	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	5.5 kg in 100 kg

#### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1012-4	19.28 kg in 1 PAIL		
2	NDC:29983-1012-6	57.83 kg in 1 DRUM		
3	NDC:29983-1012-8	212.05 kg in 1 DRUM		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/09/2014	

**Labeler** - IBA Inc. (019494160)

**Registrant** - IBA Inc. (019494160)

## Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc DBA Custom Chemical Formulators Inc		028311595	manufacture, api manufacture, pack

Revised: 11/2023

IBA Inc.