

COMPOUND W MAXIMUM STRENGTH FAST ACTING LIQUID- salicylic acid liquid
Medtech Products Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Compound W Liquid 63029-592

Compound W®

Salicylic Acid LIQUID

NET WT 0.31 FL OZ (9 mL)

Drug Facts

Active ingredient

Purpose

Salicylic acid 17% w/w..... Wart remover

Use

- for the removal of common and plantar warts
- the common wart is easily recognized by the rough “cauliflower-like” appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings

For external use only.

Flammable. Keep away from fire and flame.

Do not use

- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes
- if you have diabetes or poor blood circulation

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- Cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- using applicator, apply one drop at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other Information

- store at room temperature
- avoid excessive heat 37C (99F)
- skin discoloration may occur during or after use
- wipe the rim of the bottle with a paper towel between uses

Inactive ingredients

alcohol, camphor, castor oil, collodion, ether, ethylcellulose, hypophosphorous acid, menthol, polysorbate 80

Questions?

1-800-443-4908 Compoundw.com

PRINCIPAL DISPLAY PANEL

CompoundW
Salicylic Acid Liquid
NetWT 0.31 fl oz (9mL)



Drug Facts	
Active ingredient Salicylic acid 17% w/w	Purpose Wart remover
<p>Uses • for the removal of common and plantar warts • the common wart is easily recognized by the rough "cauliflower like" appearance of the surface • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern</p>	
<p>Warnings For external use only. Flammable. Keep away from fire and flame.</p> <p>Do not use</p> <ul style="list-style-type: none"> • on irritated skin or on any area that is infected or reddened • on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes • if you have diabetes or poor blood circulation <p>When using this product • avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes • avoid inhaling vapors • cap bottle tightly and store at room temperature away from heat</p> <p>Stop use and ask a doctor if discomfort persists.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	
<p>Directions • wash affected area • may soak wart in warm water for 5 minutes • dry area thoroughly • using applicator, apply one drop at a time to sufficiently cover each wart • let dry • repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks</p>	
<p>Other information • store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may occur during or after use • wipe the rim of the bottle with a paper towel between uses</p>	
<p>Inactive ingredients alcohol, carbor, castor oil, cellulose, ether, ethylcellulose, hydrophosphorous acid, methyl, polyorbate 80</p>	
<p>Questions? 1-800-443-4908 CompoundW.com</p>	

COMPOUND W MAXIMUM STRENGTH FAST ACTING LIQUID

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-592
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR, (-)- (UNII: 213N3S8275)	
CASTOR OIL (UNII: D5340Y2I9G)	
LYTTA VESICATORIA (UNII: 3Q034RO3BT)	
ETHER (UNII: 0F5N573A2Y)	
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
MENTHOL, (+)- (UNII: C6B1OE8P3W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-592-09	1 in 1 CARTON	03/01/2014	
1		9 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	03/01/2014	

Labeler - Medtech Products Inc. (122715688)

Revised: 5/2023

Medtech Products Inc.