

HYDRATING CAMO CC CREAM SPF30 TAN 400 W- zinc oxide, titanium dioxide, homosalate, octisalate, octocrylene cream
e.l.f. Cosmetics, Inc

Hydrating Camo CC Cream SPF30 Tan 400 W

Drug Facts

Active ingredients

Zinc Oxide 6.3%

Titanium Dioxide 6%

Homosalate 5%

Octisalate 4.5%

Octocrylene 3%

Purpose

Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

For external use only.

Do not use

on damaged or broken skin.

When usingt this product:

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if:

- rash occurs.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.

- Use water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua) Dimethicone, Butylene Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Butyloctyl Salicylate, Butylene Glycol Dicaprylate/ Dicaprate, Panthenol, Synthetic Fluorophlogopite, Polyglyceryl-4 Isostearate, Magnesium Sulfate, Acrylates/Polytrimethylsiloxymethacrylate Copolymer, Trehalose, Phenoxyethanol, Hydrated Silica, Distearidimonium Hectorite, Triethoxycaprylylsilane, Hydrogen Dimethicone, Aluminum Hydroxide, Triethyl Citrate, Ethylhexylglycerin, Caprylyl Glycol, Disodium EDTA, Tin Oxide, Tocopheryl Acetate, Tremella Fuciformis Extract, Sodium Hyaluronate, Niacinamide, Ascorbyl Palmitate, Canola Oil, Glycerin, Daucus Carota Sativa (Carrot) Seed Oil, 1,2-Hexanediol, Daucus Carota Sativa (Carrot) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Beta-Carotene, Soluble Collagen May Contain: Titanium Dioxide (CI 77891), Yellow Iron Oxide (CI 77492), Red Iron Oxide (CI 77491), Black Iron Oxide (CI 77499)

Questions or comments?


1-888-315-9814

Package Labeling:





BACK PANEL PRINTS
OPAQUE BLACK

COPY PRINTS
OPAQUE WHITE



REFERENCE



HYDRATING CAMO CC CREAM SPF30 TAN 400 W
zinc oxide, titanium dioxide, homosalate, octisalate, octocrylene cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:76354-785 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 63 mg in 1 g |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 60 mg in 1 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 50 mg in 1 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 45 mg in 1 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 30 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | |
| PANTHENOL (UNII: WW9CM0O67Z) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| TREHALOSE (UNII: B8WCK70T7I) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| HYDRATED SILICA (UNII: Y6O7T4G8P9) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| STANNIC OXIDE (UNII: KM7N50LOS6) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| ASCORBYL PALMITATE (UNII: QN83US2B0N) | |
| CANOLA OIL (UNII: 331KBJ17RK) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CARROT SEED OIL (UNII: 595AO13F11) | |
| SUNFLOWER OIL (UNII: 3W1JG795YI) | |
| BETA CAROTENE (UNII: 01YAE03M7J) | |

Packaging

| # | Item Code | Package Description | Marketing Start | Marketing End |
|---|-----------|---------------------|-----------------|---------------|
|---|-----------|---------------------|-----------------|---------------|

| # | Item Code | Package Description | Date | Date |
|---|------------------|---|------------|------|
| 1 | NDC:76354-785-01 | 1 in 1 CARTON | 08/15/2023 | |
| 1 | | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 08/15/2023 | |

Labeler - e.l.f. Cosmetics, Inc (093902816)

Revised: 11/2025

e.l.f. Cosmetics, Inc