

STOOL SOFTENER- docusate sodium capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take softgels with a full glass (8 oz) of water

| | |
|--|--|
| adults and children 12 years and older | take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses. |
| children 6 to under 12 years of | |

| | |
|-------------------------------------|---|
| children 6 to under 12 years of age | take 1 softgel daily or as directed by a doctor |
| children under 6 years of age | ask a doctor |

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 7AM-6PM PST

Principal Display Panel

Compare to Phillips® Stool Softener Liquid Gels active ingredient††

Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

SOFTGELS

- Gentle & dependable relief of constipation
- Stimulant free

SOFTGELS

This product is not manufactured or distributed by Bayer HealthCare LLC., distributor of Phillips'® Stool Softener Liquid Gels

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label

Walgreens

Compare to Phillips[®] Stool Softener Liquid Gels active ingredient![†]

NDC 0363-5790-30

Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

SOFTGELS

- Gentle & dependable relief of constipation
- Stimulant free

30 SOFTGELS



ACTUAL SIZE

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

ITEM 934228 W10024-0119-L

Walgreens
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.



PLD-C98L
FC005621

Lot No.:
Exp. Date:

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION



Buy this item often?
AUTO-REORDER & SAVE
Free shipping + 20% off regular price
Learn more at Walgreens.com/AutoReorder

Drug Facts

Active ingredient (in each softgel)
Docusate sodium 100 mg
Stool softener laxative

Purpose

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

- Ask a doctor before use if you have stomach pain ■ nausea ■ vomiting
- a sudden change in bowel habits that lasts over 14 days
- Ask a doctor or pharmacist before use if you are presently taking mineral oil.
- Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- take softgels with a full glass (8 oz) of water
- adults and children 12 years and older take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
- children 6 to under 12 years of age take 1 softgel daily or as directed by a doctor
- children under 6 years of age ask a doctor

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide
*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935
Monday-Friday 9AM-5PM EST

[†]Walgreens Pharmacist Survey
^{††}This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips[®] Stool Softener Liquid Gels.

WALGREENS Stool Softener

STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-5790 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 100 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

WATER (UNII: 059QF0KO0R)

SORBITAN (UNII: 6O92ICV9RU)

SORBITOL (UNII: 506T60A25R)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

| | | | |
|-----------------|------------|---------------------|-------------|
| Color | red, white | Score | no score |
| Shape | OVAL | Size | 12mm |
| Flavor | | Imprint Code | P10;SCU2;D1 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-5790-30 | 1 in 1 BOX | 01/31/2019 | 02/28/2025 |
| 1 | | 30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 01/31/2019 | 02/28/2025 |

Labeler - Walgreens (008965063)

Revised: 10/2023

Walgreens