

**UP AND UP FAMOTIDINE COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**

**Target Corporation**

-----

**Target Corporation Famotidine Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

### **Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

### **Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

### **Questions or comments?**

**Call 1-888-547-7400**

### **Principal Display Panel**

see new warnings

Compare to active ingredients in Pepcid Complete®

dual action famotidine complete

famotidine 10 mg, calcium carbonate 800 mg, magnesium hydroxide 165 mg tablets (chewable)

acid reducer + antacid

just one tablet relieves heartburn due to acid indigestion

BERRY FLAVOR

50 TABLETS

ACTUAL SIZE

50 CHEWABLE TABLETS

**Drug Facts** DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

**Purposes**

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- If you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.
- These may be signs of a serious condition. See your doctor.
- with other acid reducers.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders, or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

see new warnings

Compare to active ingredients in Pepcid Complete®

**dual action**

**famotidine complete**

famotidine 10 mg, calcium carbonate 800 mg, magnesium hydroxide 165 mg tablets (chewable) acid reducer + antacid

just one tablet relieves heartburn due to acid indigestion

50 CHEWABLE TABLETS

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Directions**

■ adults and children 12 years and over:  
 ■ do not swallow tablet whole; chew completely

■ to relieve symptoms, chew 1 tablet before swallowing

■ do not use more than 2 chewable tablets in 24 hours

■ children under 12 years: ask a doctor

**Other information**

- each tablet contains: calcium 330 mg; magnesium 80 mg
- Phenylethanamine: Contains Phenylethanamine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F) ■ protect from moisture

**Drug Facts (continued)**

**Inactive ingredients** anhydrous lactose, artificial berry flavor, aspartame, D&E red no. 7 calcium lake, dex tates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyvinyl alcohol dispersion, polyvinylpyrrolidone, pregelatinized starch, sodium starch glycolate, talc

**Questions? Call 1-888-547-7400**

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Pepcid Complete®.

**GLUTEN FREE**

245 05 0287 R0410285492  
 Distributed by Target Corp.  
 Minneapolis, MN 55409  
 ©2020 Target Brands, Inc.  
 Shop Target.com  
 U.S. Pat. No. 0801,175

<b>UP AND UP FAMOTIDINE COMPLETE</b>			
famotidine, calcium carbonate and magnesium hydroxide tablet, chewable			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-007
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)		FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ50PE7D, CALCIUM CATION - UNII:2M83C4R6ZB)		CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)		MAGNESIUM HYDROXIDE	165 mg
<b>Inactive Ingredients</b>			
	Ingredient Name	Strength	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)			

ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263M44RU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

Color	PINK (mottled)	Score	no score
Shape	ROUND (bi-layered)	Size	17mm
Flavor	BERRY	Imprint Code	L321
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-007-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/27/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	04/27/2015	

**Labeler** - Target Corporation (006961700)