

**ANTACID REGULAR STRENGTH- aluminum hydroxide, magnesium hydroxide, simethicone suspension**

**Kroger Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Kroger Co. Antacid Drug Facts**

**Active ingredients (in each 10 mL)**

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- shake well before use
- measure with dosing cup provided
- **adults and children 12 years and over:** 10 mL – 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- **children under 12 years:** ask a doctor
- mL = milliliter

### Other information

- **each 10 mL contains:** magnesium 175 mg
- **does not meet USP requirements for preservative effectiveness**
- store at 20-25°C (68-77°F), do not freeze

### Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

### Questions or comments?

1-800-632-6900

### Principal Display Panel

OUR PHARMACIST RECOMMENDED

Regular Strength

Antacid

Antacid/Antigas

ALCOHOL 0.2%

Works on Contact

Tough on Heartburn

Classic

Original Flavor

12 FL OZ (355mL)

NDC 30142-357-40



Regular Strength

# Antacid

Antacid/Antigas  
ALCOHOL 0.2%

**Works on  
Contact**

Tough on  
Heartburn


Classic  
Original Flavor

12 FL OZ (355 mL)

: 35740 45 F11

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.**

DISTRIBUTED BY THE KROGER CO. CINCINNATI, OHIO 45202  
GLUTEN FREE



**Drug Facts**

<b>Active ingredients (in each 10 mL)</b>	<b>Purposes</b>
Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

**Uses** relieves ■ heartburn ■ acid indigestion ■ sour stomach  
 ■ upset stomach due to these symptoms  
 ■ pressure and bloating commonly referred to as gas

**Warnings**  
 Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet  
 Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** ■ shake well before use ■ measure with dosing cup provided  
 ■ adults and children 12 years and over: 10 mL – 20 mL between meals, at bedtime or as directed by a doctor  
 ■ do not take more than 120 mL in any 24 hour period  
 ■ do not use the maximum dosage for more than 2 weeks  
 ■ children under 12 years: ask a doctor ■ mL = milliliter

**Other information**  
 ■ each 10 mL contains: magnesium 175 mg  
 ■ does not meet USP requirements for preservative effectiveness  
 ■ store at 20-25°C (68-77°F), do not freeze

**Inactive ingredients** butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution ▶

**Drug Facts**  
(continued)

**Questions or comments?**  
1-800-632-6900

**QUALITY GUARANTEE**  
800-632-6900  
www.kroger.com

CODE AREA

• no varnish • no color

: 35740 45 B9

NO COPY AREA

NO COPY AREA

## ANTACID REGULAR STRENGTH

aluminum hydroxide, magnesium hydroxide, simethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30 142-357
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
BUTYLPARABEN (UNII: 3QP1U3FV8)	

<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	WHITE (opaque)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (lemon, original)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-357-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/15/1987	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	07/15/1987	

**Labeler** - Kroger Company (006999528)