

**LORATADINE ALLERGY RELIEF- loratadine tablet**  
**PD-Rx Pharmaceuticals, Inc.**

-----  
**Loratadine Allergy Relief**

***Drug Facts***

**Active ingredient (in each tablet)**

Loratadine, USP 10 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of	ask a doctor

age

ask a doctor

consumers with liver or kidney disease

ask a doctor

### Other Information

- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE..**

### Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

### Questions?

call **1-800-406-7984**

### PRINCIPAL DISPLAY PANEL - 10 mg Tablet

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet) Purpose</b> Loratadine, USP 10 mg .....Antihistamine</p> <p><b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • itching of the nose or throat • runny nose • itchy, watery eyes • sneezing</p> <p><b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p><b>Ask a doctor before use if you have liver or kidney disease.</b> Your doctor should determine if you need a different dose.</p> <p><b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.</p> <p><b>Stop use and ask a doctor if an allergic reaction to this product occurs.</b> Seek medical help right away.</p> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	<p>NDC 55289-728-90</p>  <p><b>24 Hour Allergy Relief</b></p> <p><b>Loratadine</b></p> <p><b>Tablets USP, 10mg</b></p> <p>Marketed and Packaged By: PD-Rx Pharmaceuticals, Inc Oklahoma City, OK 73127 1-405-942-3040 V.8.19.0</p> <p><b>90 Tablets</b></p> <p><b>TAMPER EVIDENT. DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE.</b></p>	 <p>GTIN: 00355289728900 SNO: C22B57000063 EXP: 12/2022 LOT: C22B57</p> <p><b>Drug Facts (Continued)</b></p> <table border="1"> <tr> <td><b>Directions</b></td> <td></td> </tr> <tr> <td>• adults and children 6 years and over</td> <td>1 tablet daily; not more than 1 tablet in 24 hours.</td> </tr> <tr> <td>• children under 6 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>• consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• store between 20° to 25°C (68° to 77°F)</li> <li>• Protect from excessive moisture</li> </ul> <p><b>Inactive ingredients</b> corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch</p> <p><b>Questions?</b> call 1-800-406-7984 (mfg) OHM</p>	<b>Directions</b>		• adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours.	• children under 6 years of age	ask a doctor	• consumers with liver or kidney disease	ask a doctor
<b>Directions</b>										
• adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours.									
• children under 6 years of age	ask a doctor									
• consumers with liver or kidney disease	ask a doctor									

## LORATADINE ALLERGY RELIEF

loratadine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55289-728(NDC:51660-526)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white (White to Off White)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	RX526
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55289-728-10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2020	
2	NDC:55289-728-15	15 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2021	
3	NDC:55289-728-20	20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2021	
4	NDC:55289-728-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/06/2018	
5	NDC:55289-728-60	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/18/2023	
6	NDC:55289-728-90	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/06/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	11/01/2017	

**Labeler** - PD-Rx Pharmaceuticals, Inc. (156893695)

**Registrant** - PD-Rx Pharmaceuticals, Inc. (156893695)

## Establishment

Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(55289-728)

Revised: 10/2025

PD-Rx Pharmaceuticals, Inc.