VICKS DAYQUIL COLD AND FLU MULTI-SYMPTOM RELIEF- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled The Procter & Gamble Manufacturing Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

VICKS ®

DayQuil®

COLD & FLU

Multi-Symptom Relief

Drug Facts

Active ingredients (in each LiquiCap)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Sore throat warning

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see Overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

 when using other DayQuil or NyQuil products, carefully read each label to insure correct dosing

Other information

• store at room temperature

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene

glycol, purified water, sorbitol special, titanium dioxide

Questions?

1-800-251-3374

Made in Canada Dist. by Procter & Gamble, Cincinnati OH 45202.

PRINCIPAL DISPLAY PANEL - 16 LiquiCap Carton

VICKS®

DayQuil®

COLD & FLU

Multi-Symptom Relief

Acetaminophen, Phenylephrine, Dextromethorphan

- Aches, Fever & Sore Throat
- Nasal Congestion
- Cough

Non-Drowsy

16 LiquiCaps ®

28 Code Area

PARENTS:

www.StachledicineAbuse or

Yelow Na.6, gelatin, gycerin, polyethylene glycd, powbne, popylene glycd, purified water, so bitid special, itanium diodide inactive ingredients FDBC Red No. 40, FDB.C

Drug Facts (continued)

Questions? 1-80-51-3374

QUIET ZONE ®

80% GTIN

VERSION A

AREA GAUGE 23900 01442

QUIET ZONE

Active ingredients (in each Liquicap) Purpose

ailure to follow these warnings couldres ult

Destrome from han HBr 10 mg

Phenyleptrine HCI5 mg

Nassi decongestart Cough suppressent

Uses temparatly relie ves common coldifiu symptoms:

• mesal corg estion • cough due to minor throat & brac his limitation · ming aches &pains · headache

resal conjection
 sore threat

Liver warning. This product contains asstantiophen. Severeli ver damage may occur if you take a more han 4 deseal in 24 fts, which is the maximum dillyamout for this product • without drugs containing asstantiophen • 3 or more alcohold chinks dailywhile using this product Ser a first a warning is soreth trad is save e, less 5 primer than 2 days, occus with or is blowed by 8 ver,

 with any other drug containing acetaming ben (prescription or nonprescription). If you are not surrewhether a drug contains ace ta mirrohen, ask a doctor or pharmac ist.

headache,rash, nausea, or vorniting see adoctor promptly

if you grenow taking a prescription monoamine oxidose inhibitor (MAOI) (carbin drugs for depression, psychiatic or emotional conditions, or Parkinson's disease) or for 2 weeks afterstoping the MAOI drug if you do not know if your prescription drug combines on MOOI, ask a doctor or pharmasist before taking this product.

Ask a dector before use if you have

Iwardisease
 inert disease
 inert disease
 ingh blood pressure
 include unading dueto enlarged prostate gland
 cough that occurs with too much plagm (mc.us)

persistent or dronic coughas occurs with smoking, asthma, or emphysem

also a dectoror pharmad st before use if you are taking the blood thinning drug warfain. When using this product, do not us e more than directed.

COLD&FLU COLD&FLU



VICKS

COLD & FLU Multi-Symptom Relief

Acetaminophen, Phenylephrine, Dextromethorphan Aches, Fever & Sore Throat
 Nasal Congestion
 Cough

 store at room temperature пофетпотпі тельо

when using other DayGuil or MyGuil products, carefully read each label to insure correct dosing

Drug Facts (continued)

Non-Drowsy

take only as directed - see Overdose warning • do not exceed 4 doses per 24 hrs

2 LiquiCaps with water every 4 his

est for ob

ask a doctor

Drug Facts (confined)

16 LiquiCaps® CUITOLEU RUGEL 4 ALS

children 4 to under 12 yrs adults & children 12 yrs & over риестопя

I pregnant orbreast-feeding, ask a health professional be breuse. Keep portor texch of children. Over chose varming: lading ore that directed can cause serious health problems. In case of overfoce, gat medical belon or comber de Potson Control Centering it away Quick medical stabilitin is critical fread late. So prohibite one mily you don't note seary agins or symptoms.

• enchass ors walling is present • new symptoms cocur • cough comes back, oro cocus with resh or he advante that leats. The secoul doe signs of asserious condition

Atop use and ask a doctor if • you get nervous, dzzy or skeptiess symptoms get worse or last more than 5 days (children) or 7 days (adults

Stop use and ask a doctor if

fever gets worse or lasts more than 3 days

99659637 Dist.by Procter & Gamble, Cincinnati OH 45202. Made in Canada

Date Code Area

VICKS DAYQUIL COLD AND FLU MULTI-SYMPTOM RELIEF

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-558
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GELATIN (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PO VIDO NE (UNII: FZ989 GH9 4E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	21mm	
Flavor		Imprint Code	DQuil	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37000-558-02	2 in 1 POUCH; Type 0: Not a Combination Product	06/09/2011			
2	NDC:37000-558-16	8 in 1 CARTON	06/09/2011			
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product				
3	NDC:37000-558-24	12 in 1 CARTON	06/09/2011			
3		2 in 1 BLISTER PACK; Type 0: Not a Combination Product				

4	NDC:37000-558-48	24 in 1 CARTON	06/09/2011	
4		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:37000-558-72	36 in 1 CARTON	06/09/2011	07/07/2017
5		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:37000-558-08	4 in 1 CARTON	06/09/2011	
6		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/09/2011	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 1/2020 The Procter & Gamble Manufacturing Company