CAPSTAR- nitenpyram tablet Elanco US Inc.

Caps tar™ (nitenpyram)

PA101598X

CAPSTAR is an oral tablet for dogs, puppies, cats and kittens **2 pounds of body weight or greater and 4 weeks of age and older.**

Active Ingredients

CAPSTAR Tablets contain 11.4 or 57.0 mg of nitenpyram, which belongs to the chemical class of neonicotinoids. Nitenpyram kills adult fleas.

Warnings

Not for human use. Keep this and all drugs out of the reach of children.

Directions

CAPSTAR Tablets kill adult fleas and are indicated for the treatment of flea infestations on dogs, puppies, cats and kittens **2 pounds of body weight or greater and 4 weeks of age and older.**

A single dose of CAPSTAR should kill the adult fleas on your pet. If your pet gets re-infested with fleas, you can safely give another dose as often as once per day.

To give CAPSTAR Tablets, place the pill directly in your pet's mouth or hide it in food. If you hide the pill in food, watch closely to make sure your pet swallows the pill. If you are not sure that your pet swallowed the pill, it is safe to give a second pill.

Treat all infested pets in the household. Fleas can reproduce on untreated pets and allow infestations to persist.

Dosage

CAPSTAR Tablets should be administered according to the following schedule. **Weigh your pet prior to administration to ensure proper dosage. Do not administer to pets under 2 pounds.**

Recommended Dosage Schedule				
Species Body Weight Dose Nitenpyram Per Tablet				
Dog or Cat	2-25 lbs.	One tablet	11.4 mg	
Dog	25.1-125 lbs.	One tablet	57.0 mg	

Adverse Reactions

Pre-approval laboratory and clinical studies showed that CAPSTAR Tablets are safe for use in dogs and cats, puppies and kittens 2 pounds of body weight or greater and 4 weeks of age and older. (See Post-Approval Experience section).

Post-Approval Experience (Rev. 2011):

The following adverse events are based on post-approval adverse drug experience reporting. Not all adverse reactions are reported to FDA CVM. It is not always possible to reliably estimate the adverse event frequency or establish a causal relationship to product exposure using this data. The following adverse events are listed in decreasing order of reporting frequency.

CATS: hyperactivity, panting, lethargy, itching, vocalization, vomiting, fever, decreased appetite, nervousness, diarrhea, difficulty breathing, salivation, incoordination, seizures, pupil dilation, increased heart rate, and trembling.

DOGS: lethargy/depression, vomiting, itching, decreased appetite, diarrhea, hyperactivity, incoordination, trembling, seizures, panting, allergic reactions including hives, vocalization, fever, and nervousness.

The frequency of serious signs, including neurologic signs and death, was greater in animals under 2 pounds of body weight, less than 8 weeks of age, and/or reported to be in poor body condition. In some instances, birth defects and fetal/neonatal loss were reported after treatment of pregnant and/or lactating animals.

To report adverse effects, access medical information, or obtain additional product information call 1-888-545-5973. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae.

For a complete listing of adverse reactions for nitenpyram reported to the CVM see:

http://www.fda.gov/AnimalVeterinary/SafetyHealth/ProductSafetyInformation

For technical assistance call Elanco US Inc. at 1-888-545-5973

Other Information

CAPSTAR (nitenpyram) Tablets begin working within 30 minutes. In studies, CAPSTAR achieved greater than 90% effectiveness against adult fleas on dogs within 4 hours and cats within 6 hours.

CAPSTAR Tablets are safe for pregnant or nursing dogs and cats (See Post-Approval Experience section).

When using this product, you may notice that your dog or cat will start scratching itself as fleas begin to die. The scratching behavior is temporary and is a reaction to the fleas, not the drug. In cats and dogs, this may present as transient signs of hyperactivity, panting, vocalization and excessive grooming/licking.

CAPSTAR Tablets kill adult fleas that cause flea allergy dermatitis (FAD).

CAPSTAR Tablets may be used together with other products, including heartworm preventives, corticosteroids, antibiotics, vaccines, de-worming medications, shampoos and other flea products.

Flea Infestations on Dogs and Cats


In addition to the common nuisance irritations associated with infestations, fleas can be responsible for skin conditions in your pet such as flea allergy dermatitis (FAD) in the dog and miliary dermatitis in the cat. Also, fleas transmit other parasites, including tapeworms. The control of flea infestations is important to your pet's health and also reduces the problems associated with these parasites.

CAPSTAR Tablets do not have an effect on fleas in the pet's environment. You may need to treat more than one time because immature fleas in and around the home will continue to develop into adults that can reinfest your pet.

The following diagram illustrates the flea's life cycle and where CAPSTAR Tablets work:

Life Cycle of the Flea

Fleas can be a problem because they reproduce so rapidly. A single female flea may produce up to 2,000 eggs over her lifetime. Eggs hatch and can develop into adults within only three weeks. Adult female fleas feed by ingesting blood from your pet and subsequently lay eggs, which drop off your pet's coat. Within days, larvae hatch from the eggs and live undetected in your pet's surroundings, such as the carpet, bedding and other protected areas. Flea larvae spin a cocoon, and, when appropriately stimulated, a young adult flea emerges and jumps onto your pet to continue the life cycle. When these new fleas are seen on your pet, treat with CAPSTAR Tablets.



After reading this insert, if you have any questions about flea control or medical problems associated with flea infestations, consult your veterinarian, who is your pet's health care expert.

Storage Conditions

Store at controlled room temperature, between 59° and 77°F (15°-25°C).

Questions? Comments? Please Call 1-888-545-5973

For technical assistance or to report a suspected adverse event please call 1-888-545-5973

Visit our web site at www.capstarpet.com

Manufactured for: Elanco US Inc.

Greenfield, IN 46140, USA

Approved by FDA under NADA # 141-175

Capstar, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

Revision date: January 2020

ElancoTM

Principal Display Panel - 11.4 mg Carton Label

Caps tarTM

(nitenpyram)

11.4 mg

6 Tablets

(11.4 mg nitenpyram each)

For Dogs and Cats

2–25 lbs.

For treatment of flea infestations on dogs and cats.

For Oral Use.

Product # 604152



Principal Display Panel - 11.4 mg Carton Label Caps tar^{TM}

(nitenpyram)

11.4 mg

60 Tablets

(11.4 mg nitenpyram each)

For Dogs and Cats

2–25 lbs.

For treatment of flea infestations on dogs and cats.

For Oral Use.

NADA #141-175

Approved by FDA

Product # 604152





1





(nitenpyram) Capstxr

POUR USAGE VÉTÉRINAIRE SEULEMENT FOR VETERINARY USE ONLY



(nitenpyram) Capster







Principal Display Panel - 57 mg Carton Label

Caps tarTM

(nitenpyram)

57.0 mg

6 Tablets

(57.0 mg nitenpyram each)

For Dogs Over 25 lbs.

For treatment of flea infestations on dogs.

For Oral Use.

NADA #141-175

Approved by FDA

Product # 604154



Principal Display Panel - 57 mg Box Label

Caps tarTM

(nitenpyram)

60 Tablets

(57.0 mg nitenpyram each)

For Oral Use.

For Dogs Over 25 lbs.

For treatment of flea infestations on dogs.





60 Tablets (57.0 mg nitenpyram each) For Oral Use.



For treatment of flea infestations on dogs.

Capstxram)

Elanco



gm 0.73

Capstxram) (nitenpyram)

Capst r (nitenpyram)

604154 CAPSTAR 57.0 mg

Net Contents: 60 tablets of 57.0 mg nitenpyram each

Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA Product of Switzerland

Banco, Capstar and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliat

SH100007AMB 916576

Store at controlled room temperature, between 59° and 77° F (15°-25° C).

www.capstarpet.com

Principal Display Panel - 11.4 mg Cat and Dog Box Label CAPSTAR $^{\mbox{\tiny TM}}$

(nitenpyram)

11.4 mg

Treatment of flea infestations on cats and dogs

For oral use

60 tablets

(11.4 mg nitenpyram each)

Begins working within **30 minutes**



Principal Display Panel - 11.4 mg Dog Box Label ${\bf CAPSTAR^{TM}}$

(nitenpyram)

11.4 mg

Treatment of flea

infestations on dogs

For oral use

Begins working within 30 minutes

For dogs 2-25 lbs | 60 tablets

[NADA #141-175 Approved by FDA]

ElancoTM



Principal Display Panel - 11.4 mg Dog Carton Label $CAPSTAR^{\text{TM}}$

(nitenpyram)

11.4 mg

Treatment of flea infestations on dogs

For oral use

Beings working within 30 minutes

For dogs 2-25 lbs | 6 tablets (11.4 mg each)

Keep this and all drugs out of reach of children $\,$

[NADA #141-174 Approved by FDA]

 $Elanco^{TM}$





Treatment of flea infestations on dogs



For oral use



Begins working within 30 minutes

For dogs 2-25 lbs 6 tablets (11.4 mg each)

Keep this and all drugs out of the reach of children Approved by FDA under NADA # 141-175







For dogs 2-25 lbs





Product # 604152



Product of Switzerland. www.capstarpet.com Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA between 59° and 77°F (15°-25°C). OUESTIONS or COMMENTS? Please call, 1-888-545-5973, Store at controlled room temperature,

please consult your veterinarian.

- If you have questions about flea control or medical problems associated with flea infestations,
 - CAPSTAR kills adult fleas that cause flea allergy dermatitis [FAD].
- when used together, kill adult fleas and prevent flea eggs from hatching. CAPSTAR can be used with Lufenuron to provide a FLEA MANAGEMENT SYSTEM. The two products,
- against adult fleas on dogs within 4 hours. Begins working within 30 minutes. In studies, CAPSTAR achieved greater than 90% effectiveness
- bregnant or breeding dogs. and older. Weigh your pet prior to administration to ensure proper dosage. It is also safe for use in
- CAPSTAR is safe for use in dogs and puppies 2 pounds of body weight or greater and 4 weeks of age

отнев інговматіон:

for complete information.

A single dose of CAPAR should kill the adult fleas on your pet. If your pet gets re-infested with fleas, you can safely give another dose as often as once per day. Please refer to the package insert

DIRECTIONS:

Keep this and all drugs out of the reach of children.

WARNINGS:

Begins working within 30 minutes

For dogs 2-25 lbs

CAPSTAR (nitenpyram)

Principal Display Panel - 11.4 mg Cat Box Label **CAPSTAR**TM

(nitenpyram)

E E

11.4 mg

Treatment of flea infestations on cats

For oral use

Begins working within 30 minutes

For cats 2-25 lbs | 60 tablets

[NADA #141-175 Approved by FDA]

ElancoTM



Principal Display Panel - 11.4 mg Cat Carton Label CAPSTAR $^{\text{TM}}$

(nitenpyram)

11.4 mg

Treatment of flea infestations on cats

For oral use

Beings working within 30 minutes

For cats **2-25 lbs** | **6 tablets (11.4 mg each)**

Keep this and all drugs out of reach of children

[NADA #141-174 Approved by FDA]

ElancoTM





For cats 2-25 lbs

CAPSTAR (nitenpyram)

CAPSTKR nitenpyram)

Product # 604152

⁵ "129992"50822" ²

IMPRINT HERE

Please call 1-888-545-5973. Store at controlled room temperature, between 59° and 77°F [15°-25°C]. Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA Product of Switzerland. www.capstarpet.com

QUESTIONS or COMMENTS?

please consult your veterinarian.

- If you have questions about flea control or medical problems associated with flea infestations,
 - CAPSTAR kills adult fleas that cause flea allergy dermatitis (FAD).
 - when used together, kill adult fleas and prevent flea eggs from hatching.
- against adult fleas on cats within 6 hours.

 CAPSTAR can be used with lutenuron to provide a FLEA MANAGEMENT SYSTEM. The two products,
 - Begins working within 30 minutes. In studies, CAPSTAR achieved greater than 90% effectiveness
- CAPSTAR is safe for use in cats and kittens 2 pounds of body weight or greater and 4 weeks of age and older. Weigh your pet prior to administration to ensure proper dosage. It is also safe for use in

отнек інгокматіон:

for complete information.

A single dose of CAPSTAR should kill the adult fleas on your pet. If your pet gets re-infested with fleas, you can safely give another dose as often as once per day. Please refer to the package insert

DIRECTIONS:

Keep this and all drugs out of the reach of children.

WARNINGS:



CAPSTAR (nitenpyram)

Principal Display Panel - 57.0 mg Dog Box Label CAPSTAR TM

(nitenpyram)

K 6

57.0 mg

Treatment of flea infestations on dogs

For oral use

Begins working within 30 minutes

for dogs **over 25lbs** | **60 tablets**

[NADA #141-175 Approved by FDA]

ElancoTM



Principal Display Panel - 57.0 mg Dog Box Label CAPSTAR $^{\text{TM}}$

(nitenpyram)

57.0 mg

Treatment of

flea infestations on dogs

For oral use

60 tablets

(57.0 mg nitenpyram each)

Begins working within **30 minutes**



Principal Display Panel - 57.0 mg Dog Carton Label $CAPSTAR^{\text{TM}}$

(nitenpyram)

57.0 mg

Treatment of flea infestations on cats

For oral use

Beings working within 30 minutes

For dogs over 25 lbs | 6 tablets (57.0 mg each)

Keep this and all drugs out of reach of children

[NADA #141-174 Approved by FDA]

 $Elanco^{TM}$





Treatment of flea infestations on dogs



For oral use



Begins working within 30 minutes

For dogs **over 25 lbs** 6 tablets (57.0 mg each)

Keep this and all drugs out of the reach of children Approved by FDA under NADA # 141-175





Begins working within 30 minutes

For dogs over 25 lbs



FIGUEO

Product # 604154



Product of Switzerland, www.capstarpet.com Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA between 59° and 77°F (15°-25°C). Please call 1-888-545-5973. Store at controlled room temperature,

QUESTIONS or COMMENTS?

please consult your veterinarian.

- If you have questions about flea control or medical problems associated with flea infestations.
 - CAPSTAR kills adult fleas that cause flea allergy dermatitis (FAD). when used together, kill adult fleas and prevent flea eggs from hatching.
- CAPSTAR can be used with Lufenuron to provide a FLEA MANAGEMENT SYSTEM. The two products,
- against adult fleas on dogs within 4 hours. • Begins working within 30 minutes. In studies, CAPSTAR achieved greater than 90% effectiveness bregnant or breeding dogs.
- and older. Weigh your pet prior to administration to ensure proper dosage. It is also safe for use in
- CAPSTAR is safe for use in dogs and puppies 2 pounds of body weight or greater and 4 weeks of age

OTHER INFORMATION:

tor complete information.

Ifeas, you can safely give another dose as often as once per day. Please refer to the package insert A single dose of CAPSTAR should kill the adult fleas on your pet. If your pet gets re-infested with

DIRECTIONS:

Keep this and all drugs out of the reach of children.

WARNINGS:

5 5



For dogs over 25 lbs



CAPSTAR

nitenpyram tablet

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58198-4920
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Nitenpyram (UNII: 3A837VZ81Y) (Nitenpyram - UNII:3A837VZ81Y)	Nitenpyram	11.4 mg	

Inactive Ingredients			
Ingredient Name	Strength		
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8 I5X)			
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
STARCH, CORN (UNII: O8232NY3SJ)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			

Product Characteristics				
Color	WHITE (to yellow)	Score	no score	
Shape	ROUND (biconvex beveled edges)	Size	6 mm	
Flavor		Imprint Code	RB;CG	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:58198-4920-1	1 in 1 BOX			
1		6 in 1 BLISTER PACK			
2	NDC:58198-4920-5	10 in 1 CARTON			
2		6 in 1 BOX			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NADA	NADA141175	10/20/2000		

CAPSTAR

nitenpyram tablet

Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58198-4925	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Nitenpyram (UNII: 3A837VZ81Y) (Nitenpyram - UNII:3A837VZ81Y)	Nitenpyram	57 mg	

Inactive Ingredients	
Ingredient Name	Strength
LACTO SE MONO HYDRATE (UNII: EWQ57Q8I5X)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics				
Color	WHITE (to yellow)	Score	no score	
Shape	ROUND (biconvex beveled edges)	Size	11mm	
Flavor		Imprint Code	HIH;CG	
Contains				

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:58198-4925-1	1 in 1 BOX			
1	6 in 1 BLISTER PACK			
2 NDC:58198-4925-5	10 in 1 CARTON			
2	6 in 1 BOX			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NADA	NADA141175	10/20/2000			

Labeler - Elanco US Inc. (966985624)

Establishment				
Name	Address	ID/FEI	Business Operations	
Elanco France SAS		736833104	ANALYSIS, LABEL, MANUFACTURE, PACK	

Revised: 4/2020 Elanco US Inc.