PROCURETRIPLE ANTIBIOTIC TRIPLE ANTIBIOTIC- bacitracin zinc neomycin sulfate polymyxin b ointment TWIN MED, LLC

Drug Facts

Active Ingredients(in each gram)

Bacitracin Zinc......400 units Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin) Polymyxin B Sulfate5000 units

Purpose

First Aid Antibiotic

Uses

First aid to prevent infection in

- Minor cuts
- Scrapes
- Burns

Directions

- Clean the affected area
- Apply small amount of this product(an amount equal to the surface area of the tip of the finger on the area 1 to 3 times daily
- May be covered with a sterile bandage

Warnings

For External Use Only.

Do not use

- In the eyes
- If you are allergic to any of the ingredients
- Over large areas of the body
- Longer than 1 week unless directed by a doctor
- Ask a doctor before use in case of deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- The condition persists or gets worse
- A rash or allergic reaction develops

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Centre right away

Other information

- Store at controlled room temperature 15 ° 30 °C(59 °--86 ° F)
- Avoid excessive heat and humidity
- Tamper Evident
- Do not use if packet is torn, cut or opened.

Inactive Ingredients

White Soft Paraffin

Principal Display Panel



Reorder No. PCTA01

TRIPLE ANTIBIOTIC OINTN

Bacitracin Zinc / Neomycin Sulfate / Polymyxin B Sulfate Compare to active ingredients of Neosporin®** First Aid Antibiotic Ointment

NET WT.: 1 OZ. (28.3G)



Made in India Distributed by Twin Med LLC Santa Fe Springs, CA 90670

TRIPLE ANTIBIOTIC OINTMENT
NET WT.: 1 OZ. (28.3G)
Reorder No. PCTA01

Other information

Store at 15-30°C (95'-86°F)

Avoid excessive heat and humidity

Tamper evident ■ Do not use if tube is cut, form or opened.

eep out of reach of children, swallowed, get medical help or ontact Poison Control Center

oduct (an amount equal to the inface area of the tip of the finger) the area 1 to 3 times daily
May covered with a sterile bandage Ninor cuts ■ Scrapes ■ Burns

Do not use ■In the eyes ■if you are allerigit to any of the ingredients ■ Over large areas of the body ■ Longer than 1 veek unless directed by a physician ■ Ask a physician before use in case of deep or puncture wounds, animal bites.

es ■ First aid to prevent infection

yxin B 5000 units...First Aid Antibiot

in each gram)

citracin Zinc......First Aid Antibidic puivalent to 400 units Bacitracin) omycin Sulfate 5 mg..First Aid Antibidic puivalent to 3.5 mg Neomycin)

Drug Facts



PROCURETRIPLE ANTIBIOTIC TRIPLE ANTIBIOTIC

POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07 J96K) POLYMYXIN B

bacitracin zinc neomycin sulfate polymyxin b ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55681-216

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I) NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297) BACITRACIN 400 U in 1 g NEOMYCIN 3.5 mg in 1 g

5000 U in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:55681-216- 01	0.9 g in 1 PACKET; Type 0: Not a Combination Product	09/22/2021			
2	NDC:55681-216- 02	28.3 g in 1 TUBE; Type 0: Not a Combination Product	08/18/2022			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M004	02/05/2013			

Labeler - TWIN MED, LLC (009579330)

Registrant - TWIN MED, LLC (009579330)

Revised: 1/2024 TWIN MED, LLC