

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable  
Amerisource Bergen**

-----  
**Good Neighbor Pharmacy 44-404A**

***Active ingredient (in each chewable tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

**GOOD  
NEIGHBOR  
PHARMACY®**

**\*Compare to the active ingredient in Bonine® Chewable Tablets**

NDC 46122-774-51

**Motion Sickness Relief  
Meclizine HCl 25 mg Chewable Tablets / Antiemetic**

**Relief for up to 24 hours**

Helps Prevent Nausea, Vomiting and Dizziness  
due to Motion Sickness for up to 24 hours

Ages 12 Years and Over

**Chew or crush tablets  
completely before swallowing.  
Do not swallow tablets whole.**

Raspberry Flavored  
Actual Size

**16** Tablets | 25 mg Each

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Distributed By  
AmerisourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
**[www.mygnp.com](http://www.mygnp.com)**

**SATISFACTION  
GUARANTEED**

\*This product is not manufactured or distributed by WellSpring  
Pharmaceutical Corporation, owner of the registered trademark  
Bonine<sup>®</sup> Chewable Tablets.

50844    ORG082340421



\*Compare to the active ingredient in Bonine® Chewable Tablets

# Motion Sickness Relief

Meclizine HCl 25 mg Chewable Tablets / Antiemetic



\*Compare to the active ingredient in Bonine® Chewable Tablets

NDC 46122-774-51

# Motion Sickness Relief

Meclizine HCl 25 mg Chewable Tablets / Antiemetic

**Relief for up to 24 hours**

Helps Prevent Nausea, Vomiting and Dizziness due to Motion Sickness for up to 24 hours

Ages 12 Years and Over

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

**16 Tablets | 25 mg Each**

Raspberry Flavored Actual Size



ABC# 10285437 Rev: 01/24



\*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets. 50844 ORG082340421

B-0045-404A-21  
ORG082340421

Questions or comments? 1-800-426-9391

**Inactive ingredients**  
colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, polyethylene glycol, saccharin sodium, silicon dioxide

**Other information**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
protect from heat and humidity  
see end flap for expiration date and lot number

**Directions**  
do not take more than directed dosage should be taken one hour before travel starts  
chew or crush tablets completely before swallowing  
do not swallow tablets whole  
adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Active ingredient**  
(in each chewable tablet)  
Meclizine HCl 25 mg  
Antiemetic

**Purpose**


**Warnings**  
Do not use for children under 12 years of age unless directed by a doctor.  
Ask a doctor before use if you have  
■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma  
■ a breathing problem such as emphysema or chronic bronchitis  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
When using this product ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery  
If pregnant or breast-feeding, ask a health professional before use.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Lot/Expiry

Distributed By  
AmersourceBergen  
1 West First Avenue  
Conshohocken, PA 19428  
Questions or Concerns?  
www.mygnp.com





GNP 44-404A

## MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-774
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	44;404
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-774-51	2 in 1 CARTON	03/19/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/19/2024	

**Labeler** - Amerisource Bergen (007914906)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(46122-774)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46122-774) , pack(46122-774)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46122-774)

Revised: 3/2026

Amerisource Bergen