

MUCUS RELIEF DM- mucus relief dm tablet
TopCo Associates, LLC

432 - Mucus Relief DM

Active ingredient(s)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg

Purpose

Cough suppressant
Expectorant

Use(s)

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

Ask a doctor or pharmacist before use if

you are taking sedatives or tranquilizers

When using this product

- do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness

Pregnancy/Breastfeeding

ask a health professional before use.

Keep out of reach of children

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older: Take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.

Children under 12 years of age: do not use

Other information

- store between 20°-25°C (68°- 77°F)
- keep in a dry place and do not expose to heat
- do not use if imprinted safety seal under cap is broken or missing
- You may report side effects to 1-888-952-0050

Inactive ingredients

croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions

Questions or Comments?
Call 1-888-423-0139

Principal Display Panel

NDC 76162-008-01



IMMEDIATE RELEASE

Mucus Relief DM

EXPECTORANT - GUAIFENESIN 400 mg
COUGH SUPPRESSANT - DEXTROMETHORPHAN HBr 20 mg

- Controls Cough
- Thins & Loosens Mucus

100 TABLETS

Drug Facts

Active Ingredients (in each tablet)
Dextromethorphan HBr 20 mg.....Cough suppressant
Guaifenesin 400 mg.....Expectorant

Purposes
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily relieves: ■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ■ the intensity of coughing ■ the impulse to cough to help you get to sleep

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily relieves: ■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants ■ the intensity of coughing ■ the impulse to cough to help you get to sleep

Warnings
Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough accompanied by too much phlegm (mucus)

Drug Facts (continued on inside)

DISTRIBUTED BY
TOPCO ASSOCIATES, LLC
ELK GROVE VILLAGE, IL 60007
© TOPCO ALGAE622
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com

QUALITY GUARANTEED

LR0202 R022

0 136800 43939 9

Scan here for more information or call 1-888-423-0139

Lot: Exp:
PEEL HERE

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ do not use more than directed

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
Adults and children 12 years of age and older: Take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
Children under 12 years of age: do not use

Other Information ■ store between 20°-25°C (68°-77°F) ■ keep in a dry place and do not expose to heat ■ do not use if imprinted safety seal under cap is broken or missing ■ You may report side effects to 1-888-952-0050

Inactive Ingredients
croscarmellose sodium, magnesium stearate, malbiodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or Comments?
Call 1-888-423-0139

Mucus Relief DM

MUCUS RELIEF DM			
mucus relief dm tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-008
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AH432;bisect
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-008-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	10/31/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/31/2022	

Labeler - TopCo Associates, LLC (006935977)

Revised: 6/2022

TopCo Associates, LLC