

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use

if you are presently taking mineral oil

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

ammonium hydroxide, anhydrous citric acid, D&C red #33*, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Phillips® Stool Softener††

Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

Cramp Free

- Gentle & dependable relief of occasional constipation
- Stimulant free

SOFTGELS

††This product is not manufactured or distributed by Bayer HealthCare LLC., owner of the registered trademark Phillips'®

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Product Label

Drug Facts	
Active ingredient (in each softgel) Docusate sodium 100 mg.....Stool softener laxative	Purpose
Uses ■ for relief of occasional constipation (irregularity) ■ this product generally produces bowel movement in 12 to 72 hours	
Warnings Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ a sudden change in bowel habits that lasts over 14 days Ask a doctor or pharmacist before use if you are presently taking mineral oil. Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
†This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Phillips®.

Drug Facts (continued)	
Directions ■ take softgels with a full glass (8 oz) of water	
adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor
Other information ■ each softgel contains: sodium 5 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	
Inactive ingredients: ammonium hydroxide, anhydrous citric acid, D&C Red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow # 6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide	
Questions or comments? Call 1-877-753-3939 Monday-Friday 9AM-5PM EST	



NDC 0363-4202-30



Compare to the active ingredient in Phillips® Stool Softener*



Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

Cramp Free

- Gentle & dependable relief of occasional constipation
- Stimulant free

30
SOFTGELS



ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2021 Walgreen Co.

ITEM 934228 W10024-1121-L



3 11917 18327 5
PLD-F7068 F007779

1 BOTTLE INSIDE

Lot No:
Exp. Date:

WALGREENS Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
GELATIN (UNII: 2G86QN327L)
GLYCERIN (UNII: PDC6A3C0OX)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
WATER (UNII: 059QF0KO0R)
SORBITAN (UNII: 6O92ICV9RU)
SORBITOL (UNII: 506T60A25R)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
AMMONIA (UNII: 5138Q19F1X)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
ALCOHOL (UNII: 3K9958V90M)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
MINERAL OIL (UNII: T5L8T28FGP)
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	PC18
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4202-30	1 in 1 BOX	12/31/2020	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/31/2020	

Labeler - Walgreens (008965063)