

UP AND UP ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release

Target Corporation

Target Corporation Esomeprazole Magnesium Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription

drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

FD&C blue no. 1, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate,

hypromellose, magnesium stearate, meglumine, methacrylic acid and ethyl acrylate copolymer dispersion, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-888-547-7400

Package/Label Principal Display Panel

see new warning information

Compare to active ingredient in Nexium® 24HR

treats frequent heartburn

esomeprazole magnesium

delayed-release capsules, 20 mg

acid reducer

may take 1 to 4 days for full effect

up & up™

3 Bottles inside

ACTUAL SIZE

CAPSULES

24 HOUR

42 CAPSULES

42 CAPSULES

THREE 14-DAY COURSES OF TREATMENT

esomeprazole magnesium
delayed-release capsule, 20 mg
added user



KEEP PART ON FOR COMPLETE WARNING SAN DIMPORTANT INFORMATION.

Clinically Proven to Treat Frequent Heartburn

DO NOT USE IF PRINTED FOIL SEAL UNDER CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING.

Tips for Managing Heartburn

- Avoid hot foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

Drug Facts (continued)

Active ingredient
(in each capsule)
esomeprazole 20 mg. Added ingredient: magnesium hydroxide.

Purpose
to prevent or treat heartburn, acid heartburn, and indigestion.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Drug Facts
• Do not use if you are allergic to esomeprazole.
• Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Other information

• Contains 14-day course (14 capsules) of esomeprazole magnesium delayed-release capsules.
• Each capsule contains 20 mg of esomeprazole magnesium and 200 mg of magnesium hydroxide.
• Do not take more than 14 days unless your doctor tells you to do so.

Questions or comments?
1-888-647-7400

Active ingredient
(in each capsule)
esomeprazole 20 mg. Added ingredient: magnesium hydroxide.

Purpose
to prevent or treat heartburn, acid heartburn, and indigestion.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Uses
• to prevent or treat heartburn (acid reflux) that occurs 2 or more days a week.
• to treat heartburn (acid reflux) that lasts for more than 14 days.

Warnings
Do not use if you are allergic to esomeprazole.
Do not use if you are taking food containing iron or calcium. Iron and calcium supplements may interact with esomeprazole. Do not use if you are taking iron or calcium supplements.

Directions
Adults 18 years of age and older:
• take 1 capsule every day. If you are taking it for heartburn, you may take 1 to 2 capsules every day.
• do not take more than 14 days unless your doctor tells you to do so.

GLUTEN FREE



245.05.0300, R05 C-001744-01-042
Distributed by Target Corporation
Minneapolis, MN 55403
©2021 Target Brands, Inc.
*This product is not manufactured or distributed by Pfizer, distributor of Nexium® 24HR.

89807 UW C5

NDC 11873-898-03

see new warning information

Compare to active ingredient in Nexium® 24HR*

treats frequent heartburn

esomeprazole magnesium



UP AND UP ESOMEPRAZOLE MAGNESIUM

esomeprazole capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-898
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MEGLUMINE (UNII: 6HG8UB2MUY)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	BLUE (opaque)	Score	no score
Shape	CAPSULE (oblong)	Size	14mm
Flavor		Imprint Code	L898
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-898-01	1 in 1 CARTON	09/22/2017	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11673-898-03	3 in 1 CARTON	09/22/2017	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207193	09/22/2017	

Labeler - Target Corporation (006961700)

Revised: 3/2022

Target Corporation