

CALCICURE- calcicure injection, solution
VEDCO, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

ULTIGIENE™ TERMINALLY STERILIZED CALCICURE® □ STERILE SOLUTION

Parenteral Solution

INDICATIONS:

For intravenous use in milk fever, and in calcium, phosphorous, magnesium and glucose deficiency in animals.

Note:

Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption.

Dosage:

Cattle, 500 mL. For milk fever prophylaxis, give 200-500 mL at time of calving. Horses, 250-500 mL; Sheep, 50-125 mL. Repeat in 2 to 6 hours if needed. **This product contains no preservative. Unused portion remaining in bottle must be discarded.**

CAUTION:

Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypo-calcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

CONTAINS:

Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypophosphite and base. Total calcium chemically equivalent to

Calcium borogluconate 26.0% w/v

Dextrose • H₂O 15.0% w/v

Magnesium borogluconate ... 6.0% w/v

Total phosphorus in amounts chemically equivalent to elemental phosphorus 0.5% w/v

Store between 15°C and 30°C (59°F-86°F)

TAKE TIME OBSERVE LABEL DIRECTIONS

Terminally Sterilized

Distributed By

VEDCO, INC

St. Joseph,

MO 64507

Made in El Salvador

NDC 50989-879-16

Net Contents: 500 mL (16.9 fl. oz.)

Parenteral Solution
INDICATIONS: For intravenous use in milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.
NOTE: Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption.
DOSAGE: Cattle, 500 mL. For milk fever prophylaxis, give 200-500 mL at time of calving. Horses, 250-500 mL; Sheep, 50-125 mL. Repeat in 2 to 6 hours if needed. This product contains no preservative. Unused portion remaining in bottle must be discarded.
CAUTION: Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypo-calcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

CONTAINS:
Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypophosphite and base.
Total calcium chemically equivalent to
Calcium borogluconate 26.0% w/v
Dextrose · H₂O 15.0% w/v
Magnesium borogluconate... 6.0% w/v
Total phosphorus in amounts chemically equivalent to elemental phosphorus 0.5% w/v

Store between 15°C and 30°C (59°F-86°F)

**FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**
CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian

VEDCO


**ULTIGIENE™
TERMINALLY STERILIZED**

CALCICURE®


STERILE SOLUTION

NET CONTENTS: 500 mL (16.9 fl. oz.)

NDC 50989-879-16

TAKE TIME  **OBSERVE LABEL DIRECTIONS**
Terminally Sterilized

Rec:9/19

 3 50989 87916 7

Distributed By
VEDCO, INC
St. Joseph,
MO 64507
Made In El Salvador

CALCICURE

calcicure injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:50989-879
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

CALCIUM BOROGLUCONATE (UNII: 6915G2PQ10) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	26 g in 100 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	15 g in 100 mL
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	6 g in 100 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	0.5 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-879-16	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/2020	

Labeler - VEDCO, INC. (021634266)

Registrant - VEDCO, INC. (021634266)

Establishment

Name	Address	ID/FEI	Business Operations
Laboratorios Biogalenic		851259507	manufacture, api manufacture

Revised: 7/2020

VEDCO, INC.