

**LORATADINE- loratadine tablet, chewable
WALGREENS CO.**

Wal-itin®

Drug Facts

Active ingredient (in each tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

adults and children 6 years	chew 2 tablets daily; not more than 2 tablets in 24
--------------------------------	--

and over	hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 0363-9994-30

Walgreens

Compare to the active ingredient
in Children's Claritin[®] Chewables^{††}

• WALGREENS •
PHARMACIST RECOMMENDED[†]

Children's
Allergy Relief

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Dye Free
Non-Drowsy*
24-Hour Relief

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

AGES
2
YEARS &
OLDER

30 CHEWABLE TABLETS

Chewable tablets are to be chewed before swallowing.

ACTUAL SIZE

Grape
flavor

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

Walgreens



Children's Allergy Relief

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

NDC 0363-9994-30

Walgreens



Compare to the active ingredient in Children's Claritin® Chewables*

Children's Allergy Relief

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Dye Free Non-Drowsy* 24-Hour Relief

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

AGES 2 YEARS & OLDER

30 CHEWABLE TABLETS

Chewable tablets are to be chewed before swallowing.



ACTUAL SIZE

Grape flavor

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

Non Varnish Area

Batch No.

Expiration Date:

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. All trademarks are property of their respective owners. This product is not affiliated with the makers of Children's Claritin® Chewables.



DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015
Walgreens 100% SATISFACTION GUARANTEED
walgreens.com 1-800-925-4733 ©2022 Walgreen Co.



W30RG072Z-F

Keep the carton. It contains important information. See end panel for expiration date.

Drug Facts (continued)

Active ingredient (in each tablet) Loratadine USP, 5 mg Antihistamine

Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

Uses ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Directions ■ chew or crush tablets completely before swallowing. ■ adults and children chew 2 tablets daily; not more than 2 tablets in 24 hours ■ children 2 to under 6 years of age chew 1 tablet daily; not more than 1 tablet in 24 hours ■ children under 2 years of age ask a doctor ■ consumers with liver or kidney disease ask a doctor

Other information ■ phenylethanolamines: contains phenylethanolamine 1.25 mg per tablet ■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. ■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients aspartame, citric acid anhydrous, colloidal silicon dioxide, cellulose, sodium starch glycolate, stearic acid

Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.



GLUE - NO COATING

LORATADINE

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9994
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	WHITE (white to off-white)	Score	no score
Shape	ROUND (beveled edge)	Size	10mm
Flavor	GRAPE	Imprint Code	106
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9994-30	3 in 1 CARTON	08/01/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	08/01/2020	

Labeler - WALGREENS CO. (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(0363-9994)

Revised: 8/2022

WALGREENS CO.