

**DAYTIME COLD AND FLU MULTI SYMPTOM MINI SOFTGELS- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled
Shield Pharmaceuticals Corp**

Daytime Cold and Flu Multi-Symptom mini softgels

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor
- throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 Softgels in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy Alert:Acetaminophen may cause severe skin reactions. Symptoms may

- include:
- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are
- not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product

- do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

take only as directed do not exceed 8 softgels per 24 hrs

adults & children 12 yrs & over
children 4 to under 12 yrs
children under 4 yrs

2 Softgels with water every 4 hrs
ask a doctor
do not use

Other information

- store between 20-25°C (68-77°F).

Avoid high humidity and excessive heat.
Protect from light.

Questions or comments?

1-800-373-6981 (toll-free)

Inactive ingredients

FD&C Yellow No. 6, gelatin, glycerin, isopropyl alcohol, MCT Oil, polyethylene glycol-400, propylene glycol, povidone, purified water, silver sheen, sorbitol solution

Distributed by:

Shield Pharmaceuticals Corp.
Ronkonkoma, NY 11779

PRINCIPAL DISPLAY PANEL

mini softgels
smaller size, same strength

Daytime
Cold & Flu

Carton

Drug Facts (continued)

Other information

- store between 20-25°C (68-77°F).
- Avoid high humidity and excessive heat.
- Protect from light.

ValuRx®

Compare to the Active Ingredients in Vicks® Day Quil® Cold & Flu*

mini softgels

smaller size, same strength


Daytime Cold & Flu

Multi-Symptom Relief

Acetaminophen
Phenylephrine HCl
Dextromethorphan HBr

Headache, Fever, Sore Throat,
Minor Aches & Pains

Nasal Congestion,
Sinus Pressure
Cough



Actual Size

Drug Facts (continued)

Active Ingredients (in each Softgel)

Acetaminophen 325 mg Pain reliever/fever reducer

Dextromethorphan HBr 10 mg Cough suppressant

Phenylephrine HCl 5 mg Nasal decongestant

Drug Facts (continued)

Uses

temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 8 Softgels in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product. **Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes
- trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product ■ do not use more than directed.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions ■ take only as directed ■ do not exceed 8 Softgels per 24 hrs

adults & children 12 yrs & over	2 Softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Drug Facts (continued)

Inactive ingredients FD&C Yellow No. 6, gelatin, glycerin, isopropyl alcohol, MCT Oil, polyethylene glycol-400, propylene glycol, povidone, purified water, silver sheen, sorbitol solution

Questions or comments? 1-800-373-6981

*This product is not manufactured or manufactured by Procter & Gamble Company, owner of the registered trademarks Vicks® and Day Quil® Cold & Flu.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION. TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

REV. 03/26
Made in India

Distributed by: Shield Pharmaceuticals Corp.
Ronkonkoma, NY 11779

DAYTIME COLD AND FLU MULTI SYMPTOM MINI SOFTGELS

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83059-0094
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POVIDONE (UNII: FZ989GH94E)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	SDM
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83059-0094-1	1 in 1 CARTON	05/05/2026	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/05/2026	

Labeler - Shield Pharmaceuticals Corp (118724924)

Revised: 5/2026

Shield Pharmaceuticals Corp